



General catalog 2020



KÖNIG & MEYER
Stands For Music



Welcome to perfection,
functionality and quality.

Welcome
to König & Meyer.



1,500 products.
70 years of tradition.
One brand.

„We are a family-operated company
that takes our social and environmental
responsibility seriously, generates creative
ideas, and treats our employees, customers
and suppliers fairly.”



In the music world, we have stood for intelligent accessories of an outstanding quality and unique design since 1949. Over the decades, many developments have become standard in the music industry, such as the classic 101 music stands, the 210/2 microphone stands, but also the instrument stands for trumpets, clarinets, and flugelhorns, which can be stored in the instrument bell or the invention of the ring-lock system to firmly position speakers.

We remain a family-run company for whom social and environmental responsibility is important and we are proud of where we are based, in Wertheim, Germany. Here we have 280 employees who ensure that our products are efficiently made to high quality standards with good service and punctual delivery. From development through production to marketing, we are uncompromising in our goal of providing a premium-level service.

Above all, however, it is people who make our company what it is: our customers, our employees, and our suppliers. By working in partnership with one another and ensuring mutual respect, we have enjoyed trusted collaborations for decades. It is our ethos to build up reliable and long-term relationships with our partners and to ensure that these relationships are maintained. Thank you for remaining true to our company and our products for so many years. We are looking forward to continuing our successful collaboration in the future.

Gabriela König
CEO

Heiko Wolz
CTO

Martin König
President



TECHNOLOGY

Precision is the ultimate key to quality

Technology is our focus right from the start with the initial design of a new product. Together with our highly qualified employees we operate an independent research and development department. Processing is not the only area that requires careful planning; the qualities and functions that make our stands so outstanding also have to be well thought-out. We even make our own tools and equipment so that the new products we envision achieve the quality we are known for.

Our certified quality management system (DIN EN ISO 9001:2008) and qualified employees ensure that every single product is delivered on time in the very best quality. Innovative technology, exceptional high vertical integration and consistent re-investment in machinery provide König&Meyer with the flexibility to respond quickly and easily to customer needs.



IDEAS

Innovation as a driving force

„Our products are the result of an understanding of tradition, a demand for quality and a talent for invention.”

Driven by perfection, innovation and precision, we continually develop new products. The products of tomorrow are based on state-of-the-art computer technology, short development times and the very best quality.

Design, feel, and ergonomics – we test and assess everything to ensure it meets our uncompromising expectations from the initial design to the final product. At König & Meyer perfection is the standard. We know only a strong brand with unique service and outstanding quality will keep our customers coming back.

2019

70th anniversary of König & Meyer

2017

A new distribution center is put into operation

2013

Precision and perfection down to the smallest detail – thanks to a new flat laser cutting machine.

2010

Solar energy panels, a second tube laser cutting machine and a vertical conveyor improve process flow.

2009

Awarded the “Safety with System” seal of quality for excellent safety and health in the workplace.

2007

Certification for the successful introduction of a quality management system.

2006

A new tube laser cutting machine is taken online.

2001

König & Meyer supports different bands and projects from a wide range of musical genres.

1987

The production range is expanded to include keyboard stands, mixer stands and 19” racks.

1968


Stands manufactured for other industry branches (e.g. IV stands, stands for hair-dryer hoods).

1955

An extensive range from instrument stands, microphone stands and boom arms to speaker stands is developed.

1949

Company founded with ten employees who manufacture music stands and measuring instruments.



Exclusive and innovative at König & Meyer: multimedia accessories, the »Spider Pro« keyboard stand and the absolute classic, the microphone stand 210/2 - proven over 50 years.

MUSIC

Enjoy the pleasure of making music

Music means something different to everyone. From classic to electronic, live or solo vocals: every artist lives through the music they create. So it is important to recognize the very different needs musicians have and to be able to offer the best range of accessories.

From classical to pop, from the garage to the largest stage – across the globe musicians and artists encounter the König & Meyer product world they have come to trust – music stands, microphone and instrument stands, a wide range of other stands and holders, and much, much more.



PASSION

Perfection is our philosophy

„Our philosophy is to produce products of excellent quality and durability in an environmentally friendly manner so that musicians worldwide can focus on what's most important – their music.“

Whether you are a beginner or a professional – König & Meyer offers optimal music accessories for any area of application. First-rate materials and optimized product processing result in tangible manufacturing quality right down to the smallest details. We only use precision steel tubes, which are consistent in their dimensions and tolerances. Metal and plastic parts are manufactured in-house and we have been developing and building tools and equipment ourselves for many years now. Our exceptional standards have established the König & Meyer name as an outstanding brand throughout the world.



Passion

ENVIRONMENT

Sustainable management

„Resources are too valuable to waste. Whether we are making a music stand, a microphone stand or a speaker stand, resource conservation and environmental protection are firmly anchored in every step of our production.”

We prevent waste, conserve water and energy and reduce emissions whenever possible. All environmentally relevant processes are continually reviewed and we develop strategies and measures to minimize resource consumption and environmental impact.

At König & Meyer environmental protection has been a fundamental corporate goal for decades. Our unlimited commitment to quality and the environment in the production process translates into the most effective use of raw materials, saving energy, increasing our use of renewable energies, recycling components and products at the end of their lives, avoiding pollutants in production, reducing CO₂ emissions, lowering water consumption and treating waste water from the production process, turning it back into drinking water. Since 1979 we have succeeded in reducing our water consumption by 94 percent.

König & Meyer was awarded the Environmental Prize of the Federal State of Baden-Württemberg for our outstanding achievements in promoting environmental protection and for our environment-based management.



König & Meyer has been certified according to the recognized ISO 14001 standard since 2000 and the EU EMAS Regulation since 1998.

SERVICE

A strong partnership

Along with optimal delivery capacity and products of exceptional quality, we offer our customers additional services: a 5-year warranty on our products (excludes lights, bulbs and batteries) and 10-year spare parts service for almost all our catalogue products. Our service range distinguishes the König & Meyer brand. We want to make it even easier for our customers to choose in favor of our music accessories.



Our idea of customer satisfaction includes offering extensive product information and quick and direct routes of communication. Visit our website for information, videos and setup instructions, and keep up the latest König & Meyer brand news on Facebook, Twitter and our YouTube channel. We welcome your feedback.



www.k-m.de/en



www.instagram.com/koenigundmeyer



www.facebook.com/KoenigundMeyer



twitter.com/koenigumeyer_en



www.youtube.com/KoenigundMeyer



Feel free to choose

When it comes to stands for speakers, guitars, or music:

König & Meyer knows what musicians want.

We develop and optimize our products according
to their needs and wishes to ensure they fulfill every
expectation.



BASELINE ★

Basic and/or standard products

TOPLINE ★★

Professional products for stage and studio

STARLINE ★★★

Products with extraordinary features or
special designs

TÜV/GS approved



Product video via the internet (per QR code)

Using an app (small program) and your smart
phone camera, you can view a video about this
product. You can also enter the internet address
into your web browser.



p10e.k-m.de



Music stands

14

Stands and accessories for instruments

58

Drummer's thrones, benches & stools

108

Keyboard stands

134

Stands for mixer, monitors and
19" rack-mounted products

162

Microphone stands

176

Speaker, lighting and monitor stands


230

Multimedia equipment

282

Shop fittings

304





MUSIC STANDS

König & Meyer music stands are virtually unsurpassed in quality the world over. All elements of the stands' construction are precisely calibrated to ensure perfect interplay. Meticulously selected materials guarantee carefree setup and breakdown – and of course a sturdy stand – year after year.

Thanks to the variety of styles and sizes of music stands that König & Meyer has to offer, everyone – from the budding music pupil to the professional musician – can find the perfect stand for his or her individual needs.



MUSIC STAND

101 BASELINE

| | |
|-----------------------|-------------------------------------|
| Weight | 1.04 kg |
| Special features | the K&M Classic |
| Material | steel |
| Leg construction | brace construction, folds compactly |
| Music desk | traditionally foldable |
| Rod combination | 3-piece folding design |
| Size when folded | 390 mm |
| Height | from 650 to 1,225 mm |
| Music desk dimensions | 440 x 215 mm |

Order No.

| | |
|----------------|--------------|
| nickel-colored | 10100-013-11 |
| black | 10100-013-55 |

Accessories

Page

| | |
|---------------------|----|
| Carrying case 10111 | 54 |
|---------------------|----|



**MUSIC STAND**

| 100/1 | BASELINE |
|-----------------------|------------------------------------|
| Weight | 1.3 kg |
| Special features | different colors available |
| Material | steel |
| Leg construction | U-profile legs snap into socket |
| Music desk | traditionally foldable |
| Rod combination | 3-piece folding design |
| Size when folded | 490 mm |
| Height | from 625 to 1,240 mm |
| Music desk dimensions | 435 x 215 mm |

Order No.

| | |
|--------------|--------------|
| yellow green | 10010-000-31 |
| ocean blue | 10010-000-33 |
| blue | 10010-000-54 |
| black | 10010-000-55 |
| white | 10010-000-57 |
| red | 10010-000-59 |
| green | 10010-000-60 |
| yellow | 10010-000-61 |
| lilac | 10010-000-65 |
| rainbow | 10010-000-99 |

Accessories**Page**

Carrying case 10012

54



MUSIC STAND

| 10040 | BASELINE |
|-----------------------|---|
| Weight | 1.3 kg |
| Special features | music stand can be opened and folded in one simple movement |
| Material | steel |
| Leg construction | U-profile legs snap into socket |
| Music desk | easy to fold |
| Rod combination | 3-piece folding design |
| Size when folded | 490 mm |
| Height | from 650 to 1,240 mm |
| Music desk dimensions | 425 x 215 mm |

Order No.

black 10040-000-55

Accessories

Carrying case 10012

Page

54

MUSIC STAND

| 100/5 | BASELINE |
|-----------------------|-------------------------------------|
| Weight | 1.5 kg |
| Special features | different colors available |
| Material | steel |
| Leg construction | brace construction, folds compactly |
| Music desk | traditionally foldable |
| Rod combination | 3-piece folding design |
| Size when folded | 460 mm |
| Height | from 500 to 1,300 mm |
| Music desk dimensions | 435 x 215 mm |

Order No.

nickel-colored 10050-000-11
 blue 10050-000-54
 black 10050-000-55
 red 10050-000-59
 rainbow 10050-000-99

Accessories

Carrying case 10012

Page

54

MUSIC STAND

| 10052 | BASELINE |
|-----------------------|-------------------------------------|
| Weight | 1.5 kg |
| Special features | extra high |
| Material | steel |
| Leg construction | brace construction, folds compactly |
| Music desk | traditionally foldable |
| Rod combination | 3-piece folding design |
| Size when folded | 580 mm |
| Height | from 640 to 1,500 mm |
| Music desk dimensions | 435 x 215 mm |

Order No.

black 10052-000-55

Accessories

Carrying case 10711

Page

54



MUSIC STAND »ROBBY PLUS«

| 10062 | TOPLINE |
|-----------------------|--|
| Weight | 1.75 kg |
| Special features | extra-wide, extra stable expandable music desk, with additional sheet holders (775 mm) |
| Material | steel |
| Leg construction | U-profile legs with cross braces |
| Music desk | traditionally foldable |
| Rod combination | 3-piece folding design |
| Size when folded | 500 mm |
| Height | from 580 to 1,220 mm |
| Music desk dimensions | 485 x 240 x 42 mm |

Order No.

black 10062-015-55

Accessories

Carrying case 10012

Page

54

MUSIC STAND

| 10065 | TOPLINE |
|-----------------------|----------------------------------|
| Weight | 1.55 kg |
| Material | steel |
| Leg construction | U-profile legs with cross braces |
| Music desk | traditionally foldable |
| Rod combination | 3-piece folding design |
| Size when folded | 490 mm |
| Height | from 585 to 1,220 mm |
| Music desk dimensions | 485 x 240 x 42 mm |

Order No.

nickel-colored 10065-000-11
black 10065-000-55

Accessories

Carrying case 10012

Page

54

MUSIC STAND

| 107 | STARLINE |
|-----------------------|---|
| Weight | 2.45 kg |
| Special features | extremely stable |
| Material | steel |
| Leg construction | solid brace construction, folds compactly |
| Music desk | traditionally foldable |
| Rod combination | 3-piece folding design |
| Size when folded | 680 mm |
| Height | from 675 to 1,470 mm |
| Music desk dimensions | 485 x 240 x 42 mm |

Order No.

nickel-colored 10700-000-11
black 10700-000-55

Accessories

Carrying case 10711

Page

54





MUSIC STAND

| 10810 | STARLINE |
|-----------------------|----------------------------------|
| Weight | 2.5 kg |
| Material | steel |
| Leg construction | U-profile legs with cross braces |
| Music desk | traditionally foldable |
| Rod combination | 3-piece folding design |
| Size when folded | 680 x 90 x 120 mm |
| Height | from 720 to 1,520 mm |
| Music desk dimensions | 500 x 240 mm |

Order No.

| | |
|-------|--------------|
| black | 10810-000-55 |
|-------|--------------|

The most impressive stand in its class. This extremely stable design of stand has a sheet music desk of 500 x 240 mm – for size plus grandeur. The three-piece folding music stand has easy-to-use clamping elements. Its large music desk has plenty of room for heavy folders and is an alternative to a music stand with a plate.

Accessories

Carrying case 10811

Page

54



MUSIC STAND

| 12179 | BASELINE |
|------------------------|---------------------------------|
| Weight | 3.02 kg |
| Special features | perforated music desk |
| Material | steel |
| Leg construction | U-profile legs snap into socket |
| Rod combination | 2-piece folding design |
| Connection stand/plate | quick-release lock |
| Height | from 610 to 1,080 mm |
| Music desk dimensions | 498 x 324 mm |

Order No.

black 12179-000-55

Accessories

Carrying case 11450

Page

54

SCHOOL ORCHESTRA MUSIC STAND

| 10068 | TOPLINE |
|------------------------|----------------------------------|
| Weight | 2.265 kg |
| Material | steel stand, aluminum desk |
| Leg construction | U-profile legs with cross braces |
| Rod combination | 3-piece folding design |
| Connection stand/plate | prismatic »V-block« connector |
| Height | from 555 to 1,190 mm |
| Music desk dimensions | 480 x 300 mm |

Order No.

black 10068-000-55

Accessories

Carrying case 11450

Page

54



ORCHESTRA MUSIC STAND

| 118/1 | TOPLINE |
|--|----------------------------------|
| Weight | 4.3 kg |
| Material | steel stand, wooden desk |
| Leg construction | socket with foldable legs |
| Rod combination | 2-piece folding design |
| Connection stand/plate | prismatic »V-block« connector |
| Height | from 680 to 1,210 mm |
| Music desk dimensions (wood) | 550 x 355 mm |
| Music desk dimensions (Aluminum) | 520 x 355 mm |

Order No.

| | |
|-------------------------------------|--------------|
| chrome stand, walnut wooden desk | 11811-050-02 |
| chrome stand, black wooden desk | 11812-000-02 |
| black stand, black wooden desk | 11812-000-55 |
| black stand, black aluminum desk | 11818-000-55 |
| chrome stand, beech wooden desk | 11819-500-02 |

Accessories

Carrying case 11450

Page

54

ORCHESTRA MUSIC STAND

| 118/3 | TOPLINE |
|----------------------------|----------------------------------|
| Weight | 5 kg |
| Special features | additional shelf |
| Material | steel stand, wooden desk |
| Leg construction | socket with foldable legs |
| Rod combination | 2-piece folding design |
| Connection stand/ plate | prismatic »V-block« connector |
| Height | from 615 to 1,150 mm |
| Music desk dimensions | 550 x 440 mm |

Order No.

| | |
|---|--------------|
| chrome stand with walnut wooden desk | 11831-000-02 |
| chrome stand with black wooden desk | 11832-000-02 |


Prismatic »V-block«
Connector

Prismatic »V-block«
Connector

ORCHESTRA MUSIC STAND

| 118/4 | TOPLINE |
|---------------------------|----------------------------------|
| Weight | 4.6 kg |
| Special features | extra high |
| Material | steel stand, wooden desk |
| Leg construction | socket with foldable legs |
| Rod combination | 3-piece folding design |
| Connection stand/plate | prismatic »V-block« connector |
| Height | from 740 to 1,635 mm |
| Music desk dimensions | 550 x 355 mm |

Order No.

| | |
|-------------------------------------|--------------|
| chrome stand, walnut wooden desk | 11841-000-02 |
| chrome stand, black wooden desk | 11842-000-02 |

ORCHESTRA MUSIC STAND

| 11870 | TOPLINE |
|---------------------------|--------------------------------------|
| Weight | 2.8 kg |
| Special features | user-friendly, quick-release lock |
| Material | aluminum stand, steel desk |
| Base diameter | 750 mm |
| Leg construction | tube legs with cross braces |
| Rod combination | 3-piece folding design |
| Connection stand/plate | quick-release lock |
| Size when folded | 655 x 100 x 100 mm |
| Height | from 650 to 1,500 mm |
| Music desk dimensions | 490 x 340 x 50 mm |

Order No.

| | |
|-------|--------------|
| black | 11870-015-55 |
|-------|--------------|

Accessories

| |
|---------------------|
| Carrying case 11450 |
|---------------------|

Page

54

ORCHESTRA MUSIC STAND

| 11899 | TOPLINE |
|---------------------------|--------------------------------|
| Weight | 4.17 kg |
| Special features | perforated music desk |
| Material | steel |
| Leg construction | tube legs with cross braces |
| Rod combination | 2-piece folding design |
| Connection stand/plate | quick-release lock |
| Height | from 700 to 1,200 mm |
| Music desk dimensions | 498 x 324 mm |

Order No.

| | |
|-------|--------------|
| black | 11899-000-55 |
|-------|--------------|

Accessories

| |
|---------------------|
| Carrying case 11450 |
|---------------------|

Page

54



ORCHESTRA MUSIC STAND

| 11940 | TOPLINE |
|------------------------|-----------------------------------|
| Weight | 3.6 kg |
| Special features | user-friendly, quick-release lock |
| Material | steel |
| Base diameter | 750 mm |
| Leg construction | tube legs with cross braces |
| Rod combination | 2-piece folding design |
| Connection stand/plate | quick-release lock |
| Size when folded | 730 x 100 x 100 mm |
| Height | from 740 to 1,270 mm |
| Music desk dimensions | 490 x 340 x 50 mm |

Order No.

black 11940-000-55

Accessories

Carrying case 11460

Page

54

ORCHESTRA MUSIC STAND

| 11960 | TOPLINE |
|------------------------|-----------------------------------|
| Weight | 3.7 kg |
| Special features | user-friendly, quick-release lock |
| Material | steel |
| Base diameter | 750 mm |
| Leg construction | tube legs with cross braces |
| Rod combination | 2-piece folding design |
| Connection stand/plate | quick-release lock |
| Size when folded | 730 x 100 x 100 mm |
| Height | from 740 to 1,270 mm |
| Music desk dimensions | 490 x 340 x 50 mm |

Order No.

black 11960-000-55

Accessories

Carrying case 11460

Page

54

ORCHESTRA MUSIC STAND WITH TABLET HOLDER

| 11965 | TOPLINE |
|------------------------|--|
| Weight | 4 kg |
| Special features | user-friendly, quick-release lock; 4 adjustable clamping bolts with rubber caps included |
| Material | steel |
| Base diameter | 750 mm |
| Leg construction | tube legs with cross braces |
| Rod combination | 2-piece folding design |
| Connection stand/plate | quick-release lock |
| Size when folded | 780 x 100 x 140 mm |
| Height | from 750 to 1,350 mm |
| Music desk dimensions | 495 x 320 x 50 mm |

Order No.

black 11965-000-55

Accessories

Carrying case 11460

Page

54



ORCHESTRA MUSIC STAND

| 12120 | TOPLINE |
|------------------------|---|
| Weight | 2.64 kg |
| Special features | collapsible music desk; nylon bag is included |
| Material | steel stand, plastic desk |
| Leg construction | socket with foldable legs |
| Rod combination | 2-piece folding design |
| Connection stand/plate | non-detachable |
| Height | from 545 to 1,220 mm |
| Music desk dimensions | 505 x 340 mm |

Order No.

black 12120-000-55

ORCHESTRA MUSIC STAND

| 12125 | TOPLINE |
|------------------------|---|
| Weight | 3.14 kg |
| Special features | extra high; collapsible music desk; nylon bag is included |
| Material | steel stand, plastic desk |
| Leg construction | socket with foldable legs |
| Rod combination | 3-piece folding design |
| Connection stand/plate | non-detachable |
| Height | from 720 to 1,550 mm |
| Music desk dimensions | 505 x 340 mm |

Order No.

black 12125-000-55





Music desk
made of metal,
covered with
structural coating



Friction Lock:
Quick height adjustment
by push and pull

U-profile legs
snap into socket

ORCHESTRA MUSIC STAND**NEW**

| 11910 | TOPLINE |
|------------------------|---|
| Weight | 3.2 kg |
| Special features | Friction Lock: Quick height adjustment by push and pull |
| Material | steel |
| Base diameter | 666 mm |
| Leg construction | U-profile legs snap into socket |
| Rod combination | 2-piece folding design |
| Connection stand/plate | screw connection |
| Height | from 677 to 1,205 mm |
| Music desk dimensions | 498 x 318 mm |
| Angle of inclination | 0° to 90° |

Order No.

black 11910-000-55

Solid orchestra music stand with continuous and easy height adjustment which is based on frictional force. To adjust the height, the tube combination is simply moved up and down without using any screws. The large music desk is made of metal and covered with a resistant structural coating. The inclination of the music stand can also be continuously adjusted. A further feature are the integrated non-slip end caps, which protect surfaces. Thanks to the foldable foot construction, the music stand is ideally suited for transport.

ORCHESTRA MUSIC STAND

NEW

| 11911 | TOPLINE |
|------------------------|---|
| Weight | 2.3 kg |
| Special features | Friction Lock: Quick height adjustment by push and pull |
| Material | steel stand, plastic desk |
| Base diameter | 666 mm |
| Leg construction | U-profile legs snap into socket |
| Rod combination | 2-piece folding design |
| Connection stand/plate | screw connection |
| Height | from 677 to 1,205 mm |
| Music desk dimensions | 498 x 322 mm |
| Angle of inclination | 0° to 90° |

Order No.

black 11911-000-55

ORCHESTRA MUSIC STAND

NEW

| 11912 | TOPLINE |
|------------------------|--|
| Weight | 3 kg |
| Special features | stackable; Friction Lock: Quick height adjustment by push and pull |
| Material | steel |
| Base diameter | 535 mm |
| Leg construction | fixed screw-in legs |
| Rod combination | 2-piece folding design |
| Connection stand/plate | screw connection |
| Height | 744 to 1,280 mm |
| Music desk dimensions | 498 x 318 mm |
| Angle of inclination | 0° to 90° |

Order No.

black 11912-000-55

Accessories

| | Page |
|---|------|
| Wagon for orchestra music stands »Overture« 11935 | 30 |

ORCHESTRA MUSIC STAND

NEW

| 11913 | TOPLINE |
|------------------------|--|
| Weight | 2.2 kg |
| Special features | stackable; Friction Lock: Quick height adjustment by push and pull |
| Material | steel stand, plastic desk |
| Base diameter | 535 mm |
| Leg construction | fixed screw-in legs |
| Rod combination | 2-piece folding design |
| Connection stand/plate | screw connection |
| Height | 744 to 1,280 mm |
| Music desk dimensions | 498 x 322 mm |
| Angle of inclination | 0° to 90° |

Order No.

black 11913-000-55

Accessories

| | Page |
|---|------|
| Wagon for orchestra music stands »Overture« 11935 | 30 |



ORCHESTRA MUSIC STAND
NEW

| 11914 | TOPLINE |
|------------------------|---|
| Weight | 3.2 kg |
| Special features | Friction Lock: Quick height adjustment by push and pull |
| Material | steel |
| Base diameter | 492 mm |
| Leg construction | fixed screw-in legs |
| Rod combination | 2-piece folding design |
| Connection stand/plate | screw connection |
| Height | from 651 to 1,185 mm |
| Music desk dimensions | 498 x 318 mm |
| Angle of inclination | 0° to 90° |

Order No.

black 11914-000-55

ORCHESTRA MUSIC STAND
NEW

| 11915 | TOPLINE |
|------------------------|---|
| Weight | 2.4 kg |
| Special features | Friction Lock: Quick height adjustment by push and pull |
| Material | steel stand, plastic desk |
| Base diameter | 492 mm |
| Leg construction | fixed screw-in legs |
| Rod combination | 2-piece folding design |
| Connection stand/plate | screw connection |
| Height | from 651 to 1,185 mm |
| Music desk dimensions | 498 x 322 mm |
| Angle of inclination | 0° to 90° |

Order No.


black 11915-000-55

ORCHESTRA MUSIC STAND

| 11920 | TOPLINE |
|------------------------|--|
| Weight | 4.3 kg |
| Special features | 3 mm thick music desk, can also be used as a writing surface |
| Material | steel stand, aluminum desk |
| Base diameter | 680 mm |
| Leg construction | socket with foldable legs |
| Rod combination | 2-piece folding design |
| Connection stand/plate | prismatic »V-block« connector |
| Height | from 680 to 1,210 mm |
| Music desk dimensions | 520 x 360 x 57 mm |

Order No.

black 11920-000-55



ORCHESTRA MUSIC STAND »OVERTURE«**11930****TOPLINE**

| | |
|---------------------------|--|
| Weight | 3.5 kg |
| Special features | stackable; height adjustment by using clamping lever |
| Material | steel |
| Base diameter | 535 mm |
| Leg construction | fixed screw-in legs |
| Rod combination | 2-piece folding design |
| Connection stand/plate | non-detachable |
| Height | from 760 to 1,300 mm |
| Music desk dimensions | 500 x 320 x 56 mm |
| Angle of inclination | 0° to 90° |

Order No.

black 11930-000-55

Optional: Trolley 11935 for
transport and storage for up to
12 orchestra music stands

Specially designed for venues such as schools, concert halls, halls etc. It is absolutely ideal for whenever several orchestra music stands need to be set up and cleared away quickly or when storage space is limited. The minimum stacking distance is only 70 mm. Height adjustment is very easy by just using the clamping lever. The tension of the lever can be adjusted to your needs. The height can be continuously adjusted between 760 and 1300 mm. Trolley 11935 for up to 12 orchestra music stands is also optionally available for transport and storage.

Accessories**Page**

| | |
|--|----|
| Wagon for orchestra music stands »Overture« 11935 | 30 |
| Carrying case 11450 | 54 |



**WAGON FOR ORCHESTRA
MUSIC STANDS »OVERTURE«**

| 11935 | TOPLINE |
|------------------|--|
| Weight | 18 kg |
| Special features | for up to 12 orchestra music stands »Overture«; with 2 castor wheels with locking brakes as well as 2 heavy-duty castors; includes one expander rope |
| Material | steel |
| Dimensions | 1,180 x 506 x 170 mm |
| Fits | 11912, 11913, 11930 |

Order No.

black 11935-000-55

Accessories
Page

Storage box for wagon 11936 30

STORAGE BOX FOR WAGON

| 11936 | TOPLINE |
|--------------------|--------------------------|
| Weight | 3 kg |
| Special features | covered recessed handles |
| Material | steel |
| Max. load capacity | 8 kg |
| Dimensions | 420 x 172 x 135 mm |
| Fits | 11935 |

Order No.

black 11936-000-55

COVER FOR WAGON

| 11937 | TOPLINE |
|------------|----------------------|
| Weight | 0.262 kg |
| Material | nylon |
| Dimensions | 1,070 x 950 x 520 mm |

Order No.

11937-000-00

Perfect for tools and accessories

Useful supplement for orchestra music stand wagon 11935



For transport and storage from up to 12 orchestra music stands 11930



ORCHESTRA MUSIC STAND

| 11888 | STARLINE |
|------------------------|-------------------------------|
| Weight | 3.06 kg |
| Material | aluminum |
| Leg construction | tube legs with cross braces |
| Rod combination | 2-piece folding design |
| Connection stand/plate | prismatic »V-block« connector |
| Height | from 710 to 1,215 mm |
| Music desk dimensions | 520 x 360 mm |

Order No.

black 11888-050-55

Accessories

Carrying case 11450

Page

54

ORCHESTRA MUSIC STAND

| 11889 | STARLINE |
|------------------------|-------------------------------|
| Weight | 3.8 kg |
| Material | aluminum stand, steel desk |
| Leg construction | tube legs with cross braces |
| Rod combination | 2-piece folding design |
| Connection stand/plate | prismatic »V-block« connector |
| Height | from 710 to 1,215 mm |
| Music desk dimensions | 520 x 360 mm |

Order No.


black 11889-000-55

Accessories

Carrying case 11450

Page

54





THE MODULAR K&M ORCHESTRA CONDUCTOR STANDS (Page 33 – 34)



**12335
CONDUCTOR STAND DESK
WITH SHELVES**
Page 34

**12332
CONDUCTOR STAND DESK**
Page 33



**12338
EXTENDABLE CONDUCTOR
STAND DESK**
Page 34

**12336/12337
SCORE TRAY**
Page 34



**12330
CONDUCTOR STAND BASE**
Page 33



**12331
CONDUCTOR STAND BASE**
Page 33



ORCHESTRA CONDUCTOR STAND BASE

| 12330 | |
|------------------------|--|
| Weight | 8.1 kg |
| Special features | height is adjusted in 40 mm steps and is set using a metal lever |
| Material | steel |
| Base diameter | 700 mm |
| Leg construction | flat steel plate |
| Rod combination | 2-piece folding design |
| Connection stand/plate | screw connection |
| Height | from 840 to 1,400 mm |

Order No.

black 12330-000-55

Accessories

Page

| | |
|--|----|
| Orchestra conductor stand desk 12332/12333 | 33 |
| Orchestra conductor stand desk 12334/12335 | 34 |
| Orchestra conductor stand desk 12338 | 34 |
| Score tray 12336/12337 | 34 |

ORCHESTRA CONDUCTOR STAND BASE

| 12331 | |
|------------------------|--|
| Weight | 4.2 kg |
| Special features | height is adjusted in 40 mm steps and is set using a metal lever |
| Material | steel |
| Leg construction | tube legs with cross braces |
| Rod combination | 2-piece folding design |
| Connection stand/plate | screw connection |
| Height | from 850 to 1,370 mm |

Order No.

black 12331-000-55

Accessories

Page

| | |
|--|----|
| Orchestra conductor stand desk 12332/12333 | 33 |
| Orchestra conductor stand desk 12334/12335 | 34 |
| Orchestra conductor stand desk 12338 | 34 |
| Score tray 12336/12337 | 34 |

ORCHESTRA CONDUCTOR STAND DESK

| 12332/12333 | |
|------------------------|------------------|
| Weight | 3.7 kg |
| Material | wood |
| Connection stand/plate | screw connection |
| Music desk dimensions | 800 x 400 mm |
| Fits | 12330, 12331 |

Order No.

beech nature 12332-000-00
black 12333-000-55



ORCHESTRA CONDUCTOR STAND DESK

| 12334/12335 | |
|----------------------------|------------------|
| Weight | 4.3 kg |
| Special features | with shelves |
| Material | wood |
| Connection stand/ plate | screw connection |
| Music desk dimensions | 800 x 465 mm |
| Fits | 12330, 12331 |

Order No.

| | |
|--------------|--------------|
| beech nature | 12334-000-00 |
| black | 12335-000-55 |

ORCHESTRA CONDUCTOR STAND DESK

| 12338 | |
|----------------------------|------------------|
| Weight | 3.95 kg |
| Special features | extendable |
| | up to 870 mm |
| Material | wood |
| Connection stand/ plate | screw connection |
| Music desk dimensions | 575 x 360 mm |
| Fits | 12330, 12331 |

Order No.

| | |
|-------|--------------|
| black | 12338-000-55 |
|-------|--------------|

SCORE TRAY

| 12336/12337 | |
|------------------------------------|--------------|
| Weight | 3.7 kg |
| Material | wood |
| Dimensions | 700 x 350 mm |
| Suitable for tubing diameter of | 35 to 42 mm |
| Fits | 12330, 12331 |

Order No.

| | |
|--------------|--------------|
| beech nature | 12336-000-00 |
| black | 12337-000-55 |



SOUND INSULATION STAND

| 11900 | |
|-------------------------|---|
| Weight | 3.02 kg |
| Special features | can be used on both sides (concave, convex) |
| Material | stand steel, acrylic glass shield |
| Base diameter | 670 mm |
| Leg construction | socket with foldable legs |
| Rod combination | 2-piece folding design |
| Connection stand/shield | prismatic »V-block« connector |
| Height | from 900 to 1,400 mm |
| Dimensions shield | 450 x 240 mm |

Order No.

black 11900-000-55

Accessories

Page

Acoustic absorber with Velcro strip 11901 35

ACOUSTIC ABSORBER WITH VELCRO STRIP

| 11901 | |
|------------|-------------------|
| Weight | 0.13 kg |
| Material | foam |
| Dimensions | 605 x 240 x 50 mm |
| Fits | 11900, 11905 |

Order No.

anthracite 11901-000-62

SOUND INSULATION ELEMENT FOR ORCHESTRA SEATS WITH BACKREST

| 11905 | |
|-------------------------|---|
| Weight | 1.75 kg |
| Special features | can be used on both sides (concave, convex) |
| Material | stand steel, acrylic glass shield |
| Connection stand/shield | prismatic »V-block« connector |
| Height | 700 mm |
| Dimensions shield | 450 x 240 mm |
| Fits | 13420, 13430, 13440, 13460, 13470, 13480 |

Order No.

black 11905-000-55

Accessories

Page

Acoustic absorber with Velcro strip 11901 35



Prismatic »V-block« Connector



For use with Sound insulation stands 11900 and 11905.



Can be attached to the individual backrest bar. With Prismatic »V-block« Connector.

THE CONDUCTOR PODIUM – CONFIGURABLE TO YOUR NEEDS (Page 37 – 38)

**11991
RAILING FOR
CONDUCTOR
PODIUM**
Page 37

**11994
STAIR FOR
CONDUCTOR PODIUM**
Page 38

**11990
CONDUCTOR PODIUM**
Page 37

**11995
CURTAIN FOR
CONDUCTOR PODIUM**
Page 38

**11993
FEET FOR
CONDUCTOR
PODIUM**
Page 38

CONDUCTOR PODIUM

| 11990 | |
|------------------|-----------------------------|
| Weight | 21 kg |
| Special features | with noise filtering carpet |
| Material | aluminum |
| Dimensions | 1,000 x 1,000 x 96 mm |

| Order No. | |
|-----------|--------------|
| black | 11990-000-55 |

| Accessories | Page |
|------------------------------------|------|
| Railing for conductor podium 11991 | 37 |
| Feet for conductor podium 11992 | 37 |
| Feet for conductor podium 11993 | 38 |

RAILING FOR CONDUCTOR PODIUM

| 11991 | |
|------------------|-------------------------------|
| Weight | 5.82 kg |
| Special features | two adapter pins are included |
| Material | steel |
| Width | 882 mm |
| Height | 1,002 mm |
| Fits | 11990 |

| Order No. | |
|-----------|--------------|
| | 11991-000-00 |

FEET FOR CONDUCTOR PODIUM

| 11992 | |
|---------------------|--|
| Weight | 0.31 kg |
| Special features | with integrated leveling screws to adjust for uneven surfaces; for conductor podium height 20 cm |
| Material | aluminum |
| Dimensions diameter | 50 x 182 mm |
| Fits | 11990 |

| Order No. | |
|-----------|--------------|
| | 11992-000-00 |



FEET FOR CONDUCTOR PODIUM

| 11993 | |
|---------------------|---|
| Weight | 0.47 kg |
| Special features | with integrated levelling screws to adjust for uneven surfaces; for conductor podium height 40 cm |
| Material | aluminum |
| Dimensions diameter | 50 x 382 mm |
| Fits | 11990 |

Order No.

11993-000-00

Accessories
Page

Stair for conductor podium 11994 38

Curtain for conductor podium 11995 38

STAIR FOR CONDUCTOR PODIUM

| 11994 | |
|------------------|---|
| Weight | 10.84 kg |
| Special features | feet are equipped with levelling screws to adjust for uneven surfaces |
| Material | steel |
| Dimensions | 990 x 369 x 200 mm |
| Fits | 11993 |

Order No.

11994-000-00

CURTAIN FOR CONDUCTOR PODIUM

| 11995 | |
|------------------|--|
| Weight | 0.26 kg |
| Special features | aluminum profile/ frame with a Velcro strip included |
| Material | polyester |
| Width | 1,000 mm |
| Height | 400 mm |
| Fits | 11993 |

Order No.

black

11995-000-55



WOODEN MUSIC STAND

| 116/1 | |
|----------------------------|-------------------------|
| Weight | 2.81 kg |
| Material | wood |
| Rod combination | 2-piece folding design |
| Connection stand/ plate | screw connection |
| Height | from 715 to 1,225 mm |
| Music desk dimensions | 460 x 300 mm |

Order No.

| | |
|------------|--------------|
| walnut | 11611-000-00 |
| beech | 11616-000-00 |
| cherrywood | 11617-000-00 |

WOODEN MUSIC STAND

| 117 | |
|----------------------------|-------------------------|
| Weight | 3.28 kg |
| Special features | curved baroque design |
| Material | wood |
| Rod combination | 2-piece folding design |
| Connection stand/ plate | screw connection |
| Height | from 960 to 1,320 mm |
| Music desk dimensions | 450 x 310 mm |

Order No.

| | |
|------------|--------------|
| walnut | 11701-000-00 |
| beech | 11706-000-00 |
| cherrywood | 11707-000-00 |



TABLE MUSIC STAND

| 124 | |
|-----------------------|---|
| Weight | 0.28 kg |
| Special features | Expandable, folding table-top music stand with sheet music retainers; also for zither players |
| Material | steel |
| Size when folded | 260 x 47 x 37 mm |
| Music desk dimensions | 500 x 200 mm |

Order No.

nickel-colored 12400-000-11

UNI-BOY »BOOK« STAND

| 12440 | |
|-----------------------|---|
| Weight | 1.98 kg |
| Special features | for sheet music, books, magazines, reports etc. |
| Material | plastic |
| Size when folded | 235 x 173 x 13 mm |
| Music desk dimensions | 173 x 235 mm |
| Angle of inclination | 10° to 50° |

Order No.

4 color set (unit: 22 pcs.) 12440-000-00
blue (unit: 12 pcs.) 12440-012-54
red (unit: 12 pcs.) 12440-012-59
green (unit: 12 pcs.) 12440-012-60
yellow (unit: 12 pcs.) 12440-012-61

UNI-BOY »CLASSIC« STAND

| 12450 | |
|-----------------------|---|
| Weight | 2.02 kg |
| Special features | for sheet music, books, magazines, reports etc. |
| Material | plastic |
| Size when folded | 230 x 173 x 13 mm |
| Music desk dimensions | 173 x 230 mm |
| Angle of inclination | 10° to 50° |

Order No.

4 color set (unit: 22 pcs.) 12450-000-00
blue (unit: 12 pcs.) 12450-012-54
red (unit: 12 pcs.) 12450-012-59
green (unit: 12 pcs.) 12450-012-60


MUSIC STAND LIGHT

| 122e | |
|----------------------------|----------------------|
| Weight | 0.37 kg |
| Special features | GS-approved |
| Material | steel |
| Connection | electric cable 2 m |
| Electrical connection data | 230 V AC 50Hz |
| Intensity | ~2500 lux |
| Clamping range | up to 20 mm |
| Power output | max. 25 watt |
| Lighting appliance | 1 light bulb |
| Lamp shade length | 160 mm |
| Power supply | only mains operation |
| Light positioning by | pivoted joint |

Order No.

black 12250-013-55

Accessories

Page

| | |
|----------------------------|----|
| Replacement bulb 12290 | 53 |
| LED replacement bulb 12294 | 53 |

DOUBLE MUSIC STAND LIGHT

| 122/6 | |
|----------------------------|----------------------|
| Weight | 0.52 kg |
| Special features | GS-approved |
| Material | steel |
| Connection | electric cable 2 m |
| Electrical connection data | 230 V AC 50Hz |
| Intensity | 2 x ~2500 lux |
| Clamping range | up to 20 mm |
| Power output | max. 25 watt |
| Lighting appliance | 2 light bulbs |
| Lamp shade length | 320 mm |
| Power supply | only mains operation |
| Light positioning by | pivoted joint |

Order No.

black 12260-013-55

Accessories

Page

| | |
|----------------------------|----|
| Replacement bulb 12290 | 53 |
| LED replacement bulb 12294 | 53 |

DOUBLE MUSIC STAND LIGHT

| 12275 | |
|----------------------------|-----------------------|
| Weight | 0.58 kg |
| Material | steel |
| Connection | electric cable 1.60 m |
| Electrical connection data | 230 V AC 50Hz |
| Intensity | 2 x ~2500 lux |
| Clamping range | up to 20 mm |
| Power output | max. 25 watt |
| Lighting appliance | 2 light bulbs |
| Lamp shade length | 320 mm |
| Power supply | only mains operation |
| Light positioning by | gooseneck |

Order No.

black 12275-000-55

Accessories

Page

| | |
|----------------------------|----|
| Replacement bulb 12290 | 53 |
| LED replacement bulb 12294 | 53 |



LED PIANO LAMP

| 12296 | |
|----------------------------|--|
| Weight | 1.6 kg |
| Special features | includes power adapter; perfect for stage and digital pianos; very bright LED piano lamp |
| Material | Base zinc die-cast, gooseneck steel, plastic lamp shade |
| Connection | electric cable 3 m |
| Electrical connection data | 230 V AC 50Hz |
| Intensity | ~2500 lux |
| Lighting appliance | 12 LEDs |
| Lamp shade length | 296 mm |
| Power supply | only mains operation |
| Light positioning by | gooseneck |

Order No.

| | |
|-------|--------------|
| black | 12296-000-55 |
|-------|--------------|

LED PIANO LAMP

| 12297 | |
|----------------------------|---|
| Weight | 1.75 kg |
| Special features | includes power adapter; very bright LED piano lamp |
| Material | Base zinc die-cast, gooseneck steel, plastic lamp shade |
| Connection | electric cable 3 m |
| Electrical connection data | 230 V AC 50Hz |
| Intensity | ~2500 lux |
| Lighting appliance | 12 LEDs |
| Lamp shade length | 296 mm |
| Power supply | only mains operation |
| Light positioning by | gooseneck |

Order No.

| | |
|--------------|--------------|
| gold-colored | 12297-000-40 |
| black | 12297-000-55 |
| white | 12297-000-57 |
| silver | 12297-000-63 |





Warm white light
3000 Kelvin,
12 LEDs (2500 Lux).

Brightness is adjusted
using a variable dimmer
switch



Includes power adapter.



LED PIANO LAMP

12298

| | |
|----------------------------|---|
| Weight | 1.5 kg |
| Special features | includes power adapter; brightness dimmable; warm white light (3000 K), Flux: 230 Lumen |
| Material | Base zinc die-cast, gooseneck steel, plastic lamp shade |
| Connection | electric cable 3 m |
| Electrical connection data | 230 V AC 50Hz |
| Intensity | ~2500 lux |
| Lighting appliance | 12 LEDs |
| Lamp shade length | 300 mm |
| Power supply | only mains operation |
| Light positioning by | gooseneck |

Order No.

black 12298-000-55

Piano lamp with elegant design. State-of-the-art LED technology ensures pleasant warm white light (3000 K, 12 LEDs, 2500 Lux), long life and low energy consumption. A variable dimmer switch adjusts the brightness. Optimum positioning thanks to a long and flexible gooseneck (415 mm length). The heavy base ensures a stable stand. Power supply is included.

MUSIC STAND LIGHT »LED FLEXLIGHT«

| 12241 | |
|----------------------|--|
| Weight | 0.08 kg |
| Special features | batteries included |
| Material | plastic |
| Intensity | ~800 lux |
| Clamping range | up to 25 mm |
| Lighting appliance | 1 LED |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V |
| Light positioning by | gooseneck |

Order No.

black 12241-000-55

Accessories

Base »FlexLight« 12256

Page

52

MUSIC STAND LIGHT »2 LED FLEXLIGHT«

| 12242 | |
|----------------------|---|
| Weight | 0.082 kg |
| Special features | batteries included |
| Material | plastic |
| Intensity | ~1150 lux |
| Clamping range | up to 25 mm |
| Lighting appliance | 2 LEDs |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit |
| Light positioning by | gooseneck |

Order No.

black 12242-000-55

Accessories

Base »FlexLight« 12256

Power unit »FlexLight« 12257

Page

52

53

**MUSIC STAND LIGHT
»DOUBLE LED FLEXLIGHT«**

| 12243 | |
|----------------------|--|
| Weight | 0.1 kg |
| Special features | batteries included |
| Material | plastic |
| Intensity | 2 x ~700 lux |
| Clamping range | up to 25 mm |
| Lighting appliance | 2 LEDs |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V |
| Light positioning by | goosenecks |

Order No.

black 12243-000-55

Accessories

Base »FlexLight« 12256

Page

52



Battery operation or
mains power possible



MUSIC STAND LIGHT
»DOUBLE2 LED FLEXLIGHT«

| 12244 | |
|----------------------|---|
| Weight | 0.15 kg |
| Special features | batteries included |
| Material | plastic |
| Intensity | 2 x ~1300 lux |
| Clamping range | up to 25 mm |
| Lighting appliance | 2 x 2 LEDs |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit |
| Light positioning by | goosenecks |

Order No.

black 12244-000-55

Accessories **Page**

Base »FlexLight« 12256 52
Power unit »FlexLight« 12257 53

MUSIC STAND LIGHT
»DOUBLE4 LED FLEXLIGHT« SET

| 12245 | |
|-----------------------|--|
| Weight | 0.28 kg |
| Special features | switch between 2 levels of brightness; batteries and power adapter included |
| Material | plastic |
| Connection | electric cable 3 m |
| Electrical connection | 110 V - 240 V AC |
| data | 50Hz - 60Hz |
| Intensity | 2 x ~1700 lux |
| Clamping range | up to 25 mm |
| Lighting appliance | 2 x 4 LEDs |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit |
| Light positioning by | goosenecks |

Order No.

black 12245-000-55

Accessories **Page**

Base »FlexLight« 12256 52



Set: batteries and
power adapter included





MUSIC STAND LIGHT
»DOUBLE4 LED FLEXLIGHT«

| 12246 | |
|----------------------|---|
| Weight | 0.15 kg |
| Special features | switch between 2 levels of brightness; batteries included |
| Material | plastic |
| Intensity | 2 x ~1700 lux |
| Clamping range | up to 25 mm |
| Lighting appliance | 2 x 4 LEDs |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit |
| Light positioning by | goosenecks |

Order No.

black 12246-000-55

Powerful and multifunctional dual-headed light with 2 flexible goosenecks which allow the musician to focus light to a pinpoint or evenly over a larger area. The light provides comfort and versatility to accommodate a variety of lighting needs through 4 powerful LEDs rated for 100,000 hours on each head and two brightness settings. The latest LED technology guarantees a bright light source and minimal energy consumption. A practical and extra-wide clip provides for easy attachment to all music desks or table tops with a thickness of 25 mm. Powered also by AC adapter (not included).

Battery operation or mains power possible



| Accessories | Page |
|------------------------------|------|
| Base »FlexLight« 12256 | 52 |
| Power unit »FlexLight« 12257 | 53 |



**MUSIC STAND LIGHT
»T-MODEL LED FLEXLIGHT«**

| 12247 | |
|----------------------|--|
| Weight | 0.12 kg |
| Special features | switch between 2 levels of brightness; batteries and bag included |
| Material | plastic |
| Intensity | ~4200 lux |
| Clamping range | up to 25 mm |
| Lighting appliance | 8 LEDs |
| Lamp shade length | 60.5 mm |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit |
| Light positioning by | gooseneck |

Order No.

black 12247-000-55

Accessories **Page**

| | |
|------------------------------|----|
| Base »FlexLight« 12256 | 52 |
| Power unit »FlexLight« 12257 | 53 |

**MUSIC STAND LIGHT
»4 LED T-MODEL FLEXLIGHT«**


| 12272 | |
|----------------------|---|
| Weight | 0.075 kg |
| Special features | switch between 2 levels of brightness; color temperature of 3000 Kelvin, Flux: 32 Lumen; batteries included |
| Material | plastic |
| Clamping range | up to 25 mm |
| Lighting appliance | 4 LEDs |
| Lamp shade length | 40 mm |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit |
| Light positioning by | gooseneck |


Order No.

black 12272-000-55

Accessories **Page**

| | |
|------------------------------|----|
| Base »FlexLight« 12256 | 52 |
| Power unit »FlexLight« 12257 | 53 |





Battery operation or mains power possible

Color temperature of 3000 Kelvin

MUSIC STAND LIGHT »DOUBLE4 LED T-MODEL FLEXLIGHT«

| 12273 | |
|----------------------|---|
| Weight | 0.1 kg |
| Special features | switch between 2 levels of brightness; color temperature of 3000 Kelvin, Flux: 64 Lumen; batteries included |
| Material | plastic |
| Clamping range | up to 25 mm |
| Lighting appliance | 2 x 4 LEDs |
| Lamp shade length | 80 mm |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit |
| Light positioning by | gooseneck |

Order No.

black 12273-000-55

Powerful and multifunctional dual-headed light with 2 flexible goosenecks which allow the musician to focus light to a pinpoint or evenly over a larger area. The light provides comfort and versatility to accommodate a variety of lighting needs through 4 powerful LEDs rated for 100,000 hours on each head and two brightness settings. The pleasant warm white light is equal to a color temperature of 3000 Kelvin. The latest LED technology guarantees a bright light source and minimal energy consumption. A practical and extra-wide clip provides for easy attachment to all music desks or table tops with a thickness of 25 mm. The light is powered by 3 (1.5 V AAA) batteries (included) with a typical battery life of 10 hours. Powered also by AC adapter (not included).

| Accessories | Page |
|------------------------------|------|
| Base »FlexLight« 12256 | 52 |
| Power unit »FlexLight« 12257 | 53 |

MUSIC STAND LIGHT »TWIN HEAD«

| 12270 | |
|----------------------------|--|
| Weight | 0.28 kg |
| Special features | newest LED technology; bright and focused light; both light heads work individually; batteries and power adapter included |
| Material | plastic |
| Size when folded | 165 x 100 x 55 mm |
| Connection | electric cable 3 m |
| Electrical connection data | 110 V - 240 V AC 50Hz - 60Hz |
| Intensity | 2 x ~2500 lux |
| Clamping range | up to 25 mm |
| Lighting appliance | 2 x 4 LEDs |
| Power supply | battery operation 3 x Mignon (AA) 1.5 V or mains power with power unit |
| Light positioning by | goosenecks |

Order No.

black 12270-000-55

MUSIC STAND LIGHT »CONCERT LIGHT«

| 12248 | |
|----------------------------|--|
| Weight | 0.349 kg |
| Special features | switch between 2 levels of brightness; batteries, power adapter and carrying case included |
| Material | plastic |
| Connection | electric cable 3 m |
| Electrical connection data | 110 V - 240 V AC 50Hz - 60Hz |
| Clamping range | up to 25 mm |
| Lighting appliance | 6 LEDs |
| Lamp shade length | 150 mm |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit |
| Light positioning by | gooseneck |

Order No.

black 12248-000-55

Accessories

Base »FlexLight« 12256

Page

52





MUSIC STAND LIGHT **»ORCHESTRA LIGHT EOS«**

12249

| | |
|----------------------------|--|
| Weight | 0.521 kg |
| Special features | switch between 2 levels of brightness; batteries, power adapter and carrying case included |
| Material | plastic |
| Connection | electric cable 3 m |
| Electrical connection data | 110 V - 240 V AC 50Hz - 60Hz |
| Clamping range | up to 20 mm |
| Lighting appliance | 9 LEDs |
| Lamp shade length | 210 mm |
| Power supply | battery operation 3 x Mignon (AA) 1.5 V or mains power with power unit |
| Light positioning by | gooseneck |

Order No.

black 12249-000-55

Professional orchestra light with batteries and power supply. Nine extra bright and energy-efficient LEDs provide consistent and vibrant lighting. The flexible gooseneck is fully adjustable. The light has a switch with two brightness levels. The light cone is limited to the music sheet through an anti-glare shield. An extra-strong clip provides a secure grip on music stands. The complete set is comprised of 3 AA 1.5V batteries, a power supply with a 3 m cord, as well as a durable carrying case.

Set: Batteries, power adapter and carrying case included



MUSIC STAND LIGHT
»DIMMER LIGHT«**12295**

| | |
|----------------------------|--|
| Weight | 0.415 kg |
| Special features | 12 energy saving and durable LEDs; brightness dimmable; batteries and power adapter included |
| Material | steel |
| Connection | electric cable 3 m |
| Electrical connection data | 110 V - 240 V AC 50Hz - 60Hz |
| Intensity | 2 x ~1400 lux |
| Clamping range | up to 25 mm |
| Lighting appliance | 2 x 6 LEDs |
| Lamp shade length | 300 mm |
| Power supply | battery operation 3 x Mignon (AA) 1.5 V or mains power with power unit |
| Light positioning by | gooseneck |

Order No.

black 12295-018-55

Brightness is
adjusted using
a variable dimmer
switch

Equipped with 12 energy saving and durable LEDs, guarantees optimal music desk lighting. The re-designed light can now be operated with batteries or with a power supply. The brightness is adjusted using a variable dimmer switch. The flexible gooseneck ensures that the light is ideally positioned. A handy clip provides for easy attachment to all music desks with a thickness of 25 mm. Includes a power supply with a 3 m cord and 3 AA batteries.



MUSIC STAND LIGHT
»MIGHTY BRIGHT - NU FLEX«

| 85625 | |
|----------------------|---|
| Weight | 0.09 kg |
| Special features | batteries included; brightness dimmable |
| Material | plastic |
| Intensity | ~650 lux |
| Clamping range | up to 28 mm |
| Lighting appliance | 3 LEDs |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V or micro USB cord |
| Light positioning by | gooseneck |

Order No.

black 85625-000-55

Accessories

USB cable 85628

Page

53

MUSIC STAND LIGHT
»MIGHTY BRIGHT - WONDER FLEX«

| 85635 | |
|----------------------|---|
| Weight | 0.09 kg |
| Special features | batteries included; brightness dimmable |
| Material | plastic |
| Intensity | ~450 lux |
| Clamping range | up to 28 mm |
| Lighting appliance | 2 LEDs |
| Power supply | battery operation 3 x Micro (AAA) 1.5 V or micro USB cord |
| Light positioning by | gooseneck |

Order No.

black 85635-000-55

Accessories

USB cable 85628

Page

53

BASE »FLEXLIGHT«

| 12256 | |
|----------|--|
| Weight | 0.055 kg |
| Material | plastic |
| Fits | 12241, 12242, 12243, 12244, 12245, 12246, 12247, 12248, 12272, 12273 |

Order No.

black 12256-000-55

Flexible
adjustable
gooseneck;

Innovative LED
technology

Brightness
dimmable

Brightness
dimmable



POWER UNIT »FLEXLIGHT«

| 12257 | |
|------------------|--|
| Weight | 0.07 kg |
| Special features | can also be used as replacement for 12245, 12248, 12249, 12270 and 12295 |
| Connection | electric cable 3 m |
| Input | 110 to 240 V AC |
| Output | 5 V DC |
| Fits | 12242, 12244, 12246, 12247, 12272, 12273 |

Order No.

black 12257-000-00



USB CABLE

| 85628 | |
|------------------|------------------|
| Special features | Cable length 4 m |
| Connection | USB |
| Fits | 85625, 85635 |

Order No.

black 85628-000-55



REPLACEMENT BULB

| 12290 | |
|----------------------------|--------------------|
| Weight | 0.02 kg |
| Electrical connection data | 230 V AC 50Hz |
| Power output | max. 25 watt |
| Socket | E 14 |
| Fits | 122/6, 12275, 122e |

Order No.

12290-000-00



LED REPLACEMENT BULB

| 12294 | |
|----------------------------|--------------------|
| Weight | 0.02 kg |
| Electrical connection data | 230 V AC 50Hz |
| Power output | 3 watt |
| Socket | E 14 |
| Length | 115 mm |
| Fits | 122/6, 12275, 122e |

Order No.

12294-019-00



CARRYING CASE

| 10012 | |
|-------------------------|-----------------------------------|
| Weight | 0.12 kg |
| Material | nylon |
| Handle or carrying type | shoulder strap |
| Fastener | hook-and-loop fastener |
| Dimensions | 540 mm |
| Fits | 100/1, 100/5, 10040, 10062, 10065 |

Order No.

10012-000-00

CARRYING CASE

| 10111 | |
|-------------------------|------------------------|
| Weight | 0.08 kg |
| Material | nylon |
| Handle or carrying type | handle |
| Fastener | hook-and-loop fastener |
| Dimensions | 400 mm |
| Fits | 101 |

Order No.

10111-000-00

CARRYING CASE

| 10711 | |
|-------------------------|------------------------|
| Weight | 0.213 kg |
| Material | nylon |
| Handle or carrying type | shoulder strap |
| Fastener | hook-and-loop fastener |
| Dimensions | 680 mm |
| Fits | 10052, 107 |

Order No.

10711-000-00



CARRYING CASE

| 10811 | |
|-------------------------|---|
| Weight | 0.22 kg |
| Material | nylon |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Dimensions | 700 mm |
| Fits | 10810, 141/1, 149/9, 14950, 14951, 14985, 15060, 252, 259, 259/1, 25910, 25977, 28130 |

Order No.

10811-000-00

CARRYING CASE

| 11450 | |
|-------------------------|---|
| Weight | 0.82 kg |
| Special features | 2 internal compartments and outside pocket for music and accessories |
| Material | nylon |
| Handle or carrying type | handle and shoulder straps |
| Fastener | zip fastener |
| Dimensions | 700 x 120 x 450 mm |
| Fits | 10068, 118/1, 11870, 11888, 11889, 11899, 11920, 11930, 12150, 12155, 12179 |

Order No.

11450-000-00

CARRYING CASE

| 11460 | |
|-------------------------|--|
| Weight | 0.57 kg |
| Special features | 2 internal compartments and outside pocket for music and accessories |
| Material | nylon |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Dimensions | 820 x 100 x 380 mm |
| Fits | 11940, 11960, 11965, 11980 |

Order No.

11460-000-00



TRAY

| 122a | |
|------------------|---------------------------|
| Weight | 0.4 kg |
| Special features | with felt inner-lining |
| Material | wood |
| Dimensions | 390 x 120 mm |
| Screw-on to | tube diameter up to 30 mm |

Order No.

walnut 12211-000-55

TRAY

| 12218 | |
|------------------|---------------------------|
| Weight | 0.48 kg |
| Special features | with felt inner-lining |
| Material | aluminum |
| Dimensions | 390 x 125 mm |
| Screw-on to | tube diameter up to 30 mm |

Order No.

black 12218-000-55

TRAY

| 12225 | |
|------------------|---|
| Weight | 1.65 kg |
| Special features | with slot for convenient cable routing; a foam insert is included |
| Material | steel |
| Dimensions | 250 x 330 mm |
| Screw-on to | tube diameter up to 30 mm |

Order No.

black 12225-000-55



MUSIC HOLDER

| 131 | |
|------------------|---------------------------|
| Weight | 0.32 kg |
| Special features | folds very small |
| Material | steel |
| Screw-on to | tube diameter up to 30 mm |

Order No.

black 13100-000-55

FILE HOLDER

| 13020 | |
|------------------|---|
| Weight | 0.889 kg |
| Special features | collapsible; 2 additional instrument pegs mountable |
| Material | steel |

Order No.

black 13020-000-55

MAGNET

| 115/6 | |
|------------------|---|
| Weight | 0.035 kg |
| Special features | with felt lining; imprint of customer logos is possible |
| Dimensions | 58 x 27 mm |

Order No.

black with K&M logo 11560-000-55

black with customer logo (plus charges for special logo) 11561-000-55



POWER MAGNET

11580

| | |
|---------------------|---|
| Weight | 0.052 kg |
| Special features | Strong magnetic power - mini size; 2 magnets in blister packaging |
| Material | steel |
| Dimensions diameter | 12 x 16 mm |

Order No.

| | |
|-----------------------------|--------------|
| zinc-plated (unit: 2 pcs.) | 11580-000-29 |
| zinc-plated (unit: 10 pcs.) | 11581-000-29 |



SHEET MUSIC HOLDER

11590

| | |
|------------------|--|
| Weight | 0.014 kg |
| Special features | suitable for music stands with collapsible desk from König & Meyer's product groups »Baseline« and »Topline«; easy to use; folds small |
| Material | plastic |
| Dimensions | 78 x 30 x 10 mm |

Order No.

| | |
|-------|--------------|
| black | 11590-000-55 |
|-------|--------------|



SHEET MUSIC CLIPS »FIX'N CLIP«

16055

| | |
|------------------|--|
| Weight | 0.033 kg |
| Special features | with magnetic back; attractive display packaging with 24 units |
| Material | plastic |
| Dimensions | 85 x 25 x 40 mm |

Order No.

| | |
|---------------|--------------|
| unit: 24 pcs. | 16055-024-00 |
|---------------|--------------|



SHEET MUSIC CLIP

16060

| | |
|------------------|------------------------|
| Weight | 0.014 kg |
| Special features | 4 pieces in a poly bag |
| Material | plastic |
| Dimensions | 51 x 50 x 22 mm |

Order No.

| | |
|------------------------|--------------|
| black (unit: 4 pcs.) | 16060-000-55 |
| black (unit: 100 pcs.) | 16060-100-55 |



DRINK HOLDER

160/2

| | |
|--------------|--|
| Weight | 0.24 kg |
| Material | steel |
| Screw-on to | tube diameter up to 30 mm |
| Suitable for | bottles, glasses and cups with maximum diameter of 85 mm |

Order No.

| | |
|-------|--------------|
| black | 16020-000-55 |
|-------|--------------|



UNIVERSAL DRINK HOLDER

16022

| | |
|--------------|--|
| Weight | 0.389 kg |
| Material | steel |
| Screw-on to | tube diameter up to 30 mm |
| Suitable for | bottles, glasses and cups with maximum diameter of 95 mm |

Order No.

| | |
|-------|--------------|
| black | 16022-000-55 |
|-------|--------------|



PENCIL HOLDER

| 16092 | |
|---------------------------------|-------------|
| Weight | 0.002 kg |
| Material | plastic |
| Suitable for tubing diameter of | 13 to 15 mm |

Order No.

black 16092-000-55



PENCIL HOLDER

| 16094 | |
|---------------------------------|-------------|
| Weight | 0.003 kg |
| Material | plastic |
| Suitable for tubing diameter of | 20 to 22 mm |

Order No.

black 16094-000-55



PENCIL HOLDER

| 16096 | |
|---------------------------------|-------------|
| Weight | 0.004 kg |
| Material | plastic |
| Suitable for tubing diameter of | 24 to 26 mm |

Order No.

black 16096-000-55




HOLDING MAGNET WITH PENCIL


| 16099 | |
|------------------|--|
| Weight | 0.01 kg |
| Special features | for all pencils with a diameter of 6 to 7.5 mm |

Order No.

black 16099-000-55
black (unit: 50 pcs.) 16099-050-55







STANDS AND ACCESSORIES FOR INSTRUMENTS

From all-round guitar stands to stands for rare musical instruments, König & Meyer offers a wide range of professional instrument stands. Continually tested, tweaked and refined, many of these stands have set the standard for functionality and workmanship for many years.

Behind every innovation there is 70 years of experience and expertise – expertise that allows us to develop instrument stands that precisely and compactly guarantee the very best footing for your instrument.



E-GUITAR STAND
17540

| | |
|--------------------|------------------------------|
| Weight | 1.86 kg |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | electric guitars |
| Adjustment | push-button system |
| Width-adjustable | from 220 to 350 mm |
| Height | 420 mm |

Order No.

| | |
|---|--------------|
| black with translucent support elements | 17540-013-00 |
| black | 17540-013-55 |
| cork | 17540-013-95 |

A-GUITAR STAND
17541

| | |
|--------------------|------------------------------|
| Weight | 1.93 kg |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic guitars |
| Adjustment | push-button system |
| Width-adjustable | from 220 to 350 mm |
| Height | 420 mm |

Order No.

| | |
|-------|--------------|
| black | 17541-013-55 |
| cork | 17541-013-95 |


GUITAR STAND »MEMPHIS TRAVEL«
17550

| | |
|--------------------|---|
| Weight | 0.46 kg |
| Special features | fits in almost every Gig Bag; very light; folds very small; instrument support arms adjust to fit various guitar sizes; the two feet which can be folded out at the front ensure additional stability |
| Material | aluminum |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Support depth | from 68 to 127 mm |
| Size when folded | 290 mm |
| Height | 275 mm |

Order No.

| | |
|----------------|--------------|
| black anodized | 17550-000-35 |
|----------------|--------------|

Stable and easy to adjust and fold by push-button system



With exclusive non-marring material to protect instrument finishes

Fits in almost every Gig Bag



Adjustable support arms for electric and acoustic guitars



p02e.k-m.de
Product video

E+A GUITAR STAND »DUET«

17570

| | |
|--------------------|----------------------------------|
| Weight | 1.23 kg |
| Special features | integrated pick holder |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Adjustment | push-button system |
| Width-adjustable | from 195 to 255 mm |
| Size when folded | 310 x 81 x 410 mm |
| Height | 375 mm |

Order No.

black with translucent
support elements

17570-000-00

Stable and easy
to adjust and fold by
push-button system



With exclusive
non-marring
material to
protect
instrument
finishes





Modern design;
with pick holders



A-GUITAR STAND »HELI 2«

| 17580 | |
|--------------------|---|
| Weight | 0.95 kg |
| Special features | also for headless guitars, cellos and french horns; easy to transport and store; integrated guitar pick holders, 2 picks included |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic guitars |
| Adjustment | foldable by bracket with hinge |
| Width-adjustable | from 185 to 230 mm |
| Size when folded | 365 x 295 x 30 mm |
| Height | 330 mm |

Order No.

| | |
|-------|--------------|
| blue | 17580-014-54 |
| black | 17580-014-55 |
| red | 17580-014-59 |
| cork | 17580-014-95 |

Worldwide proven guitar stand. The instrument is particularly well cared for thanks to the elaborate new rubber structure. With the innovative adjustable cross bar, guitars of different sizes or even other instruments such as a cello or French horn can be placed on the stand. For storage and transport the stand folds flat. In addition, we provide a practical transport lock. An additional feature includes integrated guitar pick holders. »Heli 2« is available in black, red, blue and cork.

E-GUITAR STAND »HELI 2«

| 17581 | |
|--------------------|--|
| Weight | 1.32 kg |
| Special features | New in 4 positions adjustable support system |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | electric guitars |
| Adjustment | foldable by bracket with hinge |
| Width-adjustable | from 185 to 230 mm |
| Size when folded | 380 x 290 x 33 mm |
| Height | 350 mm |

Order No.

| | |
|-------|--------------|
| black | 17581-014-55 |
| cork | 17581-014-95 |

E-GUITAR STAND »WAVE 20«

| 17590 | |
|------------------|--|
| Weight | 0.48 kg |
| Material | plastic |
| Suitable for | electric guitars |
| Adjustment | 5-way width adjustable by two cross braces with inserted screw |
| Support depth | 58 mm |
| Size when folded | 290 x 25 x 210 mm |
| Height | 290 mm |

Order No.

| | |
|-------|--------------|
| black | 17590-000-55 |
|-------|--------------|

A-GUITAR STAND »WAVE 10«

| 17591 | |
|------------------|--|
| Weight | 0.6 kg |
| Special features | also for french horns, cellos, banjos |
| Material | plastic |
| Suitable for | acoustic guitars |
| Adjustment | 5-way width adjustable by two cross braces with inserted screw |
| Support depth | 135 mm |
| Size when folded | 290 x 25 x 320 mm |
| Height | 320 mm |

Order No.

| | |
|-------|--------------|
| black | 17591-000-55 |
|-------|--------------|



In four positions adjustable support system



GUITAR STAND »MEMPHIS 20«

| 17685 | |
|--------------------|--|
| Weight | 1.08 kg |
| Special features | instrument support arms adjust to fit various guitar sizes |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Adjustment | clamp lever(s) |
| Support depth | from 68 to 127 mm |
| Height | 735 mm |
| Yoke | with safety strap |

Order No.

black 17685-000-55

GUITAR STAND »MEMPHIS 10«

| 17680 | |
|--------------------|---|
| Weight | 1.6 kg |
| Special features | anti-twist feature on the extension rod |
| Material | steel |
| Instrument support | foam pads |
| Suitable for | acoustic and electric guitars |
| Rod combination | 2-piece folding design |
| Adjustment | clamp lever(s) |
| Height | from 550 to 1,120 mm |
| Yoke | with safety strap |

Order No.

black 17680-000-55

GUITAR STAND »MEMPHIS PRO«

| 17670 | |
|--------------------|--|
| Weight | 1.5 kg |
| Special features | folds small; patented flexible hooking-in and clamping system; studs at support arms provide extra protection; anti-twist feature on the extension rod; suitable for asymmetric guitar necks |
| Material | steel |
| Instrument support | non-marring rubber |
| Suitable for | acoustic and electric guitars |
| Rod combination | 2-piece folding design |
| Adjustment | clamp lever(s) |
| Height | from 550 to 1,000 mm |
| Yoke | self-locking |

Order No.

black 17670-000-55



Patented flexible hooking-in and clamping system


p03e.k-m.de
Product video

GUITAR STAND »DOUBLE«

| 17620 | |
|--------------------|--|
| Weight | 2.053 kg |
| Special features | to hook 2 guitars; suitable for all guitars with head- stock, basses, acoustic guitars, ukuleles, banjos etc. |
| Material | steel |
| Base diameter | 760 mm |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Rod combination | 2-piece folding design |
| Size when folded | 750 x 260 mm |
| Height | from 800 to 1,300 mm |
| Yoke | self-locking |

Order No.

black 17620-000-55

Accessories

Carrying case 18846

Page

160

FOUR GUITAR STAND »ROADIE«

| 17605 | |
|--------------------|---|
| Weight | 4.79 kg |
| Special features | suitable for 4 guitars; also for special V- and X-shaped guitar models; also suitable for guitars with attached cable connectors and straps; foldable for transport |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Rod combination | 2-piece folding design |
| Adjustment | in 3 steps |
| Base dimensions | 660 x 350 mm |
| Height | from 1,030 to 1,185 mm |
| Yoke | fixed |

Order No.black with translucent
support elements 17605-000-00


The patented hanger is
suitable for all types of
guitar headstocks



Suitable for unusually
shaped guitars



p09e.k-m.de
Product video



Functional neck lock



Attractive design, perfect for home and studio

GUITAR STAND »CARLOS«

| 17650 | |
|--------------------|--|
| Weight | 1.1 kg |
| Special features | folds flat; functional neck lock (Security Lock) |
| Material | plastic |
| Instrument support | felt pads |
| Suitable for | acoustic and electric guitars |
| Support depth | 125 mm |
| Base dimensions | 410 x 515 mm |
| Size when folded | 790 x 515 x 85 mm |
| Height | 760 mm |
| Yoke | with safety strap |

Order No.

| | |
|-------|--------------|
| black | 17650-000-55 |
|-------|--------------|

Unique guitar stand in a tall A-frame design for acoustic or electric guitars. The durable and light one-piece plastic construction stands for functionality and stability. The guitar stand folds flat for easy transport. The support arms with soft felt pads protect the bottom of the guitar from scratches and damage. The stand is suitable for all kind of guitar lacquers, including nitro lacquer. The functional neck lock provides for a secure hold when the guitar is placed on the stand.



p08e.k-m.de
Product video



Translucent elements -
suitable for guitars with
nitro lacquer.

Suitable for electrical guitars

Optional:
Caster set 17510



FIVE E-GUITAR STAND »GUARDIAN 5«

17525

| | |
|--------------------|--|
| Weight | 4.7 kg |
| Special features | Protective bars prevent damage from bumps or knocking; holds the guitar's neck without touching the strings; integrated pick holders |
| Material | plastic |
| Instrument support | non-marring plastic material |
| Suitable for | electric guitars |
| Base dimensions | 688 x 335 mm |
| Size when folded | 688 x 670 x 173 mm |
| Height | 700 mm |

Order No.

black with translucent
support elements 17525-016-00

The Guardian securely holds up to 5 E-guitars or bass guitars, saving space. Specially adjusted and cushioned instrument supports and the flexible protective arms provide a secure grip. The Guardian is easy to transport and carry thanks to an innovative folding mechanism. It can be stored in an upright position. The individual upper support brackets with integrated pick holders allow the guitars to be placed either on the right or left side, and also ensure that the guitar strings are not touched. For mobile use castors can be mounted optionally. The translucent (colorless) elements made of high quality Elastomer plastic are suitable for all kind of guitar lacquers, including nitro lacquer. Discoloration from the stand to the guitar does not occur.

Accessories

Caster set for »Guardian« 17510

Page

69

FIVE GUITAR STAND »GUARDIAN 5«

| 17515 | |
|--------------------|---|
| Weight | 4.65 kg |
| Special features | Protective bars prevent damage from bumps or knocking; additional slots for electric guitars; holds the guitar's neck without touching the strings; integrated pick holders |
| Material | plastic |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Base dimensions | 996 x 335 mm |
| Size when folded | 996 x 670 x 173 mm |
| Height | 700 mm |

Order No.

| | |
|---|--------------|
| black with translucent support elements | 17515-016-00 |
| black | 17515-016-55 |

Accessories

Page

| | |
|---------------------------------|----|
| Caster set for »Guardian« 17510 | 69 |
|---------------------------------|----|

FOUR GUITAR STAND »GUARDIAN 3+1«

| 17534 | |
|--------------------|--|
| Weight | 3.7 kg |
| Special features | Protective bars prevent damage from bumps or knocking; holds the guitar's neck without touching the strings; integrated pick holders |
| Material | plastic |
| Instrument support | non-marring plastic material |
| Suitable for | 1 acoustic and 3 electric guitars |
| Base dimensions | 626 x 335 mm |
| Size when folded | 626 x 670 x 173 mm |
| Height | 700 mm |

Order No.

| | |
|---|--------------|
| black with translucent support elements | 17534-016-00 |
|---|--------------|

Accessories

Page

| | |
|---------------------------------|----|
| Caster set for »Guardian« 17510 | 69 |
|---------------------------------|----|

THREE GUITAR STAND »GUARDIAN 3«

| 17513 | |
|--------------------|---|
| Weight | 3.6 kg |
| Special features | Protective bars prevent damage from bumps or knocking; additional slots for electric guitars; holds the guitar's neck without touching the strings; integrated pick holders |
| Material | plastic |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Base dimensions | 626 x 335 mm |
| Size when folded | 626 x 670 x 173 mm |
| Height | 700 mm |

Order No.

| | |
|---|--------------|
| black with translucent support elements | 17513-016-00 |
| black | 17513-016-55 |

Accessories

Page

| | |
|---------------------------------|----|
| Caster set for »Guardian« 17510 | 69 |
|---------------------------------|----|



CASTER SET FOR »GUARDIAN«

| 17510 | |
|------------------|----------------------------|
| Weight | 0.35 kg |
| Special features | set of 4 (locking) casters |
| Material | steel |
| Fits | 17513, 17515, 17525, 17534 |

Order No.

black 17510-000-55

GUITAR PERFORMER STAND

| 14760 | |
|--------------------------------|---------------------------------------|
| Weight | 3.29 kg |
| Special features | angle and length adjust to your needs |
| Material | steel |
| Instrument support | felt-lined |
| Suitable for | electric guitars |
| Rod combination | 3-piece folding design |
| Size when folded | 790 mm |
| Height | from 690 to 1,550 mm |
| Suitable for instrument widths | from 39 to 60 mm |

Order No.

black 14760-000-55

Accessories

Carrying case 18846

Page

160

GUITAR PERFORMER STAND

| 14761 | |
|--------------------------------|---------------------------------------|
| Weight | 2.23 kg |
| Special features | angle and length adjust to your needs |
| Material | steel |
| Instrument support | felt-lined |
| Suitable for | acoustic guitars |
| Rod combination | 3-piece folding design |
| Size when folded | 790 mm |
| Height | from 690 to 1,550 mm |
| Suitable for instrument widths | from 75 to 135 mm |

Order No.

black 14761-000-55

Accessories

Carrying case 18846

Page

160



For all »Guardian« guitar stands
from models -016- onwards



GUITAR WALL MOUNT

| 162 | |
|--------------------|-------------------------------|
| Weight | 0.16 kg |
| Special features | two fastening points |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Direction | forward-turned |
| Yoke | fixed |
| Dimensions | 84 x 215 x 150 mm |

Order No.

black 16200-000-55

GUITAR WALL MOUNT

| 16220 | |
|--------------------|-------------------------------|
| Weight | 0.13 kg |
| Material | wood |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Size when folded | 115 x 82 x 55 mm |
| Direction | forward-turned |
| Yoke | fixed |
| Dimensions | 82 x 100 x 115 mm |


Order No.

cork 16220-000-95

GUITAR WALL MOUNT

| 16280 | |
|--------------------|-------------------------------|
| Weight | 0.155 kg |
| Material | plastic, steel |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Direction | forward-turned |
| Yoke | self-locking |
| Dimensions | 94 x 66 x 138 mm |

Order No.

black 16280-000-55
cork 16280-000-95
white with translucent support elements 16280-014-00


GUITAR WALL MOUNT

| 16250 | |
|--------------------|---|
| Weight | 0.17 kg |
| Special features | additional guard cams prevent guitar from turning; automatic back release mechanism; support arms work individually; suitable for asymmetric guitar necks |
| Material | plastic, steel |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Direction | forward-turned |
| Yoke | self-locking |
| Dimensions | 80 x 60 x 116 mm |

Order No.

black 16250-000-55

GUITAR WALL MOUNT

| 16240 | |
|--------------------|--|
| Weight | 0.2 kg |
| Special features | patented flexible hooking-in and clamping system; studs at support arms provide extra protection; suitable for asymmetric guitar necks |
| Material | plastic, steel |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Direction | forward-turned |
| Yoke | self-locking |
| Dimensions | 84 x 108 x 152 mm |

Order No.

black 16240-000-55

GUITAR WALL MOUNT

| 16235 | |
|--------------------|-------------------------------|
| Weight | 0.311 kg |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Direction | left or right turned |
| Yoke | fixed |
| Dimensions | 300 x 120 x 80 mm |

Order No.

black 16235-018-55



Patented, flexible hooking-in and clamping system



GUITAR WALL MOUNT

| 16255 | |
|--------------------|-------------------------------|
| Weight | 0.446 kg |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | acoustic and electric guitars |
| Direction | left or right turned |
| Yoke | self-locking |
| Dimensions | 300 x 150 x 80 mm |

Order No.

black 16255-018-55

WALL MOUNT FOR ELECTRIC GUITAR

| 16295 | |
|--------------------|---|
| Weight | 1.17 kg |
| Special features | flexible support arms for neck and body |
| Material | steel |
| Instrument support | silicone cover |
| Suitable for | electric guitars |
| Size when folded | 565 x 230 x 150 mm |
| Direction | in 8° settings 360° adjustable |
| Dimensions | 690 x 220 x 155 mm |

Order No.

black 16295-000-55

WALL MOUNT FOR ACOUSTIC GUITAR

| 16296 | |
|--------------------|---|
| Weight | 1.14 kg |
| Special features | flexible support arms for neck and body |
| Material | steel |
| Instrument support | silicone cover |
| Suitable for | acoustic guitars |
| Size when folded | 565 x 230 x 150 mm |
| Direction | in 8° settings 360° adjustable |
| Dimensions | 690 x 220 x 205 mm |

Order No.

black 16296-000-55



FOOTREST**14640**

| | |
|-------------------|-----------------------|
| Weight | 0.31 kg |
| Material | aluminum, plastic |
| Height adjustment | 4 different positions |
| Height | from 105 to 180 mm |
| Dimensions | 202 x 91 mm |

Order No.

black 14640-000-55

FOOTREST**14670**

| | |
|-------------------|-----------------------|
| Weight | 0.6 kg |
| Special features | non-skid plastic pad |
| Material | steel |
| Height adjustment | 6 different positions |
| Height | from 119 to 264 mm |
| Dimensions | 250 x 98 mm |

Order No.

nickel-colored 14670-014-11
 blue 14670-014-54
 black 14670-014-55
 red 14670-014-59

GUITAR CAPO**14540**

| | |
|--------------------|---|
| Weight | 0.074 kg |
| Special features | no „string bend“ - tuning is not affected; simple and fast to mount |
| Material | plastic |
| Instrument support | non-marring plastic material |
| Finger board | flat |
| Clamping | locking screw |
| Clamping range | 20 to 30 mm |
| Dimensions | 78 x 18 x 85 mm |

Order No.

black 14540-000-55



GUITAR CAPO
14545

| | |
|--------------------|---|
| Weight | 0.074 kg |
| Special features | no „string bend“ - tuning is not affected; simple and fast to mount |
| Material | plastic |
| Instrument support | non-marring plastic material |
| Finger board | curved |
| Clamping | locking screw |
| Clamping range | 20 to 30 mm |
| Dimensions | 78 x 18 x 85 mm |

Order No.

black 14545-000-55

GUITAR CAPO
30900

| | |
|--------------------|---|
| Weight | 0.038 kg |
| Special features | quickly adjustable with one hand; does not obstruct playing; for Western-style and electric guitars |
| Material | zinc die-cast |
| Instrument support | non-marring slip-proof pad |
| Finger board | curved |
| Clamping | spring-tension |
| Clamping range | 20 to 30 mm |
| Dimensions | 70 x 16 x 92 mm |

Order No.

matt chrome 30900-000-02

GUITAR CAPO
30910

| | |
|--------------------|--|
| Weight | 0.061 kg |
| Special features | quickly adjustable with one hand; does not obstruct playing; for classical guitars |
| Material | zinc die-cast |
| Instrument support | non-marring slip-proof pad |
| Finger board | flat |
| Clamping | spring-tension |
| Clamping range | 15 bis 28 mm |
| Dimensions | 80 x 14 x 90 mm |

Order No.

matt chrome 30910-000-02



Quickly adjustable with one hand; does not obstruct playing



Quickly adjustable with one hand; does not obstruct playing



GUITAR PLAYING-AID »POHLMANN«

14580

| | |
|--------------------|--------------------|
| Weight | 0.075 kg |
| Material | plastic |
| Instrument support | non-marring rubber |
| Dimensions | 65 x 40 x 112 mm |

Order No.

black 14580-000-55

GUITAR TOOL

NEW

14585

| | |
|---------------|---|
| Weight | 0.085 kg |
| Material | steel |
| Consisting of | various Allen keys in inch and metric sizes and various screw-drivers |
| Dimensions | 80 x 34 x 17 mm |

Order No.

14585-000-00

STRING CUTTER

NEW

14590

| | |
|------------------|---|
| Weight | 0.285 kg |
| Special features | high cutting performance with little effort; plastic-coated handles |
| Material | steel |
| Length | 192 mm |

Order No.

14590-000-00



A quick and clever alternative to a guitar strap. The "Pohlmann" allows you more freedom when handling your guitar.



UKULELE HOLDER

| 15590 | |
|------------------|---------------------------|
| Weight | 0.137 kg |
| Special features | rubberized support arms |
| Material | steel |
| Dimensions | 66 x 116 x 60 mm |
| Screw-on to | tube diameter up to 30 mm |

Order No.

black 15590-000-55

UKULELE WALL MOUNT

| 16590 | |
|--------------------|------------------------------|
| Weight | 0.093 kg |
| Material | plastic, steel |
| Instrument support | non-marring plastic material |
| Suitable for | ukulele |
| Direction | forward-turned |
| Yoke | fixed |
| Dimensions | 80 x 66 x 102 mm |

Order No.

black 16590-000-55

UKULELE / VIOLIN STAND

| 17595 | |
|--------------------|---|
| Weight | 0.2 kg |
| Special features | for small string instruments, such as ukuleles or violins |
| Material | plastic |
| Instrument support | non-marring slip-proof pads |
| Adjustment | foldable by bracket with hinge |
| Support depth | 85 mm |
| Base dimensions | 206 x 170 mm |
| Size when folded | 206 x 19 x 220 mm |
| Height | 220 mm |

Order No.

black 17595-000-55



Easy handling and minimum weight combined with excellent stability



CAPO FOR UKULELES

30920

| | |
|--------------------|---|
| Weight | 0.05 kg |
| Special features | quickly adjustable with one hand; does not obstruct playing; for ukuleles |
| Material | zinc die-cast |
| Instrument support | non-marring slip-proof pad |
| Finger board | curved |
| Clamping | spring-tension |
| Clamping range | 11 bis 22 mm |
| Dimensions | 55 x 11 x 70 mm |

Order No.

matt chrome 30920-000-02



Quickly adjustable with one hand; does not obstruct playing

DULCIMER STAND

28070

| | |
|----------------------|---|
| Weight | 7.22 kg |
| Special features | length and width adjustable; folding base for easy transportation; additional levelling screw for uneven surfaces |
| Material | steel |
| Instrument support | felt-lined |
| Adjustment | support arms gradual in 15° settings |
| Height adjustment | spring-loaded clamping knob |
| Angle of inclination | 0° to 45° |
| Support depth | from 455 to 665 mm |
| Support width | from 310 to 500 mm |
| Height | from 700 to 1,020 mm |
| Leg construction | collapsible square tube legs |
| Number of legs | 4 pieces |

Order No.

black 28070-070-55

Accessories**Page**

| | |
|------------------------------|-----|
| Music holder 11515 | 77 |
| Carrying case 21311 | 263 |
| Carrying case »Pro« 21312 | 265 |
| Carrying case »Select« 21316 | 264 |

MUSIC HOLDER
FOR DULCIMER STAND 28070**11515**

| | |
|-----------------------|------------------------|
| Weight | 0.95 kg |
| Material | steel |
| Music desk | traditionally foldable |
| Music desk dimensions | 485 x 240 x 42 mm |
| Fits | 28070 |

Order No.

black 11515-000-55



VIOLIN HOLDER

| 15580 | |
|--------------------|--|
| Weight | 0.11 kg |
| Special features | high quality flocking cover; with holder for bow |
| Material | plastic yoke, steel clamp |
| Screw-on to | tube diameter up to 30 mm |
| Instrument support | flocked |

Order No.

black 15580-000-55

VIOLIN WALL HOLDER

| 16580 | |
|--------------------|--|
| Weight | 0.08 kg |
| Special features | high quality flocking cover; with holder for bow |
| Material | plastic |
| Instrument support | flocked |

Order No.

black 16580-000-55

VIOLIN STAND

| 15520 | |
|--------------------|--------------------------------|
| Weight | 0.64 kg |
| Material | aluminum |
| Instrument support | non-marring plastic material |
| Adjustment | foldable by bracket with hinge |
| Height | 365 mm |

Order No.

black 15520-000-55



Secure grip



Holder for bow



VIOLIN STAND

| 15530 | |
|--------------------|---|
| Weight | 0.52 kg |
| Special features | folds small; comes with a nylon bag; integrated bow holder; for various violin models |
| Material | aluminum |
| Instrument support | non-marring plastic material |
| Adjustment | clamp lever(s) |
| Size when folded | 350 x 110 x 70 mm |
| Height | from 360 to 570 mm |
| Yoke | with safety strap |

Order No.

black 15530-000-55

VIOLIN/UKULELE DISPLAY STAND

| 15550 | |
|--------------------|---|
| Weight | 0.15 kg |
| Special features | for small string instruments, such as violins or ukuleles; folds small |
| Material | plastic |
| Instrument support | non-marring plastic material |
| Height | 205 mm |

Order No.

wooden look 15550-000-98

CELLO STAND

| 141/1 | |
|--------------------|---------------------------------|
| Weight | 2.54 kg |
| Special features | bow holder included |
| Material | steel |
| Instrument support | non-marring plastic material |
| Base diameter | 800 mm |
| Support width | 380 mm |
| Size when folded | 175 x 130 x 605 mm |
| Height | from 620 to 1,120 mm |
| Leg construction | tube legs with cross braces |
| Suitable for | all cellos |
| Rod combination | 2-piece folding design |

Order No.

black 14110-011-55

Accessories

Page

Carrying case 10811

54

Carrying case 14102

85



Display Stand for small string instruments,
such as violins or ukuleles



CELLO STAND

| 14130 | |
|--------------------|---|
| Weight | 2.362 kg |
| Special features | bow holder included; adjustable end cap to stabilize the stand on uneven surfaces |
| Material | steel |
| Instrument support | non-marring plastic material |
| Adjustment | push-button system |
| Width-adjustable | from 285 to 450 mm |
| Size when folded | 335 x 90 x 580 mm |
| Height | 535 mm |
| Suitable for | all cellos |

Order No.

cork 14130-000-95

DOUBLE BASS STAND

| 141 | |
|--------------------|------------------------------|
| Weight | 2.6 kg |
| Special features | bow holder included |
| Material | steel |
| Instrument support | non-marring plastic material |
| Base diameter | 800 mm |
| Support width | 405 mm |
| Size when folded | 175 x 130 x 605 mm |
| Height | from 620 to 1,120 mm |
| Leg construction | tube legs with cross braces |
| Suitable for | all string basses |
| Rod combination | 2-piece folding design |

Order No.

black 14100-011-55

Accessories

Carrying case 14102

Page

85

STAND FOR ELECTRIC DOUBLE BASS

| 14160 | |
|--------------------|---|
| Weight | 2.78 kg |
| Special features | flocked bow holder included; support width can be adjusted individually to the size of the instrument |
| Material | steel |
| Instrument support | non-marring plastic material |
| Base diameter | 800 mm |
| Support width | from 75 to 155 mm |
| Size when folded | 115 x 150 x 890 mm |
| Height | from 920 to 1,620 mm |
| Leg construction | tube legs with cross braces |
| Suitable for | electric double bass |
| Rod combination | 2-piece folding design |

Order No.

black 14160-000-55

Accessories

Universal carrying case 15043

Carrying case 18846

Page

85

160

Compactly folding cello stand, covered with an attractive rubber/cork material



Rubber covered support arms



Rubber covered instrument support



Flock covered bow holder

SAXOPHONE STAND

| 14300 | |
|--------------------|---|
| Weight | 1 kg |
| Special features | fiberglass reinforced plastic base; flexible upper support arm; lower support arm bracket with several vertical locking positions |
| Material | steel |
| Leg construction | socket with foldable legs |
| Instrument support | non-marring plastic material |
| Suitable for | Eb Alto and Bb Tenor Sax |
| Height | 485 mm |

Order No.

black 14300-000-55

Accessories**Page**Peg holder 14301
Carrying case 14303102
81**SOPRANO SAXOPHONE STAND**

| 14315 | |
|--------------------|---|
| Weight | 1 kg |
| Special features | fiberglass reinforced plastic base; flexible upper support arm; lower support arm bracket with several vertical locking positions |
| Material | steel |
| Leg construction | socket with foldable legs |
| Instrument support | non-marring plastic material |
| Suitable for | curved Soprano Saxophones |
| Height | 485 mm |

Order No.

black 14315-000-55

Accessories**Page**Peg holder 14301
Carrying case 14303102
81**CARRYING CASE**


| 14303 | |
|-------------------------|--|
| Special features | for 2 saxophones or other instrument combinations like 1 x 14300 and 1 x music stand 101; with 2 internal compartments |
| Material | nylon |
| Dimensions | 470 x 200 x 150 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 14300, 14315, 14945, 14952, 25950 |

Order No.

14303-000-00



Covered with exclusive non-marring material. Flexible upper support arm.



SAXOPHONE STAND »JAZZ«
14330

| | |
|--------------------|---|
| Weight | 0.292 kg |
| Special features | folds very small; easy-to-use; can be transported in the supplied velour bag in the saxophone bell; embedded foot end caps |
| Material | aluminum |
| Instrument support | non-marring plastic material |
| Suitable for | E♭ alto saxophones |
| Adjustment | central locking screw |
| Height | 310 mm |

Order No.

black 14330-000-55

SAXOPHONE STAND »JAZZ«
14335

| | |
|--------------------|---|
| Weight | 0.36 kg |
| Special features | folds very small; easy-to-use; can be transported in the supplied velour bag in the saxophone bell; embedded foot end caps |
| Material | aluminum |
| Instrument support | non-marring plastic material |
| Suitable for | B♭ tenor saxophones |
| Adjustment | central locking screw |
| Height | 425 mm |

Order No.

black 14335-000-55

SAXOPHONE STAND »SAXXY«
14340

| | |
|--------------------|---|
| Weight | 0.36 kg |
| Special features | folds very small; can be transported in the supplied velour bag in the saxophone bell |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | E♭ alto saxophones |
| Height | 300 mm |

Order No.

black 14340-000-55

Comes with a velour bag



Folds very small



Comes with a velour bag



Folds very small



SAXOPHONE STAND »SAXXY«

| 14350 | |
|--------------------|---|
| Weight | 0.58 kg |
| Special features | folds very small; can be transported in the supplied velour bag in the saxophone bell |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | Bb tenor saxophones |
| Height | 420 mm |

Order No.

black 14350-000-55

SOPRANO SAXOPHONE STAND »SAXXY«

| 14355 | |
|--------------------|---|
| Weight | 0.135 kg |
| Special features | folds very small; can be transported in the supplied velour bag in the saxophone bell |
| Material | aluminum |
| Instrument support | non-marring plastic material |
| Suitable for | soprano saxophones |
| Height | 188 mm |

Order No.

black 14355-000-55

SOPRANO SAXOPHONE STAND

| 15290 | |
|--------------------|--|
| Weight | 0.34 kg |
| Special features | The detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instrument for easy transport |
| Material | plastic |
| Leg construction | leg base screwable |
| Instrument support | felt pads |
| Height | 250 mm |
| Number of legs | 5 pieces |

Order No.

black 15290-000-55

Comes with a velour bag



Folds very small

Leg base screws into the
peg. Can be stored in the
bell of the instrument.

BARITONE SAXOPHONE STAND

| 144/1 | |
|--------------------|--------------------------------------|
| Weight | 1.26 kg |
| Special features | adjustable lower support arm bracket |
| Material | steel |
| Leg construction | tube legs with cross braces |
| Instrument support | non-marring plastic material |
| Suitable for | baritone saxophones |
| Height | from 790 to 915 mm |
| Rod combination | 2-piece folding design |

Order No.

black 14410-000-55

Accessories

Carrying case 14102

Page

85

BARITONE SAXOPHONE STAND

NEW

| 14415 | |
|--------------------|--|
| Weight | 3 kg |
| Special features | adjustable end cap to stabilize the stand on uneven surfaces |
| Material | steel |
| Instrument support | non-marring slip-proof material |
| Suitable for | baritone saxophones |
| Adjustment | spring-loaded clamping knob |
| Size when folded | 700 x 400 x 120 mm |
| Height | from 650 to 920 mm |
| Rod combination | 2-piece folding design |
| Base dimensions | 400 x 440 mm |

Order No.

black 14415-000-55

BASSOON STAND

| 150/1 | |
|--------------------|--|
| Weight | 2.9 kg |
| Special features | support width can be adjusted individually to the size of the instrument |
| Material | steel |
| Base diameter | 800 mm |
| Leg construction | tube legs with cross braces |
| Instrument support | felt-lined |
| Suitable for | bassoon |
| Size when folded | 185 x 135 x 645 mm |
| Height | from 700 to 1,200 mm |
| Support width | from 57 to 87 mm |
| Rod combination | 2-piece folding design |

Order No.

black 15010-011-55

Accessories

Carrying case 14102

Universal carrying case 15043

Page

85

Rubber covered instrument supports




Rubber covered instrument supports

Lower support can be steplessly positioned



Support bracket - protective and adjustable



Rubber covered support cup



CONTRABASSOON STAND

| 15045 | |
|--------------------|-----------------------------|
| Weight | 3.1 kg |
| Material | steel |
| Base diameter | 800 mm |
| Leg construction | tube legs with cross braces |
| Instrument support | felt-lined |
| Suitable for | contra bassoon |
| Size when folded | 175 x 115 x 605 mm |
| Height | from 700 to 1,200 mm |
| Support width | 262 mm |
| Rod combination | 2-piece folding design |

Order No.

black 15045-011-55

Accessories

Page

| | |
|-------------------------------|-----|
| Carrying case 18846 | 160 |
| Universal carrying case 15043 | 85 |

UNIVERSAL CARRYING CASE

| 15043 | |
|-------------------------|---|
| Special features | comes with separate internal compartments |
| Material | nylon |
| Dimensions | 1,000 x 180 x 180 mm |
| Handle or carrying type | handle and shoulder straps |
| Fastener | zip fastener |
| Fits | 14160, 150/1, 15045, 21339, 21340 |

Order No.

15043-000-00



CARRYING CASE

| 14102 | |
|-------------------------|--------------------------|
| Weight | 0.45 kg |
| Material | nylon |
| Dimensions | 700 x 150 x 130 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 141, 141/1, 150/1, 15060 |

Order No.

14102-000-00



BASS CLARINET STAND

| 15060 | |
|--------------------|--|
| Weight | 2.9 kg |
| Special features | support width can be adjusted individually to the size of the instrument |
| Material | steel |
| Base diameter | 800 mm |
| Leg construction | tube legs with cross braces |
| Instrument support | felt-lined |
| Suitable for | bass clarinet |
| Size when folded | 120 x 120 x 645 mm |
| Height | from 700 to 1,200 mm |
| Support width | from 57 to 87 mm |
| Rod combination | 2-piece folding design |

Order No.

black 15060-011-55

Accessories

| | Page |
|---------------------|------|
| Carrying case 10811 | 54 |
| Carrying case 14102 | 85 |

Support bracket - protective and adjustable



Practical V-shaped base for the endpin



CLARINET STAND

| 15222 | |
|------------------|---|
| Weight | 0.12 kg |
| Special features | detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instrument; with felt ring |
| Material | plastic peg, zinc die-cast legs |
| Leg construction | leg base screwable |
| Suitable for | A and B clarinets |
| Height | 180 mm |
| Number of legs | 4 pieces |

Order No.

black 15222-000-55

Leg base screws into the peg.
Can be stored in the bell of the instrument.



With felt ring



CLARINET STAND**15228**

| | |
|------------------|--|
| Weight | 0.13 kg |
| Special features | detachable metal leg base screws into the peg, so that the entire unit can be stored in the bell of the instrument and making the transport in all instrument cases easy |
| Material | plastic peg, zinc die-cast legs |
| Base diameter | 196 mm |
| Leg construction | leg base screwable |
| Suitable for | A and B clarinets |
| Height | 130 mm |
| Number of legs | 5 pieces |

Order No.

black 15228-000-55



In-Bell stand;
Extremely small
and compact

The „In-Bell“ clarinet stand is extremely small and compact. 5 stable die-cast feet ensure excellent stability and sturdiness. Thanks to the patented and easy to operate screw-in system the feet can be conveniently stored in the peg. The short peg completely fits into the bell of the clarinet making it easy for transport in all common instrument cases.

Can be stored in the bell of the instrument
for a transport in all instrument cases

Detachable metal leg base
screws into the peg



CLARINET STAND

| 15229 | |
|--------------------|---------------------------------|
| Weight | 0.135 kg |
| Special features | leg base screwable |
| Material | plastic peg, zinc die-cast legs |
| Base diameter | 200 mm |
| Leg construction | leg base screwable |
| Instrument support | felt pads |
| Suitable for | Eb-clarinets |
| Height | 156 mm |
| Number of legs | 5 pieces |

Order No.

black 15229-000-55

OBOE STAND

| 18020 | |
|------------------|---|
| Weight | 0.085 kg |
| Special features | detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instrument |
| Material | plastic peg, zinc die-cast legs |
| Base diameter | 255 mm |
| Leg construction | leg base screwable |
| Height | 175 mm |
| Number of legs | 4 pieces |

Order No.

black 18020-000-55

FLUTE STAND

| 152/3 | |
|------------------|-----------------------------|
| Weight | 0.15 kg |
| Material | plastic peg, steel legs |
| Leg construction | foldable legs |
| Suitable for | Bass, Böhm and Cross flutes |
| Height | 158 mm |
| Number of legs | 3 pieces |
| Peg diameter | 18 mm |

Order No.

black 15230-017-55




FLUTE STAND**15232**

| | |
|------------------|---|
| Weight | 0.08 kg |
| Special features | the stand fits in almost every pocket when folded |
| Material | plastic peg, zinc die-cast legs |
| Leg construction | leg base screwable |
| Suitable for | Bass, Böhm and Cross flutes |
| Height | 155 mm |
| Number of legs | 4 pieces |
| Peg diameter | 18 mm |

Order No.

| | |
|-------|--------------|
| black | 15232-000-55 |
|-------|--------------|

Innovative and exceptionally light, this 4 leg flute stand 15232 is ideal for Boehm or transverse flutes. The plastic instrument holder has a diameter of 18 mm.



RECORDER STAND

152/5

| | |
|------------------|---|
| Weight | 0.15 kg |
| Material | plastic peg with steel core, plastic socket, steel legs |
| Leg construction | foldable legs |
| Suitable for | alto and tenor recorders |
| Height | 160 mm |
| Number of legs | 3 pieces |
| Peg diameter | 9 mm |

Order No.

black 15250-017-55

RECORDER STAND

15252

| | |
|------------------|---|
| Weight | 0.08 kg |
| Special features | the stand fits in almost every pocket when folded |
| Material | plastic peg with steel core, zinc die-cast legs |
| Leg construction | leg base screwable |
| Suitable for | alto and tenor recorders |
| Height | 145 mm |
| Number of legs | 4 pieces |
| Peg diameter | 9 mm |

Order No.

black 15252-000-55

RECORDER STAND

152/6

| | |
|------------------|---|
| Weight | 0.15 kg |
| Material | plastic peg with steel core, plastic socket, steel legs |
| Leg construction | foldable legs |
| Suitable for | soprano and piccolo recorders |
| Height | 160 mm |
| Number of legs | 3 pieces |
| Peg diameter | 6.5 mm |

Order No.

black 15260-017-55



RECORDER STAND

| 15262 | |
|------------------|---|
| Weight | 0.08 kg |
| Special features | the stand fits in almost every pocket when folded |
| Material | plastic peg with steel core, zinc die-cast legs |
| Leg construction | leg base screwable |
| Suitable for | soprano and piccolo recorders |
| Height | 145 mm |
| Number of legs | 4 pieces |
| Peg diameter | 6.5 mm |

Order No.

black 15262-000-55

ENGLISH-HORN STAND

| 15233 | |
|--------------------|---------------------------------|
| Weight | 0.095 kg |
| Special features | leg base screwable |
| Material | plastic peg, zinc die-cast legs |
| Base diameter | 181 mm |
| Leg construction | leg base screwable |
| Instrument support | felt pads |
| Height | 186 mm |
| Number of legs | 4 pieces |

Order No.

black 15233-000-55

BASS TROMBONE STAND

| 149/1 | |
|--------------------|---------------------------|
| Weight | 2.21 kg |
| Material | steel |
| Leg construction | socket with foldable legs |
| Instrument support | wood with felt pads |
| Height | from 650 to 1,140 mm |
| Rod combination | 2-piece folding design |

Order No.

black 14910-013-55



TROMBONE STAND

| 149/9 | |
|--------------------|-------------------------------------|
| Weight | 1.45 kg |
| Special features | also for marching baritones |
| Material | steel |
| Leg construction | brace construction, folds compactly |
| Instrument support | non-marring rubber |
| Height | from 555 to 865 mm |
| Rod combination | 2-piece folding design |

Order No.

black 14990-000-55

Accessories

Carrying case 10811

Page

54

TROMBONE STAND

| 14985 | |
|--------------------|-----------------------------|
| Weight | 1.14 kg |
| Special features | also for marching baritones |
| Material | steel |
| Leg construction | socket with foldable legs |
| Instrument support | non-marring rubber |
| Height | from 600 to 970 mm |
| Rod combination | 2-piece folding design |

Order No.

black 14985-000-55

Accessories

Carrying case 10811

Page

54

TROMBONE STAND

| 15270 | |
|--------------------|---|
| Weight | 1 kg |
| Special features | folds small; space-saving transportation in the instrument bell |
| Material | steel |
| Leg construction | foldable legs |
| Instrument support | plastic peg with felt pads |
| Height | from 585 to 885 mm |
| Rod combination | 2-piece folding design |

Order No.

black 15270-000-55



Foldable and compact for space-saving transportation in the instrument bell

TENOR HORN STAND

| 149/2 | |
|--------------------|--|
| Weight | 2 kg |
| Special features | with integrated mouth piece holder; one-piece item folds to a small size |
| Material | steel |
| Base diameter | 720 mm |
| Leg construction | tube legs with cross braces |
| Instrument support | non-marring slip-proof pads |
| Suitable for | baritone, tenor horn in Bb and alto horn in Eb |
| Size when folded | 545 x 180 x 115 mm |
| Height | from 620 to 1,050 mm |
| Rod combination | 2-piece folding design |

Order No.

black 14920-012-55

Accessories

Page

Carrying case 14922

93

CARRYING CASE

| 14922 | |
|-------------------------|--------------------|
| Weight | 0.4 kg |
| Material | nylon |
| Dimensions | 670 x 150 x 130 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 149/2 |

Order No.

14922-000-00

BARITONE STAND

| 14941 | |
|--------------------|---|
| Weight | 2.167 kg |
| Special features | additional notch for instruments with ridge |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | all baritone and tenor horn models |
| Height | from 310 to 415 mm |
| Support width | from 200 to 305 mm |

Order No.

black 14941-000-55

Accessories

Page

Carrying case 14942

94



TUBA STAND

| 14940 | |
|--------------------|---|
| Weight | 2.36 kg |
| Special features | additional notch for instruments with ridge |
| Material | steel |
| Instrument support | non-marring plastic material |
| Suitable for | German and English tubas |
| Height | from 310 to 415 mm |
| Support width | from 275 to 455 mm |

Order No.

black 14940-000-55

Accessories

Carrying case 14942

Page

94

CARRYING CASE

| 14942 | |
|-------------------------|---------------------|
| Weight | 0.18 kg |
| Material | nylon |
| Dimensions | 350 x 110 x 110 mm |
| Handle or carrying type | shoulder strap |
| Fastener | zip fastener |
| Fits | 14940, 14941, 50500 |

Order No.

14942-000-00

STAND FOR KINGSIZE TUBA

| 14945 | |
|--------------------|---|
| Weight | 3.46 kg |
| Special features | additional notch for instruments with ridge |
| Material | steel |
| Instrument support | non-marring plastic material |
| Size when folded | 450 mm |
| Height | from 380 to 440 mm |
| Support width | from 310 to 530 mm |

Order No.

black 14945-000-55

Accessories

Carrying case 14303

Page

81



Adjustable support arms



Adjustable support arms



TUBA PERFORMER STAND

| 14950 | |
|--------------------|---|
| Weight | 2 kg |
| Special features | suitable for playing in a sitting position; with safety pin |
| Material | steel |
| Leg construction | brace construction, folds compactly |
| Instrument support | non-marring rubber |
| Suitable for | tuba models |
| Height | from 450 to 800 mm |
| Rod combination | 2-piece folding design |
| Max. load capacity | 10 kg |

Order No.

black 14950-000-55

Accessories

Carrying case 10811 54

TUBA PERFORMER STAND

| 14951 | |
|--------------------|---|
| Weight | 2.26 kg |
| Special features | suitable for playing in a upright position; with safety pin |
| Material | steel |
| Leg construction | brace construction, folds compactly |
| Instrument support | non-marring rubber |
| Suitable for | tuba models |
| Height | from 650 to 1,140 mm |
| Rod combination | 2-piece folding design |
| Max. load capacity | 10 kg |

Order No.

black 14951-000-55

Accessories

Carrying case 10811 54

TUBA PERFORMER STAND FOR CHILDREN


| 14952 | |
|--------------------|---------------------------------|
| Weight | 1.74 kg |
| Material | steel |
| Leg construction | U-profile legs snap into socket |
| Instrument support | non-marring rubber |
| Suitable for | tuba models |
| Height | from 250 to 400 mm |
| Rod combination | 2-piece folding design |
| Max. load capacity | 10 kg |

Order No.

black 14952-020-55

Accessories

Carrying case 14303 81

Page

Safety pin for extra hold



Safety pin for extra hold

Folds compactly

SOUSAPHONE STAND

149/3

| | |
|--------------------|--|
| Weight | 3.66 kg |
| Special features | adjustable end cap to stabilize the stand on uneven surfaces |
| Material | steel |
| Instrument support | non-marring rubber |
| Size when folded | 390 x 225 x 645 mm |
| Height | 550 mm |
| Support width | 775 mm |

Order No.

black 14930-011-55

TRUMPET STAND

152/1

| | |
|--------------------|---|
| Weight | 0.24 kg |
| Special features | detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instrument; rubber-covered peg top |
| Material | plastic peg, zinc die-cast legs |
| Leg construction | leg base screwable |
| Instrument support | felt pads |
| Height | 190 mm |
| Number of legs | 3 pieces |

Order No.

black 15210-000-55



Leg base screws into the peg.
Can be stored in the bell of the instrument.



Rubber peg top to prevent damage





Leg base screws into the peg. Can be stored in the bell of the instrument.

TRUMPET STAND

15213

| | |
|--------------------|--|
| Weight | 0.32 kg |
| Special features | very stable; detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instru- ment; rubber-covered peg top |
| Material | plastic peg, zinc die-cast legs |
| Leg construction | leg base screwable |
| Instrument support | felt pads |
| Height | 205 mm |
| Number of legs | 5 pieces |

Order No.

black 15213-000-55

Thanks to its patented 5 leg base, the 15213 has achieved world-wide recognition. It features an extremely stable leg construction and space-saving transport method in the bell of the trumpet. Its solid zinc die-cast legs screw into the base. Felt pads and the rubber-covered peg top protect the instrument from scratches.

Rubber peg top to prevent damage



TRUMPET HOLDER

| 157 | |
|--------------------|------------------------------|
| Weight | 0.14 kg |
| Material | steel |
| Instrument support | non-marring plastic material |
| Screw-on to | tube diameter up to 30 mm |

Order No.

black 15700-000-55

MUTE HOLDER

| 15910 | |
|------------------|--|
| Weight | 0.3 kg |
| Special features | for 3 mutes (2 x ø 80 mm, 1 x ø 60 mm); mute holder rings rubberized |
| Material | steel |
| Screw-on to | tube diameter up to 30 mm |

Order No.

black 15910-000-55

Accessories

Mute holder ring 15915

Page


98

MUTE HOLDER RING

| 15915 | |
|------------------|---------------------------------------|
| Weight | 0.1 kg |
| Special features | Mute holder ring (ø 95 mm) rubberized |
| Material | steel |
| Fits | 15910 |

Order No.

black 15915-000-55



For all common mutes for trumpets, cornets and flugelhorns



Additional holder ring for mute holder 15910

FLUGELHORN STAND

| 15240 | |
|--------------------|---|
| Weight | 0.42 kg |
| Special features | detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instrument |
| Material | plastic peg, zinc die-cast legs |
| Leg construction | leg base screwable |
| Instrument support | felt pads |
| Height | 250 mm |
| Number of legs | 5 pieces |

Order No.

black 15240-000-55

FOLDABLE BASE

| 17700 | |
|------------------|------------------|
| Weight | 0.16 kg |
| Material | steel |
| Accommodation of | 1 instrument peg |

Order No.

black 17700-005-55

| Accessories | Page |
|-----------------------------|----------|
| Trumpet peg 15214 | 100, 311 |
| Clarinet peg 15224 | 100, 311 |
| Flugelhorn peg 15244 | 100, 311 |
| Peg adapter 15281 | 102 |
| Soprano saxophone peg 15294 | 100, 311 |
| English horn peg 17731 | 101, 311 |
| Oboe peg 17738 | 101, 311 |
| Clarinet peg 17741 | 101, 312 |
| Recorder peg 17782 | 101, 312 |
| Recorder peg 17786 | 101, 312 |
| Flute peg 17788 | 101, 312 |

FOLDABLE BASE

| 17710 | |
|------------------|-------------------|
| Weight | 0.54 kg |
| Material | steel |
| Accommodation of | 4 instrument pegs |

Order No.

black 17710-005-55

| Accessories | Page |
|-----------------------------|----------|
| Trumpet peg 15214 | 100, 311 |
| Clarinet peg 15224 | 100, 311 |
| Flugelhorn peg 15244 | 100, 311 |
| Peg adapter 15281 | 102 |
| Soprano saxophone peg 15294 | 100, 311 |
| English horn peg 17731 | 101, 311 |
| Oboe peg 17738 | 101, 311 |
| Clarinet peg 17741 | 101, 312 |
| Recorder peg 17782 | 101, 312 |
| Recorder peg 17786 | 101, 312 |
| Flute peg 17788 | 101, 312 |

Leg base screws into the peg. Can be stored in the bell of the instrument.

Rubber peg top to prevent damage



BRACKET

12210

| | |
|------------------|--|
| Weight | 0.115 kg |
| Special features | for the mounting of an array of different instrument pegs, trays and other accessories |
| Material | steel |
| Screw-on to | tube diameter up to 30 mm |
| Bore holes | diameter 5.2 mm (2 x) |
| Wall clearance | 110 mm |

Order No.

black 12210-000-55

Accessories

Page

| | |
|-----------------------------|----------|
| Trumpet peg 15214 | 100, 311 |
| Clarinet peg 15224 | 100, 311 |
| Flugelhorn peg 15244 | 100, 311 |
| Peg adapter 15281 | 102 |
| Soprano saxophone peg 15294 | 100, 311 |
| English horn peg 17731 | 101, 311 |
| Oboe peg 17738 | 101, 311 |
| Clarinet peg 17741 | 101, 312 |
| Recorder peg 17782 | 101, 312 |
| Recorder peg 17786 | 101, 312 |
| Flute peg 17788 | 101, 312 |



TRUMPET PEG

15214

| | |
|--------------------|--|
| Weight | 0.2 kg |
| Special features | peg adapter 15281 included; rubber-covered peg top |
| Material | plastic |
| Instrument support | felt pads |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 15214-017-55

Accessories

Page

| | |
|----------------------|--------------|
| Peg holder 14301 | 102 |
| Adapter for instrume | js 15282 102 |



Rubber peg top to prevent damage

CLARINET PEG

15224

| | |
|--------------------|--|
| Weight | 0.115 kg |
| Special features | peg adapter 15281 included; with felt ring |
| Material | plastic |
| Suitable for | A and B clarinets |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 15224-000-55

Accessories

Page

| | |
|-----------------------------------|-----|
| Peg holder 14301 | 102 |
| Adapter for instrument pegs 15282 | 102 |



Protective felt ring

FLUGELHORN PEG

15244

| | |
|--------------------|--|
| Weight | 0.3 kg |
| Special features | peg adapter 15281 included; rubber-covered peg top |
| Material | plastic |
| Instrument support | felt pads |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 15244-017-55

Accessories

Page

| | |
|-----------------------------------|-----|
| Peg holder 14301 | 102 |
| Adapter for instrument pegs 15282 | 102 |



Rubber peg top to prevent damage

SOPRANO SAXOPHONE PEG

15294

| | |
|--------------------|----------------------------|
| Weight | 0.18 kg |
| Special features | incl. peg adapter 15281 |
| Material | plastic |
| Instrument support | felt pads |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 15294-017-55

Accessories

Page

| | |
|-----------------------------------|-----|
| Peg holder 14301 | 102 |
| Adapter for instrument pegs 15282 | 102 |



ENGLISH HORN PEG**17731**

| | |
|--------------------|-------------------------------|
| Weight | 0.08 kg |
| Material | plastic |
| Instrument support | felt-lined |
| Height | 160 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17731-017-55

Accessories**Page**

| | |
|-----------------------------------|-----|
| Peg holder 14301 | 102 |
| Adapter for instrument pegs 15282 | 102 |

**OBOE PEG****17738**

| | |
|--------------------|-------------------------------|
| Weight | 0.075 kg |
| Material | plastic |
| Height | 170 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17738-005-55

Accessories**Page**

| | |
|-----------------------------------|-----|
| Peg holder 14301 | 102 |
| Adapter for instrument pegs 15282 | 102 |

**CLARINET PEG****17741**

| | |
|--------------------|-------------------------------|
| Weight | 0.08 kg |
| Material | plastic |
| Instrument support | felt-lined |
| Suitable for | Eb- and C-clarinets |
| Height | 133 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17741-017-55

Accessories**Page**

| | |
|-----------------------------------|-----|
| Peg holder 14301 | 102 |
| Adapter for instrument pegs 15282 | 102 |

**RECORDER PEG****17782**

| | |
|--------------------|----------------------------------|
| Weight | 0.055 kg |
| Material | plastic peg with steel core |
| Suitable for | soprano and piccolo recorders |
| Peg diameter | 6.5 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17782-005-55

Accessories**Page**

| | |
|-----------------------------------|-----|
| Peg holder 14301 | 102 |
| Adapter for instrument pegs 15282 | 102 |

**RECORDER PEG****17786**

| | |
|--------------------|--------------------------------|
| Weight | 0.06 kg |
| Material | plastic peg with steel core |
| Suitable for | alto and tenor recorders |
| Peg diameter | 9 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17786-005-55

Accessories**Page**

| | |
|-----------------------------------|-----|
| Peg holder 14301 | 102 |
| Adapter for instrument pegs 15282 | 102 |

**FLUTE PEG****17788**

| | |
|--------------------|--------------------------------|
| Weight | 0.06 kg |
| Material | plastic |
| Suitable for | Bass, Böhm and Cross flutes |
| Peg diameter | 18 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17788-005-55

Accessories**Page**

| | |
|-----------------------------------|-----|
| Peg holder 14301 | 102 |
| Adapter for instrument pegs 15282 | 102 |



PEG HOLDER

14301

| | |
|--------------------|--|
| Weight | 0.05 kg |
| Special features | includes 3 adaptors (for tubes ø 19 mm, ø 20 mm and oval form). |
| Material | plastic |
| Threaded connector | M5 |
| Fits | 14300, 14315, 15214, 15224, 15244, 15294, 17731, 17738, 17741, 17782, 17786, 17788 |

Order No.

black 14301-000-55



PEG ADAPTER

15281

| | |
|--------------------|----------------------------|
| Weight | 0.084 kg |
| Material | plastic |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 15281-005-55



ADAPTER FOR INSTRUMENT PEGS

15282

| | |
|---------------------|--|
| Weight | 0.046 kg |
| Special features | with knurled surface |
| Dimensions diameter | 18 x 28 mm |
| Fits | 15214, 15224, 15244, 15294, 17731, 17738, 17741, 17782, 17786, 17788 |
| Female thread | 3/8" and M5 |

Order No.

zinc-plated 15282-000-29

Combining K&M instrument pegs with all common tripods with 3/8" thread connection



ACCORDION STAND

| 174 | |
|--------------------|--|
| Weight | 7.05 kg |
| Special features | upper section swivels with both horizontal and vertical adjustment; replaceable rubber instrument protectors; additional levelling screw for uneven surfaces |
| Material | steel |
| Height adjustment | spring-loaded clamping knob |
| Instrument support | non-marring slip-proof pads |
| Height | from 730 to 1,135 mm |
| Support width | from 135 to 250 mm |
| Support height | from 380 to 585 mm |
| Base dimensions | 660 x 660 mm |

Order No.

black 17400-009-55



HARMONICA HOLDER

| 164/1 | |
|----------------------|--------------------------|
| Weight | 0.23 kg |
| Material | steel |
| Neck frame | with a soft rubber cover |
| Clamping | spring-tension |
| Max. instrument size | 185 x 49 mm |

Order No.

nickel-colored 16410-000-11



HARMONICA HOLDER

| 16415 | |
|----------------------|------------------------------|
| Weight | 0.25 kg |
| Special features | user-friendly locking screws |
| Material | steel |
| Neck frame | with a soft rubber cover |
| Clamping | spring-tension |
| Max. instrument size | 185 x 49 mm |

Order No.

black 16415-000-55



HARMONICA HOLDER

16416

| | |
|----------------------|--|
| Weight | 0.26 kg |
| Special features | user-friendly locking screws; molded rubber sections on the support arms; particularly suitable for blues harmonica models with 108 mm max. instrument breadth |
| Material | steel |
| Neck frame | with a soft rubber cover |
| Clamping | spring-tension |
| Max. instrument size | 185 x 43 mm |

Order No.

black 16416-000-55



MARCHING DRUM STAND

| 13335 | |
|--------------------|--|
| Weight | 4.8 kg |
| Material | steel |
| Instrument support | non-marring slip-proof pads |
| Support width | from 370 to 610 mm |
| Support depth | 450 mm |
| Adjustment | 2 clamping lever for quick adjustment |

Order No.

black 13335-000-55

TRIANGLE HOLDER

| 164/2 | |
|-------------|------------------------------|
| Weight | 0.12 kg |
| Material | steel |
| Screw-on to | tube diameter up to 30 mm |

Order No.

black 16420-000-55

PERCUSSION TABLE

| 13500 | |
|----------------------------|--------------------------------|
| Weight | 4.48 kg |
| Special features | tray is open to one side |
| Material | steel |
| Bearing plate | 573 x 373 mm |
| Base diameter | 750 mm |
| Leg construction | tube legs with cross braces |
| Max. load capacity | 10 kg |
| Height | from 700 to 1,250 mm |
| Rod combination | 2-piece folding design |
| Connection stand/ plate | screw connection |
| Adjustment | stepless |

Order No.

black 13500-000-55

Folds flat for transport



PIANO TUNING LEVER
166

| | |
|--------------------|--------------|
| Weight | 0.2 kg |
| Material | steel |
| Tuning lever shape | conical star |
| Tuning lever size | 6.2 mm |

Order No.

nickel 16600-000-01

PIANO TUNING LEVER
166/1

| | |
|--------------------|--------|
| Weight | 0.2 kg |
| Material | steel |
| Tuning lever shape | square |
| Tuning lever size | 6.2 mm |

Order No.

nickel 16610-000-01

PIANO TUNING LEVER SET
167

| | |
|--------------------|---|
| Weight | 0.48 kg |
| Special features | Set includes 3 adapters |
| Material | steel |
| Tuning lever shape | conical star and square |
| Tuning lever size | star (5.8 mm); star (6.2 mm); square (6.2 mm) |

Order No.

nickel 16700-000-01


TUNING FORK
168

| | |
|------------------|--------------|
| Weight | 0.02 kg |
| Special features | round design |
| Material | steel |
| Diameter | 3.6 mm |
| Tuning | A 440 Hz |
| Length | 105 mm |

Order No.

nickel 16800-000-01

TUNING FORK
168/1

| | |
|------------------|--------------|
| Weight | 0.04 kg |
| Special features | round design |
| Material | steel |
| Diameter | 4.5 mm |
| Tuning | A 440 Hz |
| Length | 120 mm |

Order No.

nickel 16810-000-01

TUNING FORK
168/2

| | |
|------------------|--------------------|
| Weight | 0.04 kg |
| Special features | rectangular design |
| Material | steel |
| Tuning | A 440 Hz |
| Dimensions fork | 4 x 6 mm |
| Length | 120 mm |

Order No.

nickel 16820-000-01







DRUMMER'S THRONES, BENCHES & STOOLS

A perfect drummer's throne and the proper posture it promotes is one of the most important requirements for a drummer.

Long testing phases and intensive collaboration with professional drummers like Mike "Gomezz" Gommeringer, Toni Liota and Sven "Ice" Ehrhardt have helped us to design our latest drummer's throne models to withstand the most stringent demands. Ergonomically perfect seats and an ingenious, finely-calibrated adjustability make the musician feel right at home on a König & Meyer drummer's throne.

Thanks to the usual high-quality workmanship and extensibility, König & Meyer keyboard benches and stools have long been classics among our customers.



DRUMMER'S THRONE »PICCOLINO«

| 14010 | BASELINE |
|-------------------|---|
| Weight | 2.6 kg |
| Special features | small footprint with a diameter of 430 mm makes the throne ideal when space is at a premium; the easy-to-use wing nut permits a seat rotation |
| Material | steel |
| Base diameter | 430 mm |
| Leg construction | double-braced 3-leg base |
| Height adjustment | push-button and clamping lever, in 15 mm steps |
| Rod combination | 2-piece folding design |
| Seat | imitation leather, ø 300 mm |
| Height | from 380 to 455 mm |

Order No.

chrome 14010-000-02

DRUMMER'S THRONE »PICCO«

| 14020 | BASELINE |
|-------------------|---|
| Weight | 3.5 kg |
| Special features | small footprint with a diameter of 540 mm makes the throne ideal when space is at a premium; the easy-to-use wing nut permits a seat rotation |
| Material | steel |
| Base diameter | 540 mm |
| Leg construction | double-braced 3-leg base |
| Height adjustment | push-button and clamping lever, in 15 mm steps |
| Rod combination | 2-piece folding design |
| Seat | imitation leather, ø 300 mm |
| Height | from 495 to 660 mm |

Order No.

chrome 14020-000-02

DRUMMER'S THRONE

| 14015/14016 | TOPLINE |
|-------------------|---|
| Weight | 5.685 kg |
| Material | steel |
| Leg construction | double-braced 3-leg base |
| Height adjustment | spring-loaded bolt and locking screw |
| Rod combination | 2-piece folding design |
| Seat | imitation leather or fabric covering, diameter 330 mm |
| Height | from 500 to 700 mm |

Order No.

black imitation leather 14015-000-55
black fabric 14016-000-55

Accessories

Page

Backrest 14032/14033 118
Footrest 14051 118

The smallest drum throne in the K&M series - suitable for children.



For the beginner and advanced player



Clamp with a patented push-button system



DRUMMER'S THRONE »NICK«

| 14055/14056 | TOPLINE |
|-------------------|--|
| Weight | 5.3 kg |
| Material | steel |
| Leg construction | double-braced 3-leg base |
| Height adjustment | spring-loaded bolt and locking screw |
| Rod combination | 2-piece folding design |
| Seat | ergonomic seat, imitation leather or fabric covering, size 380 x 350 mm |
| Height | from 510 to 710 mm |

Order No.

| | |
|-------------------------|--------------|
| black imitation leather | 14055-000-55 |
| black fabric | 14056-000-55 |

| Accessories | Page |
|----------------------|------|
| Backrest 14032/14033 | 118 |
| Footrest 14051 | 118 |

SPINDLE DRUMMER'S THRONE

NEW

| 14038/14039 | TOPLINE |
|-------------------|--|
| Weight | 5.25 kg |
| Material | steel |
| Leg construction | double-braced 3-leg base |
| Height adjustment | Rotary spindle |
| Seat | imitation leather or velvet covering, 430 x 390 mm |
| Height | from 465 to 670 mm |

Order No.

| | |
|-------------------------|--------------|
| black imitation leather | 14038-000-02 |
| black velvet | 14039-000-02 |

Accessories

| |
|---------------------|
| Carrying case 14003 |
|---------------------|

Page

117

**DRUMMER'S THRONE
WITH PNEUMATIC SPRING**

NEW

| 14035/14036 | TOPLINE |
|-------------------|--|
| Weight | 5.8 kg |
| Material | steel |
| Base diameter | 560 mm |
| Leg construction | double-braced 3-leg base |
| Height adjustment | pneumatic spring |
| Rod combination | 2-piece folding design |
| Seat | imitation leather or velvet covering, 430 x 390 mm |
| Height | from 495 to 680 mm |

Order No.

| | |
|-------------------------|--------------|
| black imitation leather | 14035-000-02 |
| black velvet | 14036-000-02 |

Accessories

| |
|---------------------|
| Carrying case 14003 |
|---------------------|

Page

117



Height adjustment
with rotary spindle



Comfortable height adjustment
with **pneumatic spring**





The professional drummer's throne. Stable and sturdy.



p04e.k-m.de
Product video

Easy-to-use height adjustment



Sophisticated upholstery, ergonomic seat

DRUMMER'S THRONE »GOMEZZ«

| 14000 | STARLINE |
|-------------------|---|
| Weight | 6.04 kg |
| Special features | fixed large rubber end caps; height adjustment by a notched system; wing nut permits a seat rotation from heavy to loose position; 4 threaded screw sockets to attach a ButtKicker |
| Material | steel |
| Leg construction | stable double-braced 3-leg base |
| Height adjustment | pull-button and clamping lever, in 10 mm steps |
| Rod combination | 2-piece folding design |
| Seat | ergonomic seat, high quality grained soft nappa imitation leather, size 410 x 400 mm |
| Height | from 475 to 675 mm |

Order No.

chrome 14000-019-02

The ergonomically designed seat with a sturdy artificial leather cover in classic leather grain reduces pressure on thighs creating an unique comfortable seat. Height adjustment by a notched system with 10 mm steps and an easy-to-use clamping lever. The extremely robust base design with extravagant foot end caps provides an unbelievably safe floor grip. The detachable wobble-free seat features a die-cast flange, which clamps with a lever to permit seat rotation from loose to fixed position.

| Accessories | Page |
|-----------------------------|------|
| Carrying case 14003 | 117 |
| Backrest for »Gomezz« 14005 | 118 |



Height adjustment with
pneumatic spring



Adjustable clamping lever

Folds flat



p07e.k-m.de
Product video

PNEUMATIC STOOL

14046/14047

| | |
|-------------------|--|
| Weight | 6.6 kg |
| Special features | seat can be adjusted in height and angle; includes a pneumatic spring; includes a height adjustable footrest; adjustable end cap to stabilize the stool on uneven surfaces |
| Material | steel |
| Height adjustment | spring-loaded clamping knob/ pneumatic spring |
| Rod combination | 2-piece folding design |
| Seat | ergonomic seat, imitation leather or fabric covering, size 380 x 350 mm |
| Height | from 650 to 930 mm |

Order No.

| | |
|-------------------------|--------------|
| black fabric | 14046-000-55 |
| black imitation leather | 14047-000-55 |

The stool with power! The secret lies in the integrated pneumatic spring for effortless and comfortable height adjustment. Simply release the clamping knob and it couldn't be easier to adjust the height.

Accessories

| | Page |
|----------------------|------|
| Backrest 14032/14033 | 118 |
| Carrying case 14041 | 119 |



STOOL

| 14044/14045 | |
|-------------------|---|
| Weight | 6.17 kg |
| Special features | seat can be adjusted in height and angle; includes a height adjustable footrest; adjustable end cap to stabilize the stool on uneven surfaces |
| Material | steel |
| Height adjustment | spring-loaded clamping knob |
| Rod combination | 2-piece folding design |
| Seat | ergonomic seat, imitation leather or fabric covering, size 380 x 350 mm |
| Height | from 650 to 930 mm |

Order No.

| | |
|-------------------------|--------------|
| black fabric | 14044-000-55 |
| black imitation leather | 14045-000-55 |

Accessories

Page

| | |
|----------------------|-----|
| Backrest 14032/14033 | 118 |
| Carrying case 14041 | 119 |

STOOL

| 14052/14053 | |
|-------------------|---|
| Weight | 5.65 kg |
| Material | steel |
| Leg construction | U-profile 3-leg base |
| Height adjustment | spring-loaded bolt and locking screw |
| Rod combination | 2-piece folding design |
| Seat | ergonomic seat, imitation leather or fabric covering, size 380 x 350 mm |
| Height | from 610 to 910 mm |

Order No.

| | |
|-------------------------|--------------|
| black imitation leather | 14052-000-55 |
| black fabric | 14053-000-55 |

Accessories

Page

| | |
|----------------------|-----|
| Backrest 14032/14033 | 118 |
| Footrest 14051 | 118 |

STOOL

| 14060 | |
|-------------------|---|
| Weight | 6.35 kg |
| Special features | seat can be adjusted in height and angle; includes a height adjustable footrest; adjustable end cap to stabilize the stool on uneven surfaces |
| Material | steel |
| Height adjustment | spring-loaded clamping knob |
| Rod combination | 2-piece folding design |
| Seat | imitation leather, diameter 330 mm |
| Height | from 645 to 925 mm |

Order No.

| | |
|-------------------------|--------------|
| black imitation leather | 14060-000-55 |
|-------------------------|--------------|

Accessories

Page

| | |
|----------------------|-----|
| Backrest 14032/14033 | 118 |
| Carrying case 14041 | 119 |



PNEUMATIC STOOL

| 14061 | |
|-------------------|--|
| Weight | 6.8 kg |
| Special features | seat can be adjusted in height and angle; includes a pneumatic spring with 10 kg press capacity; includes a height adjustable footrest; adjustable end cap to stabilize the stool on uneven surfaces |
| Material | steel |
| Height adjustment | spring-loaded clamping knob |
| Rod combination | 2-piece folding design |
| Seat | imitation leather, diameter 330 mm |
| Height | from 645 to 925 mm |

Order No.

black imitation leather 14061-000-55

Accessories

Page

Backrest 14032/14033 118
Carrying case 14041 119

STAGE STOOL

| 14094 | |
|-------------------|---|
| Weight | 6.2 kg |
| Special features | with "Stop & Go" casters; height adjustable by built-in pneumatic spring |
| Material | steel |
| Base diameter | 530 mm |
| Leg construction | Plastic 5-leg base |
| Height adjustment | pneumatic spring |
| Rod combination | 2-piece folding design |
| Seat | seat size: diameter 350 mm, high quality grained soft nappa imitation leather |
| Height | from 480 to 610 mm |

Order No.

black 14094-017-55

Accessories

Page

Backrest 14032/14033 118





STAGE STOOL

| 14091 | |
|-------------------|--|
| Weight | 10 kg |
| Special features | height adjustable by built-in pneumatic spring |
| Material | steel |
| Base diameter | 500 mm |
| Leg construction | round cast-iron base |
| Height adjustment | pneumatic spring |
| Rod combination | 2-piece folding design |
| Seat | ergonomic seat, high quality grained soft nappa imitation leather, size 410 x 400 mm |
| Height | from 580 to 835 mm |

Order No.

black 14091-000-55

The comfortable stage stool is an eye-catcher, its ergonomic saddle seat convinces through its extraordinary seating comfort. The height adjustable foot rest is in the form of a ring. The large circular base with the rubber ring provides reliable stability. The height of the stage stool is easily adjusted from 580 to 835 mm with the help of the integrated pneumatic spring.

DRUM TOOL

NEW

DRUM STICK HOLDER

CARRYING CASE

| 16451 | |
|---------------|--|
| Weight | 0.14 kg |
| Material | steel |
| Dimensions | 80 x 42 x 19 mm |
| Consisting of | various Allen keys in inch and metric models as well as various screwdrivers and tuning keys |

Order No.

16451-000-00

| 16450 | |
|-------------|---------------------------|
| Weight | 0.22 kg |
| Material | steel, nylon |
| Dimensions | 250 x 211 x 115 mm |
| Screw-on to | tube diameter up to 30 mm |

Order No.

black

16450-000-55

| 14003 | |
|-------------------------|---|
| Weight | 0.9 kg |
| Special features | internal compartments separate base from the seat |
| Material | nylon |
| Handle or carrying type | handle and shoulder straps |
| Fastener | zip fastener |
| Dimensions | 550 x 540 x 130 mm |
| Fits | 14000, 14035/14036, 14038/14039 |


Order No.

14003-000-00



Your drum sticks always at hand

The large quiver provides enough room for several drum stick sets



BACKREST FOR »GOMEZZ«

| 14005 | |
|------------------|---|
| Weight | 2.5 kg |
| Special features | adjustable in height and depth |
| Material | steel |
| Height | 440 mm |
| Back cushion | high quality imitation leather, oval 235 x 400 mm |
| Fits | 14000 |

Order No.

chrome 14005-000-02

BACKREST

| 14032/14033 | |
|------------------|---|
| Weight | 2 kg |
| Special features | adjustable in height and depth |
| Material | steel |
| Height | 440 mm |
| Back cushion | imitation leather or fabric covering, oval 235 x 400 mm |
| Fits | 14015/14016, 14044/14045, 14046/14047, 14052/14053, 14055/14056, 14060, 14061, 14092, 14094 |

Order No.

black imitation leather 14032-000-55
black fabric 14033-000-55

FOOTREST

| 14051 | |
|------------------|---------------------------------------|
| Weight | 1.07 kg |
| Special features | collapsible footrest |
| Material | steel |
| Dimensions | 214 x 370 x 30 mm |
| Fits | 14015/14016, 14052/14053, 14055/14056 |

Order No.

black 14051-000-55



CARRYING CASE

14041

| | |
|-------------------------|--|
| Weight | 1.78 kg |
| Special features | reinforced outer shell to protect the stands |
| Material | nylon |
| Handle or carrying type | handle and shoulder straps |
| Fastener | zip fastener |
| Dimensions | 930 x 400 x 150 mm |
| Fits | 14044/14045, 14046/14047, 14060, 14061 |

Order No.

14041-000-00



STACKING CHAIR

| 13400/13405 | |
|------------------|--|
| Weight | 5 kg |
| Special features | up to 10 chairs can be stacked |
| Material | frame of tubular steel, seat shell plywood |
| Leg construction | 4-legged frame (ø 20 x 1.5 mm) |
| Seat | 420 x 420 mm |
| Height | 450 mm |

Order No.

| | |
|---|--------------|
| legs chrome, seating beech wood natural | 13400-000-02 |
| legs chrome, seating black | 13405-000-02 |

Accessories

| Accessories | Page |
|------------------|------|
| Chair cart 13490 | 124 |

STACKING CHAIR

| 13410/13415 | |
|------------------|--|
| Weight | 5.8 kg |
| Special features | up to 10 chairs can be stacked; seat cushion upholstered with durable fabric |
| Material | frame of tubular steel, seat shell plywood |
| Leg construction | 4-legged frame (ø 20 x 1.5 mm) |
| Seat | with durable black upholstery fabric 420 x 420 mm |
| Height | 470 mm |

Order No.

| | |
|---|--------------|
| legs chrome, seating beech wood natural | 13410-000-02 |
| legs chrome, seating black | 13415-000-02 |

Accessories

| Accessories | Page |
|------------------|------|
| Chair cart 13490 | 124 |

MUSICIAN'S CHAIR

| 13420 | |
|------------------|--|
| Weight | 6 kg |
| Special features | upholstered seat and backrest; low-noise plastic glides; stacking racks and stacking protection; with ventilation holes and breathable foam; up to 6 chairs can be stacked |
| Material | steel |
| Leg construction | 4-legged frame (ø 18 x 2 mm) |
| Seat | 440 x 440 mm |
| Height | 490 mm |

Order No.

| | |
|-------|--------------|
| black | 13420-000-55 |
|-------|--------------|

Accessories

| Accessories | Page |
|--------------------------------|------|
| Sound insulation element 11905 | 35 |
| Chair cart 13490 | 124 |
| Chair connector 13495 | 124 |



ORCHESTRA CHAIR

13430

| | |
|------------------|---|
| Weight | 6 kg |
| Special features | upholstered seat and backrest made from inherently fire-resistant materials (Trevira CS); low-noise plastic glides; stacking racks and stacking protection; with ventilation holes and breathable foam; up to 6 chairs can be stacked |
| Material | steel |
| Leg construction | 4-legged frame (ø 18 x 2 mm) |
| Seat | 440 x 440 mm |
| Height | 490 mm |

Order No.

black 13430-000-55

Accessories

Page

| | |
|--------------------------------|-----|
| Sound insulation element 11905 | 35 |
| Chair cart 13490 | 124 |
| Chair connector 13495 | 124 |



Other fabric colours on request





Other fabric
colours on request



ORCHESTRA CHAIR

13440

| | |
|-------------------|---|
| Weight | 12.5 kg |
| Special features | upholstered seat and backrest made from inherently fire-resistant materials (Trevira CS); adjustable in height and inclination; low-noise plastic glides; stacking racks and stacking protection; with ventilation holes and breathable foam; up to 4 chairs can be stacked |
| Material | steel |
| Leg construction | 4-legged frame (ø 18 x 2 mm) |
| Height adjustment | pneumatic spring |
| Seat | 440 x 440 mm |
| Height | from 490 to 540 mm |

Order No.

black 13440-000-55

Comfortable professional orchestra chair with upholstered seat and backrest. Cushioning and fabric (Trevira CS) are made from inherently fire-resistant materials. The black fabric has a durability rating of 100,000 abrasion resistance cycles. The black powder-coated base is made from sturdy steel tubes with 2 mm wall thickness. The pneumatic seat height adjustment is variable using a release lever. The height of the backrest and the seat angle are also adjustable. The product has the following useful features: low-noise plastic glides, stacking grooves and stacking protection. The rounded seat cushion with ventilation holes and the breathable foam provide for comfortable seating.

| Accessories | Page |
|--------------------------------|------|
| Sound insulation element 11905 | 35 |
| Chair cart 13490 | 124 |

BASS STOOL

| 13460 | |
|-------------------|---|
| Weight | 12.2 kg |
| Special features | upholstered seat and backrest made from inherently fire-resistant materials (Trevira CS); seat and backrest adjustable in height and inclination; continuously height adjustable one-third circle footrest; quiet and slip-resistant feet; seat with leg recesses |
| Material | steel |
| Leg construction | 5 leg base |
| Height adjustment | pneumatic spring |
| Seat | 430 x 420 mm |
| Height | from 595 to 850 mm |

Order No.

black 13460-019-55

Accessories

Page

Sound insulation element 11905 35
Bass holder 13497 124

CHAIR FOR PERCUSSIONERSTUHL

| 13470 | |
|-------------------|--|
| Weight | 11 kg |
| Special features | upholstered seat and backrest made from inherently fire-resistant materials (Trevira CS); seat and backrest adjustable in height and inclination; quiet and slip-resistant feet; seat is rotatable |
| Material | steel |
| Leg construction | 5 leg base |
| Height adjustment | pneumatic spring |
| Seat | 450 x 440 mm |
| Height | from 465 to 590 mm |

Order No.

black 13470-019-55

Accessories

Page

Sound insulation element 11905 35

CHAIR FOR KETTLEDRUMS AND CONDUCTOR'S

| 13480 | |
|-------------------|--|
| Weight | 12.8 kg |
| Special features | upholstered seat and backrest made from inherently fire-resistant materials (Trevira CS); seat and backrest adjustable in height and inclination; continuously height adjustable one-third circle footrest; quiet and slip-resistant feet; seat is rotatable |
| Material | steel |
| Leg construction | 5 leg base |
| Height adjustment | pneumatic spring |
| Seat | 450 x 440 mm |
| Height | from 570 to 830 mm |

Order No.

black 13480-019-55

Accessories

Page

Sound insulation element 11905 35



Other fabric colours on request



CHAIR CART

| 13490 | |
|--------------------|--|
| Weight | 6.5 kg |
| Special features | four casters, two of them lockable; compact and small overall size |
| Material | steel |
| Dimensions | 600 x 550 x 160 mm |
| Max. load capacity | 75 kg |
| Fits | 13400/13405, 13410/13415, 13420, 13430, 13440 |

Order No.

black 13490-000-55

CHAIR CONNECTOR

| 13495 | |
|------------|------------------|
| Weight | 0.017 kg |
| Material | plastic |
| Dimensions | 104 x 21 x 18 mm |
| Fits | 13420, 13430 |

Order No.

black (unit: 2 pcs.) 13495-000-55

BASS HOLDER

| 13497 | |
|--------------------|--|
| Weight | 0.6 kg |
| Special features | can be positioned individually in height |
| Material | steel |
| Length | 350 mm |
| Instrument support | non-marring slip-proof rubber coating |
| Fits | 13460 |

Order No.

black 13497-000-55



KEYBOARD BENCH

| 14065/14066 | |
|--------------------|--|
| Weight | 5.18 kg |
| Special features | adjustable end cap to stabilize the bench on uneven surfaces; collapsible for easy transport |
| Material | steel |
| Height adjustment | inserted screw |
| Seat | imitation leather or fabric covering, size 540 x 300 mm |
| Height | from 405 to 600 mm |

Order No.

| | |
|-------------------------|--------------|
| black imitation leather | 14065-000-55 |
| black fabric | 14066-000-55 |

| Accessories | Page |
|---------------------|------|
| Carrying case 14068 | 126 |

KEYBOARD BENCH

| 14075/14076 | |
|--------------------|--|
| Weight | 6.37 kg |
| Special features | adjustable end cap to stabilize the bench on uneven surfaces; large seat; collapsible for easy transport |
| Material | steel |
| Height adjustment | inserted screw |
| Seat | imitation leather or fabric covering, size 650 x 300 mm |
| Height | from 415 to 610 mm |

Order No.

| | |
|-------------------------|--------------|
| black imitation leather | 14075-000-55 |
| black fabric | 14076-000-55 |

| Accessories | Page |
|---------------------|------|
| Carrying case 14068 | 126 |

KEYBOARD BENCH

| 14077 | |
|-------------------|--|
| Weight | 6.43 kg |
| Special features | adjustable end cap to stabilize the bench on uneven surfaces; large seat; collapsible for easy transport |
| Material | steel |
| Height adjustment | inserted screw |
| Seat | imitation leather, size 650 x 300 mm |
| Height | from 415 to 610 mm |

Order No.

| | |
|------------------------------|--------------|
| pure white imitation leather | 14077-000-76 |
|------------------------------|--------------|

| Accessories | Page |
|---------------------|------|
| Carrying case 14068 | 126 |



Adjustable end cap



CARRYING CASE

14068

| | |
|-------------------------|------------------------------------|
| Weight | 0.96 kg |
| Material | nylon |
| Handle or carrying type | handle and shoulder straps |
| Fastener | zip fastener |
| Dimensions | 790 x 340 x 130 mm |
| Fits | 14065/14066, 14075/14076, 14077 |

Order No.

14068-000-00



PIANO BENCH

| 14088 | |
|------------------|--|
| Weight | 5.7 kg |
| Special features | welded steel frame; levelling screws for uneven surfaces |
| Material | steel |
| Seat | imitation leather covering seat, size 520 x 300 mm |
| Height | 500 mm |

| Order No. | |
|-----------|--------------|
| black | 14088-000-55 |

PIANO BENCH

| 14085/14086 | |
|-------------------|---|
| Weight | 9.36 kg |
| Special features | with engraved height scale |
| Material | steel |
| Height adjustment | spring-loaded clamping knob |
| Seat | imitation leather or fabric covering, size 660 x 330 mm |
| Height | from 430 to 650 mm |

| Order No. | |
|-------------------------|--------------|
| black imitation leather | 14085-019-55 |
| black fabric | 14086-019-55 |

PIANO BENCH

NEW

| 14087 | |
|-------------------|---|
| Weight | 9.5 kg |
| Special features | fully collapsible; with engraved height scale |
| Material | steel |
| Height adjustment | spring-loaded clamping knob |
| Seat | imitation leather or fabric covering, size 660 x 330 mm |
| Size when folded | 650 x 374 x 228 mm |
| Height | from 423 to 623 mm |

| Order No. | |
|-------------------------|--------------|
| black imitation leather | 14087-000-55 |

4 levelling screws for uneven surfaces



Gradual
height adjustment



Folds flat



PIANO BENCH »UPLIFT«

| 14080/14081 | |
|-------------------|--|
| Weight | 11.58 kg |
| Special features | height adjustable by built-in pneumatic springs; easy-to-use adjustment handle |
| Material | steel |
| Height adjustment | pneumatic spring |
| Seat | imitation leather or fabric covering, size 660 x 330 mm |
| Size when folded | 660 x 380 x 455 mm |
| Height | from 450 to 600 mm |
| Base dimensions | 660 x 370 mm |

Order No.

| | |
|-------------------------|--------------|
| black imitation leather | 14080-000-55 |
| pure white | |
| imitation leather | 14080-000-76 |
| black fabric | 14081-000-55 |

PIANO BENCH

| 13900-13911 | |
|-------------------|---|
| Weight | 8.74 kg |
| Material | wood |
| Height adjustment | dual crossbar |
| Seat | velvet or imitation leather covering, size 550 x 330 mm |
| Height | from 485 to 580 mm |

Order No.

| | |
|---|--------------|
| bench black matt finish, seat black velvet | 13900-100-20 |
| bench black glossy finish, seat black velvet | 13901-100-21 |
| bench black matt finish, seat black imitation leather | 13910-200-20 |
| bench black glossy finish, seat black imitation leather | 13911-200-21 |

Height adjustable by built-in **pneumatic springs**



Continuous height adjustment



p14e.k-m.de
Product video



Solid European beech wood, varnished with four coats of black glossy or matt polyester finish.





Dual crossbar mechanism.



Sample of piano bench wooden frame in combination with seat cushion.



PIANO BENCH - WOODEN-FRAME

13700-13751

| | |
|-------------------|--------------------|
| Weight | 7.2 kg |
| Material | wood |
| Height adjustment | dual crossbar |
| Height | from 450 to 550 mm |

Order No.

| | |
|------------------------|--------------|
| black matt finish | 13700-000-20 |
| black glossy finish | 13701-000-21 |
| white matt finish | 13710-000-22 |
| white glossy finish | 13711-000-23 |
| rosewood matt finish | 13720-000-24 |
| walnut matt finish | 13730-000-26 |
| cherry matt finish | 13740-000-28 |
| mahogany glossy finish | 13751-000-31 |

Piano bench wooden-frame in different colors.

Solid European beech wood, varnished with four coats of polyester. Stable legs with non-slip rubber end-caps. Dual crossbar mechanism for easy and precise height adjustment. The piano bench ships flat and is easy to assemble.

Accessories

Page

| | |
|--|-----|
| Seat cushion - velvet 13800-13803 | 130 |
| Seat cushion - imitation leather 13820-13824 | 131 |
| Seat cushion - leather 13840/13841 | 131 |





Seat cushions in different colors for an individual combination with K&M piano bench wooden frames.



Sample of seat cushion in combination with piano bench.

SEAT CUSHION - VELVET

13800-13803

| | |
|----------|---------------------------------------|
| Weight | 1.46 kg |
| Material | velvet |
| Seat | velvet covering, size 550 x 330 mm |
| Fits | 13700-13751 |

Order No.

| | |
|----------|--------------|
| black | 13800-100-00 |
| brown | 13801-101-00 |
| red | 13802-102-00 |
| hazelnut | 13803-103-00 |

Seat cushions for piano benches 13700 through 13751. Heavy duty seat cushions made out of MDF material. Wide range of different colored velvet covers. The seat cushion is simply placed in the wooden frame of the piano bench. Any time you wish - or according to wear and tear - a replacement cushion can be ordered. Replacing the old cushion is very simple.

SEAT CUSHION - IMITATION LEATHER

| 13820-13824 | |
|-------------|---|
| Weight | 1.57 kg |
| Material | imitation leather |
| Seat | imitation leather covering, size 550 x 330 mm |
| Fits | 13700-13751 |

Order No.

| | |
|-------|--------------|
| black | 13820-200-00 |
| brown | 13821-201-00 |
| white | 13824-204-00 |

SEAT CUSHION - LEATHER

| 13840/13841 | |
|-------------|-------------------------------------|
| Weight | 1.48 kg |
| Material | leather |
| Seat | leather covering, size 550 x 330 mm |
| Fits | 13700-13751 |

Order No.

| | |
|-------|--------------|
| black | 13840-400-00 |
| brown | 13841-401-00 |


PIANO BENCH WITH SHEET MUSIC STORAGE

| 13950/13951 | |
|-------------------|---|
| Weight | 10.6 kg |
| Material | wood |
| Height adjustment | dual crossbar |
| Seat | velvet or imitation leather covering, size 550 x 320 mm |
| Height | from 520 to 610 mm |

Order No.

| | |
|------------------------------|--------------|
| bench black glossy finish, | |
| seat black velvet | 13950-100-21 |
| bench black glossy finish, | |
| seat black imitation leather | 13951-200-21 |

Seat cushions in different colors for an individual combination with K&M piano bench wooden frames.



Solid European beech wood, varnished with four coats of black glossy polyester finish.



Sample of seat cushion in combination with piano bench.



With integrated sheet music storage.



**PIANO BENCH
WITH QUILTED SEAT CUSHION**

13980/13981

| | |
|-------------------|--|
| Weight | 9.27 kg |
| Material | wood |
| Height adjustment | dual crossbar |
| Seat | leather or imitation leather covering, size 550 x 330 mm |
| Height | from 505 to 595 mm |

Order No.

| | |
|---|--------------|
| bench black glossy finish, seat black imitation leather | 13980-200-21 |
| bench black glossy finish, seat black leather | 13981-400-21 |

PIANO BENCH

13990

| | |
|-------------------|---|
| Weight | 10.6 kg |
| Special features | securely glue- laminated legs |
| Material | wood |
| Height adjustment | dual crossbar |
| Seat | imitation leather covering, size 525 x 295 mm |
| Height | from 485 to 580 mm |

Order No.

| | |
|---|--------------|
| bench black glossy finish, seat black imitation leather | 13990-200-21 |
|---|--------------|



PIANO STOOL

| 14092 | |
|-------------------|--------------------------------|
| Weight | 6.31 kg |
| Material | steel |
| Base diameter | 400 mm |
| Leg construction | round base |
| Height adjustment | pneumatic spring |
| Rod combination | 2-piece folding design |
| Seat | imitation leather, ø 350 mm |
| Height | from 480 to 610 mm |

Order No.

black 14092-017-55

Accessories

Backrest 14032/14033

Page

118

PIANO STOOL

| 14093 | |
|-------------------|------------------------------------|
| Weight | 8.14 kg |
| Material | steel |
| Base diameter | 400 mm |
| Leg construction | round base |
| Height adjustment | pneumatic spring |
| Rod combination | 2-piece folding design |
| Seat | imitation leather, 430 x 330 mm |
| Height | from 480 to 610 mm |

Order No.

black 14093-017-55



Continuous
height adjustment



Continuous
height adjustment





KEYBOARD STANDS

From experience, we know that among musicians, keyboardists often subject their stands to the most rigorous treatment.

When developing new stands for keyboard instruments, König & Meyer engineers and designers therefore pay extra special attention to the sometimes enormous weight of the instruments, the overview of the instrument needed while playing and the equally important ergonomic comfort of the keyboardist's "work-place". With painstaking attention to detail, König & Meyer provide their keyboard stands with individualised adjustability, compactness for optimal transportability, and above all, reliability – gig after gig.



KEYBOARD STAND

| 18962 | BASILINE |
|--------------------|--|
| Weight | 3.272 kg |
| Special features | additional locking positions on main X-tubes for extremely low level usage; adjustable end cap to stabilize the stand on uneven surfaces |
| Material | steel |
| Shape | X-stand |
| Max. load capacity | 50 kg |
| Adjustment | two cross braces with inserted screw |
| Support width | from 440 to 770 mm |
| Support depth | 350 mm |
| Height | from 400 to 905 mm |

Order No.

black 18962-071-55

Accessories

Page

Trolley for Keyboard Stands 18806 161

KEYBOARD STAND

| 18963 | BASILINE |
|--------------------|---|
| Weight | 5.08 kg |
| Special features | for large keyboards; additional locking positions on main X-tubes for extremely low level usage; adjustable end cap to stabilize the stand on uneven surfaces |
| Material | steel |
| Shape | double-braced x-stand |
| Max. load capacity | 50 kg |
| Adjustment | two cross braces with inserted screw |
| Support width | from 470 to 760 mm |
| Support depth | 350 mm |
| Height | from 400 to 905 mm |

Order No.

black 18963-071-55

Accessories

Page

Trolley for Keyboard Stands 18806 161

KEYBOARD STAND FOR KIDS

| 18969 | BASILINE |
|--------------------|---|
| Weight | 2.97 kg |
| Special features | additional locking positions on main X-tubes for extremely low level usage; slidable non-marring pads on the support arms provide a firm fit also for smaller keyboards; adjustable end cap to stabilize the stand on uneven surfaces |
| Material | steel |
| Shape | X-stand |
| Max. load capacity | 50 kg |
| Adjustment | two cross braces with inserted screw |
| Support width | from 390 to 655 mm |
| Support depth | 350 mm |
| Height | from 340 to 750 mm |

Order No.

black 18969-071-55

Accessories

Page

Trolley for Keyboard Stands 18806 161



KEYBOARD STAND

| 18930 | TOPLINE |
|--------------------|--|
| Weight | 3.9 kg |
| Special features | Adjustable end cap to stabilize the stand on uneven surfaces |
| Material | steel |
| Shape | X-stand |
| Max. load capacity | 50 kg |
| Adjustment | clamping lever for quick adjustment |
| Support width | from 327 to 789 mm |
| Support depth | 350 mm |
| Size when folded | 1,020 x 102 x 520 mm |
| Height | from 594 to 964 mm |
| Instrument support | non-marring slip-proof pads |

Order No.

black 18930-070-55

The new generation of X-Stands is comfortable and convenient. The ergonomic clamping mechanism makes setup or folding easy and fast. The robust metal joint can be adjusted in 5° intervals; the short intervals provide the user with a multitude of positions. With the assistance of a scale the user is able to easily find his preferred setting. Both of the back rubber end caps can be adjusted on their axis and as such can be adjusted perfectly to the width of the keyboard. The maximum support depth is 350 mm. The typical K&M quality characteristics, such as solid workmanship, high quality surface finishes and practical end caps to stabilize the stand on uneven surfaces round off the overall concept.




Adjustable end cap

Clamping lever for quick adjustment



Adjustable rubber pads



Accessories

| | Page |
|-----------------------------------|------|
| Stacker 18941 | 141 |
| Universal holder 18944 | 141 |
| Trolley for Keyboard Stands 18806 | 161 |

KEYBOARD STAND

| 18933 | TOPLINE |
|--------------------|---|
| Weight | 3.77 kg |
| Special features | adjustable end cap to stabilize the stand on uneven surfaces; suitable for stage pianos |
| Material | steel |
| Shape | X-stand |
| Max. load capacity | 50 kg |
| Adjustment | clamping lever for quick adjustment |
| Support width | from 327 to 789 mm |
| Support depth | 250 mm |
| Size when folded | 1,020 x 102 x 520 mm |
| Height | from 594 to 946 mm |
| Instrument support | non-marring slip-proof pads |

Order No.

black 18933-070-55

Accessories

Page

Trolley for Keyboard Stands 18806 161

KEYBOARD STAND

| 18940 | TOPLINE |
|--------------------|--|
| Weight | 4.3 kg |
| Special features | adjustable end cap to stabilize the stand on uneven surfaces |
| Material | steel |
| Shape | X-stand |
| Max. load capacity | 40 kg |
| Adjustment | »Smart-Lock« quick release push-button system |
| Support width | from 230 to 895 mm |
| Support depth | 350 mm |
| Height | from 485 to 1,000 mm |
| Instrument support | non-marring slip-proof pads |

Order No.

black 18940-017-55

Accessories

Page

Stacker 18941 141
Universal holder 18944 141
Trolley for Keyboard Stands 18806 161

KEYBOARD STAND

| 18995 | TOPLINE |
|--------------------|--|
| Weight | 6 kg |
| Special features | Adjustable end cap to stabilize the stand on uneven surfaces |
| Material | steel |
| Shape | double-braced x-stand |
| Max. load capacity | 40 kg |
| Adjustment | »Smart-Lock« quick release push-button system |
| Support width | from 230 to 895 mm |
| Support depth | 350 mm |
| Height | from 480 to 1,000 mm |
| Instrument support | non-marring slip-proof pad |

Order No.

black 18995-017-55

Accessories

Page

Stacker 18941 141
Universal holder 18944 141
Trolley for Keyboard Stands 18806 161



KEYBOARD STAND »RICK«

| 18990 | TOPLINE |
|--------------------|--|
| Weight | 5.8 kg |
| Special features | Adjustable end cap to stabilize the stand on uneven surfaces |
| Material | steel |
| Shape | double-braced x-stand |
| Max. load capacity | 50 kg |
| Adjustment | clamping lever for quick adjustment |
| Support width | from 327 to 789 mm |
| Support depth | 350 mm |
| Height | from 594 to 946 mm |
| Instrument support | non-marring slip-proof pad |

Order No.

black 18990-015-55

Accessories

Page

| | |
|-----------------------------------|-----|
| Stacker 18941 | 141 |
| Universal holder 18944 | 141 |
| Trolley for Keyboard Stands 18806 | 161 |

KEYBOARD STAND »RICK 20«

| 18993 | TOPLINE |
|--------------------|---|
| Weight | 5.4 kg |
| Special features | adjustable end cap to stabilize the stand on uneven surfaces; with a minimum support arm depth for a perfect rest of stage pianos |
| Material | steel |
| Shape | double-braced x-stand |
| Max. load capacity | 50 kg |
| Adjustment | clamping lever for quick adjustment |
| Support width | from 327 to 789 mm |
| Support depth | 250 mm |
| Height | from 594 to 946 mm |
| Instrument support | non-marring slip-proof pad |


Order No.

| | |
|------------|--------------|
| black | 18993-015-55 |
| pure white | 18993-015-76 |

Accessories

Page

| | |
|-----------------------------------|-----|
| Trolley for Keyboard Stands 18806 | 161 |
|-----------------------------------|-----|





Extremely
lightweight



Adjustable
end cap

Rubber end caps
can be adjusted on their axis



Clamping lever for quick adjustment



KEYBOARD STAND

NEW

| 18997 | TOPLINE |
|--------------------|--|
| Weight | 2.6 kg |
| Special features | Extremely lightweight; Adjustable end cap to stabilize the stand on uneven surfaces |
| Material | aluminum |
| Shape | double-braced x-stand |
| Max. load capacity | 50 kg |
| Adjustment | clamping lever for quick adjustment |
| Support width | from 327 to 789 mm |
| Support depth | 350 mm |
| Height | from 594 to 946 mm |
| Instrument support | non-marring slip-proof pad |

Order No.

black 18997-000-55

This X-stand made of aluminium is lightweight and yet extremely stable. The arrangement of the double-braced stand tubes provides noticeably more stability and safety. The ergonomic clamping lever allows a quick and easy mounting or folding in no time at all. The sturdy metal joint is finely interlocked and adjustable in 5° steps enabling several different positions. With the help of a scale you can quickly find your preferred position again. The two rear rubber pads can be moved axially and can therefore be perfectly adapted to the width of the keyboard. The typical quality features of K&M such as solid workmanship, high-quality finish and an adjustable rubber end cap for uneven floors complete the overall concept.

| Accessories | Page |
|-----------------------------------|------|
| Stacker 18941 | 141 |
| Universal holder 18944 | 141 |
| Trolley for Keyboard Stands 18806 | 161 |

STACKER

| 18941 | TOPLINE |
|--------------------|---|
| Weight | 2.046 kg |
| Special features | adjustable in height, depth and tilt |
| Material | steel |
| Max. load capacity | 20 kg |
| Adjustment | tooth system with wing nut |
| Support depth | 340 mm |
| Height | 290 mm |
| Instrument support | big non-marring slip-proof pads and stop pins |
| Fits | 18826, 18930, 18940, 18990, 18995, 18997 |

Order No.

black 18941-000-55

UNIVERSAL HOLDER

| 18944 | TOPLINE |
|--------------------|--|
| Weight | 0.65 kg |
| Special features | attaches to keyboard stand 18930, 18940, 18990 or 18995; connects other accessories, such as boom arm, gooseneck, iPad holder, Tablet PC holder etc.; incl. thread adapter 3/8" - 5/8" |
| Material | steel |
| Height | 470 mm |
| Threaded connector | 3/8" and 5/8" |
| Fits | 18826, 18930, 18940, 18990, 18995, 18997 |

Order No.

black 18944-000-55

| Accessories | Page |
|--------------------------------------|------|
| Sheet music and concept holder 18805 | 160 |
| Tablet PC stand holder 19790 | 302 |
| Adapter for screens 19685 | 302 |
| Boom arm 211/1 | 198 |





DISCOVER THE WORLD OF THE KEYBOARD STANDS

»OMEGA« 18800, 18810, 1820

**19790
TABLET PC
STAND HOLDER**
(Example)
Page 302

**18805
SHEET
MUSIC
HOLDER**
Page 160

**18822
STACKER**
Page 146

**21140
BOOM ARM**
(Example)

**18817
UNIVERSAL HOLDER**
Page 152

**18811
STACKER**
Page 146

**18814
ADAPTER**
Page 147

**18815
LAPTOP
HOLDER**
(fits only 18810
and 18820)
Page 147

**18820
KEYBOARD STÄNDER
»OMEGA PRO«**
(Example)
Page 144

**18807
UNIVERSAL HOLDER**
Page 152



Using the "Desk Control" App with Bluetooth technology, you can easily operate the table via your Smartphone.



p18e.k-m.de
Product video



App „Desk Control“
download on App Store
and Google Play

TABLE-STYLE KEYBOARD STAND »OMEGA-E«

| 18800 | STARLINE |
|--------------------|--|
| Weight | 24.5 kg |
| Special features | continuous height adjustment; up to four different heights can be pre-set; can also be adjusted using the „Desk Control“ app |
| Material | steel |
| Shape | keyboard table |
| Height adjustment | electric motor |
| Max. load capacity | 80 kg |
| Support width | from 180 to 678 mm |
| Support depth | 345 mm |
| Base dimensions | 1,136 x 550 mm |
| Height | from 597 to 1,257 mm |

Order No.

black 18800-000-55

This electric-powered height adjustable keyboard stand offers pure comfort and is ergonomically optimized for making music while seated or standing.

The keyboard stand is based on the »Omega« 18810 with its various expansion options. The continuous height adjustment of the »Omega-E« is quick and easy for your desired seated or standing height through its integrated electric motor.

Using the memory setting (including display), four different heights can be preset. After the system is set up, all that is needed is a tap of the control unit and the table assume the preset height. Using the "Desk Control" App with Bluetooth technology, you can easily operate the table via your Smartphone. The control unit can be mounted to the table.

Accessories

| | Page |
|---------------------------|------|
| Stage piano support 18827 | 145 |
| Stacker 18811 | 146 |
| Adapter 18814 | 147 |



p19e.k-m.de
Product video

Folds flat, carrying strap included



TABLE-STYLE KEYBOARD STAND »OMEGA PRO«

| 18820 | TOPLINE |
|--------------------|--|
| Weight | 9.8 kg |
| Special features | fully collapsible; with engraved height scale; includes 4 Velcro tapes to guide the cable and a carrying strap |
| Material | steel |
| Shape | keyboard table |
| Height adjustment | spring-loaded clamping knob |
| Max. load capacity | 80 kg |
| Support width | from 122 to 729 mm |
| Support depth | 345 mm |
| Base dimensions | 970 x 575 mm |
| Size when folded | 950 x 575 x 180 mm |
| Height | from 600 to 1,020 mm |

Order No.

| | |
|------------|--------------|
| black | 18820-019-55 |
| pure white | 18820-019-76 |
| ruby red | 18820-019-91 |

The compact steel tubing construction and the large round floor protectors give this attractive keyboard table exceptional stability. The spring-loaded clamping knobs on both columns allow easy and precise height adjustment. The support arms can be individually adjusted to the size of your keyboard. Thanks to the folding legs a compact and flat pack size is achieved, making the »Omega Pro« the perfect mobile „travel companion“.

| Accessories | Page |
|--|------|
| Carrying case 18829 | 152 |
| Stage piano support for »Omega« 18827 | 145 |
| Stacker 18811 | 146 |
| Adapter 18814 | 147 |
| Universal holder 18807 | 152 |
| Laptop holder 18815 | 147 |
| Trolley for Keyboard Stands 18806 | 161 |

**TABLE-STYLE KEYBOARD STAND
»OMEGA«**

| 18810 | TOPLINE |
|--------------------|--|
| Weight | 9.5 kg |
| Special features | with engraved height scale; includes 4 Velcro tapes to guide the cable |
| Material | steel |
| Shape | keyboard table |
| Height adjustment | spring-loaded clamping knob |
| Max. load capacity | 80 kg |
| Support width | from 180 to 790 mm |
| Support depth | 345 mm |
| Base dimensions | 1,050 x 575 mm |
| Height | from 600 to 1,020 mm |

Order No.

| | |
|------------|--------------|
| black | 18810-015-55 |
| pure white | 18810-015-76 |
| ruby red | 18810-015-91 |

Accessories

Page

| | |
|---------------------------------------|-----|
| Stage piano support for »Omega« 18827 | 145 |
| Stacker 18811 | 146 |
| Adapter 18814 | 147 |
| Universal holder 18807 | 152 |
| Laptop holder 18815 | 147 |
| Trolley for Keyboard Stands 18806 | 161 |

**STAGE PIANO SUPPORT
FOR »OMEGA«**

NEW

| 18827 | TOPLINE |
|------------------|--|
| Weight | 0.94 kg |
| Special features | ideally suited for stage pianos and keyboards with a small depth |
| Material | steel |
| Support depth | 264 mm |
| Fits | 18800, 18810, 18820 |

Order No.

| | |
|------------|--------------|
| black | 18827-000-55 |
| pure white | 18827-000-76 |
| ruby red | 18827-000-91 |

**BASIC SUPPORT
»OMEGA« TABLE STAND**

NEW

| 18828 | TOPLINE |
|--------------------|---|
| Weight | 1.23 kg |
| Special features | Self-adhesive rubber pads prevent the instruments from scratching or slipping |
| Material | steel |
| Support width | from 526 to 770 mm |
| Instrument support | non-marring slip-proof pads |

Order No.

| | |
|-------|--------------|
| black | 18828-000-55 |
|-------|--------------|

Accessories

Page

| | |
|---------------|-----|
| Stacker 18811 | 146 |
|---------------|-----|



Together with the stacker 18811 the basic support 18828 provides space for 2 or even 3 keyboards on your desk



STACKER

| 18811 | TOPLINE |
|----------------------|--|
| Weight | 4.2 kg |
| Special features | attachable to table-style keyboard stands »Omega-E« 18800, »Omega« 18810, »Omega Pro« 18820 to hold an additional keyboard, laptop or midi controller; convenient height adjustment by spring-loaded locking knob; can be tilted in 5 different positions from 0° (horizontal) to 20°; 4-way adjustable in depth |
| Material | steel |
| Height adjustment | spring-loaded clamping knob |
| Max. load capacity | 25 kg |
| Support depth | 330 mm |
| Angle of inclination | 0° to 20° |
| Height | from 262 to 375 mm |
| Instrument support | non-marring slip-proof pads |
| Fits | 18800, 18810, 18820, 18828 |

Order No.

| | |
|------------|--------------|
| black | 18811-000-55 |
| pure white | 18811-000-76 |
| ruby red | 18811-000-91 |

Accessories

Page

| | |
|--------------------------------|-----|
| Controller keyboard tray 18819 | 146 |
| Stacker 18822 | 146 |

Tiltable, adjustable in depth and height



STACKER

| 18822 | TOPLINE |
|----------------------|--|
| Weight | 2.6 kg |
| Special features | attachable to table-style keyboard stands »Omega-E« 18800, »Omega« 18810, »Omega Pro« 18820 to hold a third keyboard; can only be used in connection with stacker 18811; convenient height adjustment by spring-loaded locking knob; can be tilted in 5 different positions from 0° (horizontal) to 20°; 3-way adjustable in depth |
| Material | steel |
| Height adjustment | spring-loaded clamping knob |
| Max. load capacity | 15 kg |
| Support depth | 280 mm |
| Angle of inclination | 0° to 20° |
| Height | from 200 to 275 mm |
| Instrument support | non-marring slip-proof pads |
| Fits | 18811 |

Order No.

| | |
|-------|--------------|
| black | 18822-019-55 |
|-------|--------------|

Accessories

Page

| | |
|--------------------------------|-----|
| Controller keyboard tray 18824 | 147 |
|--------------------------------|-----|



Tiltable, adjustable in depth and height

CONTROLLER KEYBOARD TRAY

| 18819 | TOPLINE |
|------------------|--|
| Weight | 1.6 kg |
| Special features | takes smaller synthesizers, controllers, drum machines etc; with integrated handle |
| Material | aluminum |
| Dimensions | 654 x 335 mm |
| Fits | 18811 |

Order No.

| | |
|-------|--------------|
| black | 18819-000-55 |
|-------|--------------|



CONTROLLER KEYBOARD TRAY

| 18824 | TOPLINE |
|------------------|--|
| Weight | 1.3 kg |
| Special features | takes smaller synthesizers, controllers, drum machines etc; with integrated handle |
| Material | aluminum |
| Dimensions | 660 x 283 mm |
| Fits | 18822 |

Order No.

black 18824-000-55

LAPTOP HOLDER

| 18815 | TOPLINE |
|----------------------|---|
| Weight | 2.2 kg |
| Special features | infinitely variable in height, direction, distance and tilt |
| Material | steel holder, aluminum shelf |
| Adjustment | tilt gradual in 8 settings |
| Size when folded | 440 x 340 x 55 mm |
| Angle of inclination | 0° to 26° |
| Height | from 278 to 428 mm |
| Laptop rest | 356 x 238 mm |
| extendable | from 240 to 400 mm |
| Fits | 18810, 18820, 18950, 18953 |

Order No.

black 18815-018-55

ADAPTER

| 18814 | TOPLINE |
|------------------|--|
| Weight | 0.35 kg |
| Special features | additional adapter to attach universal holder 18817 to table-style keyboard stand »Omega« 18810. |
| Material | steel |
| Dimensions | 240 x 30 x 20 mm |
| Fits | 18800, 18810, 18820 |

Order No.

black 18814-000-55

Accessories

Universal holder 18817

Page

152



EQUIPMENT STAND

| 18826 | TOPLINE |
|--------------------|--|
| Weight | 5.6 kg |
| Special features | suitable for mixer, monitor, keyboard or amplifier; adjustable end cap to stabilize the stand on uneven surfaces |
| Material | steel |
| Shape | keyboard table |
| Max. load capacity | 50 kg |
| Adjustment | interlocking braces |
| Support width | from 250 to 840 mm |
| Support depth | 350 mm |
| Size when folded | 395 x 105 x 595 mm |
| Height | from 595 to 1,015 mm |

| Order No. | |
|-----------|--------------|
| black | 18826-000-55 |

| Accessories | Page |
|-----------------------------------|------|
| Stacker 18941 | 141 |
| Universal holder 18944 | 141 |
| Trolley for Keyboard Stands 18806 | 161 |

TABLE-STYLE KEYBOARD STAND

| 18880 | TOPLINE |
|--------------------|---------------------|
| Weight | 3 kg |
| Material | aluminum |
| Shape | keyboard table |
| Max. load capacity | 50 kg |
| Adjustment | interlocking braces |
| Support width | 700 mm |
| Support depth | 400 mm |
| Height | from 630 to 960 mm |

| Order No. | |
|-----------|--------------|
| black | 18880-000-55 |

| Accessories | Page |
|-----------------------------------|------|
| Stacker A 18881 | 148 |
| Stacker B 18882 | 149 |
| Trolley for Keyboard Stands 18806 | 161 |

STACKER A

| 18881 | TOPLINE |
|--------------------|--|
| Weight | 0.9 kg |
| Special features | attachable to keyboard stand 18880 to hold an additional keyboard; adjustable in tilt and height |
| Material | aluminum |
| Max. load capacity | 25 kg |
| Support depth | 340 mm |
| Height | from 200 to 370 mm |
| Instrument support | big non-marring slip-proof pads and stop pins |
| Fits | 18880, 18882 |

| Order No. | |
|-----------|--------------|
| black | 18881-000-55 |



Folds flat



STACKER B

18882

TOPLINE

| | |
|--------------------|---|
| Weight | 0.97 kg |
| Special features | in combination with stacker A for 3 keyboards; adjustable in depth, tilt and height |
| Material | aluminum |
| Max. load capacity | 25 kg |
| Support depth | from 340 to 450 mm |
| Height | from 200 to 370 mm |
| Instrument support | big non-marring slip-proof pads and stop pins |
| Fits | 18880 |

Order No.

black 18882-000-55

Accessories

Page

Stacker A 18881

148





TABLE-STYLE KEYBOARD STAND

| 18950 | TOPLINE |
|--------------------|---|
| Weight | 9.6 kg |
| Special features | heavy-duty stand; individual height- adjustment for each leg; additional levelling screws for uneven surfaces |
| Material | steel |
| Shape | keyboard table |
| Max. load capacity | 80 kg |
| Support width | from 650 to 1,030 mm |
| Support depth | 395 mm |
| Height | from 600 to 1,000 mm |
| Instrument support | non-marring rubber |

Order No.

| | |
|-------|--------------|
| black | 18950-017-55 |
|-------|--------------|

The world-renowned table-style keyboard stand. With a height adjustment range from 600 to 1000 mm the keyboard stand can be used while standing or sitting. Adjusting the table does not require any tools. The keyboard stand impresses through its stability and flexibility. The stand is equipped with height adjustable legs with integrated levelling feet for uneven surfaces and is collapsible for easy and compact transport. There is a wide range of expansion options, such as a stacker for a second keyboard, laptop or universal holder, which round off the complete package.



| Accessories | Page |
|-----------------------------------|------|
| Universal holder 18807 | 152 |
| Laptop holder 18815 | 147 |
| Universal holder 18817 | 152 |
| Stacker 18952 | 151 |
| Adapter 18954 | 151 |
| Carrying case 18959 | 153 |
| Trolley for Keyboard Stands 18806 | 161 |

TABLE-STYLE STAGE PIANO STAND

| 18953 | TOPLINE |
|--------------------|--|
| Weight | 8.5 kg |
| Special features | heavy-duty stand; individual height-adjustment for each leg; additional levelling screws for uneven surfaces |
| Material | steel |
| Shape | keyboard table |
| Max. load capacity | 80 kg |
| Support width | 900 mm |
| Support depth | 260 mm |
| Height | from 600 to 1,000 mm |

Order No.

| | |
|------------|--------------|
| black | 18953-017-55 |
| pure white | 18953-017-76 |

Accessories

Page

| | |
|-----------------------------------|-----|
| Universal holder 18807 | 152 |
| Laptop holder 18815 | 147 |
| Universal holder 18817 | 152 |
| Stacker 18952 | 151 |
| Adapter 18954 | 151 |
| Carrying case 18955 | 153 |
| Trolley for Keyboard Stands 18806 | 161 |

STACKER

| 18952 | TOPLINE |
|--------------------|---|
| Weight | 2.3 kg |
| Special features | for second keyboard in combination with 18950 and 18953; adjustable in height, tilt and depth |
| Material | steel |
| Max. load capacity | 30 kg |
| Support depth | 340 mm |
| Height | from 265 to 390 mm |
| Instrument support | big non-marring slip-proof pads and stop pins |
| Fits | 18950, 18953 |

Order No.

| | |
|-------|--------------|
| black | 18952-000-55 |
|-------|--------------|

ADAPTER

| 18954 | TOPLINE |
|------------------|---|
| Weight | 0.38 kg |
| Special features | additional adapter to attach universal holder 18817 to keyboard/stage piano stand 18950 or 18953; only necessary, when stacker 18952 is installed |
| Material | steel |
| Dimensions | 200 x 30 x 20 mm |
| Fits | 18950, 18953 |

Order No.

| | |
|-------|--------------|
| black | 18954-000-55 |
|-------|--------------|

Accessories

Page

| | |
|------------------------|-----|
| Universal holder 18817 | 152 |
|------------------------|-----|



For stage pianos,
supports max. 80 kg



UNIVERSAL HOLDER

NEW

UNIVERSAL HOLDER

CARRYING CASE

| 18807 | TOPLINE |
|--------------------|--|
| Weight | 1.61 kg |
| Special features | attaches to keyboard/ stage piano stand 18950 or 18953 and also to table-style keyboard stands »Omega« 18810 and 18820; infinitely variable in height, direction and distance; connects other accessories, such as boom arm, gooseneck, iPad holder, Tablet PC holder etc.; incl. thread adapter 3/8" - 5/8" |
| Material | steel |
| Height | from 268 to 418 mm |
| Threaded connector | 3/8" and 5/8" |
| extendable | from 240 to 400 mm |
| Fits | 18810, 18820, 18950, 18953 |

Order No.

black 18807-000-55

Accessories

Page

| | |
|--------------------------------------|-----|
| Sheet music and concept holder 18805 | 160 |
| Tablet PC stand holder 19790 | 302 |
| Adapter for screens 19685 | 302 |
| Boom arm 211/1 | 198 |

| 18817 | TOPLINE |
|--------------------|--|
| Weight | 0.65 kg |
| Special features | attaches to keyboard/ stage piano stand 18950 or 18953 and also with adapter 18814 to table-style keyboard stand »Omega« 18800, 18810 and 18820; connects other accessories, such as boom arm, gooseneck, iPad holder, Tablet PC holder etc.; incl. thread adapter 3/8" - 5/8" |
| Material | steel |
| Height | 470 mm |
| Threaded connector | 3/8" and 5/8" |
| Fits | 18814, 18950, 18953, 18954 |

Order No.

black 18817-000-55

Accessories

Page

| | |
|--------------------------------------|-----|
| Extension rod 18872 | 159 |
| Sheet music and concept holder 18805 | 160 |
| Tablet PC stand holder 19790 | 302 |
| Adapter for screens 19685 | 302 |
| Boom arm 211/1 | 198 |

| 18829 | TOPLINE |
|-------------------------|----------------------------|
| Weight | 1.1 kg |
| Material | nylon |
| Dimensions | 1,000 x 660 x 180 mm |
| Handle or carrying type | handle and shoulder straps |
| Fastener | zip fastener |
| Fits | 18820 |

Order No.

18829-000-00



For the keyboard tables 18810, 18820 »Omega« as well as 18950 and 18953



For the keyboard tables 18800, 18810, 18820 »Omega« as well as 18950 and 18953

CARRYING CASE

| 18955 | TOPLINE |
|-------------------------|----------------------------|
| Weight | 1.18 kg |
| Material | nylon |
| Dimensions | 900 x 350 x 90 mm |
| Handle or carrying type | handle and shoulder straps |
| Fastener | zip fastener |
| Fits | 18953 |

Order No.

18955-000-00

CARRYING CASE

| 18959 | TOPLINE |
|-------------------------|----------------------------|
| Weight | 1.68 kg |
| Material | nylon |
| Dimensions | 1,150 x 550 x 100 mm |
| Handle or carrying type | handle and shoulder straps |
| Fastener | zip fastener |
| Fits | 18950 |

Order No.

18959-000-00





DISCOVER THE WORLD OF THE KEYBOARD STAND

18860 »SPIDER PRO«

**18805
SHEET MUSIC
HOLDER**
Page 160

**19790
TABLET PC
STAND HOLDER**
Page 302

**21140
BOOM ARM**
(Example)

**18872
EXTENSION ROD**
Page 159

**18863
LAPTOP REST**
Page 154

**18873
UNIVERSAL
HOLDER**
Page 158

**18876
CONTROLLER
KEYBOARD TRAY**
Page 157

**18866
SUPPORT ARM SET B**
Page 157

**18865
SUPPORT ARM SET A**
Page 157

**18860
KEYBOARD STAND
»SPIDER PRO«**
Page 155





Support arms with 15° tilt angle; Freedom of movement of the legs and room for pedals

Cable management



Folds small



KEYBOARD STAND »SPIDER PRO«

18860
STARLINE

| | |
|-----------------------------|---|
| Weight | 10.5 kg |
| Special features | with a 3/8" or 5/8" threaded connector for microphone boom; cable management; comfortable tilt of column; freedom of movement of the legs and room for pedals; folds small; gradual adjustment of the depth |
| Material | aluminum |
| Shape | column stand |
| Height adjustment | infinitely variable by means of ergonomically shaped clamping elements |
| Max. load capacity per tier | 35 kg |
| Max. load capacity | 105 kg |
| Support arms | two telescopic pairs, one pair with additional 15° tilt angle |
| Support width | from 670 to 940 mm |
| Support depth | from 300 to 470 mm |
| Height | 1,310 mm |

Order No.

| | |
|-------------------|--------------|
| anodized aluminum | 18860-000-30 |
| black anodized | 18860-000-35 |
| red | 18860-000-36 |

The innovatively designed, stylish and highly functional keyboard stand with a high-quality finish and well-thought-out construction is easy to collapse in a few movements and easy to transport... and consequently a favourite with professional musicians.

Accessories

| | Page |
|-----------------------------------|------|
| Carrying case 18851 | 160 |
| Support arm set A 18865 | 157 |
| Support arm set B 18866 | 157 |
| Universal holder 18873 | 158 |
| Laptop rest 18863 | 158 |
| Adapter 18853 | 159 |
| Threaded bolt 18864 | 159 |
| Extension rod 18872 | 159 |
| Controller keyboard tray 18876 | 157 |
| Lectern desk 18877 | 158 |
| Trolley for Keyboard Stands 18806 | 161 |



Freedom of movement of the legs and room for pedals

Cable management



Folds small



KEYBOARD STAND »BABY-SPIDER PRO«

| 18840 | STARLINE |
|-----------------------------|--|
| Weight | 8.06 kg |
| Special features | with a 3/8" or 5/8" threaded connector for microphone boom; cable management; freedom of movement of the legs and gives room for pedals; folds small |
| Material | aluminum |
| Shape | column stand |
| Height adjustment | infinitely variable by means of ergonomically shaped clamping elements |
| Max. load capacity per tier | 35 kg |
| Max. load capacity | 70 kg |
| Support arms | one pair, telescopic |
| Support width | from 670 to 980 mm |
| Support depth | from 290 to 470 mm |
| Height | 990 mm |

Order No.

| | |
|-------------------|--------------|
| anodized aluminum | 18840-000-30 |
| black anodized | 18840-000-35 |

Equipped with a pair of extendable support arms, a 3/8" or 5/8" threaded connector for the attachment of microphone booms and a cable clamp for cable management. The stand provides infinitely variable height adjustment and a gradual adjustment of the depth. The stand collapses easily in one piece. Maximum load per tier: 35 kg.

| Accessories | Page |
|-----------------------------------|------|
| Carrying case 18846 | 160 |
| Support arm set A 18865 | 157 |
| Support arm set B 18866 | 157 |
| Universal holder for 18873 | 158 |
| Laptop rest for the 18863 | 158 |
| Adapter for 18853 | 159 |
| Threaded bolt set for 18864 | 159 |
| Extension rod 18872 | 159 |
| Trolley for Keyboard Stands 18806 | 161 |

SUPPORT ARM SET A

| 18865 | STARLINE |
|--------------------|--------------------|
| Weight | 0.95 kg |
| Special features | telescopic |
| Material | aluminum |
| Max. load capacity | 35 kg |
| Support width | from 650 to 940 mm |
| Support depth | from 300 to 490 mm |
| Fits | 18840, 18860 |

Order No.

| | |
|-------------------|--------------|
| anodized aluminum | 18865-000-30 |
| black anodized | 18865-000-35 |
| red | 18865-000-36 |

SUPPORT ARM SET B

| 18866 | STARLINE |
|----------------------|-------------------------------|
| Weight | 0.94 kg |
| Special features | telescopic and 15° tilt angle |
| Material | aluminum |
| Max. load capacity | 35 kg |
| Support width | from 670 to 980 mm |
| Support depth | from 290 to 470 mm |
| Angle of inclination | 15° |
| Fits | 18840, 18860 |

Order No.

| | |
|-------------------|--------------|
| anodized aluminum | 18866-000-30 |
| black anodized | 18866-000-35 |
| red | 18866-000-36 |

Accessories

Page

| | |
|--------------------------------|-----|
| Controller keyboard tray 18876 | 157 |
| Lectern desk 18877 | 158 |

CONTROLLER KEYBOARD TRAY

| 18876 | STARLINE |
|------------------|---|
| Weight | 1 kg |
| Special features | to storage smaller synthesizers, controllers, drum machines etc; with integrated handle; 4 rubber pads included |
| Material | aluminum |
| Dimensions | 640 x 326 x 25 mm |
| Fits | 18860, 18866 |

Order No.

| | |
|-------|--------------|
| black | 18876-000-55 |
|-------|--------------|



To storage smaller synthesizers, controllers, drum machines on the »Spider Pro«



LECTERN DESK FOR THE »SPIDER PRO«

| 18877 | STARLINE |
|------------------|---|
| Weight | 1 kg |
| Special features | space for two DIN A4 sheets; integrated edge protectors |
| Material | aluminum |
| Dimensions | 638 x 325 x 14 mm |
| Fits | 18860, 18866 |

Order No.

black 18877-000-55

LAPTOP REST FOR THE »SPIDER PRO«

NEW

| 18863 | STARLINE |
|----------------------|--|
| Weight | 1.37 kg |
| Special features | individually adjustable stop pins; non-slip rubber pads are included |
| Material | steel holder, aluminum shelf |
| Max. load capacity | 8 kg |
| Adjustment | tilt gradual in 3 settings |
| Angle of inclination | 0° to 35° |
| Fits | 18840, 18860 |

Order No.

structured black 18863-000-56

UNIVERSAL HOLDER FOR »SPIDER PRO«

| 18873 | STARLINE |
|--------------------|---|
| Weight | 1.31 kg |
| Special features | continuous height adjustment; connects other accessories, such as boom arm, gooseneck, iPad holder, Tablet PC holder etc.; incl. thread adapter 3/8" - 5/8" |
| Material | steel |
| Threaded connector | 3/8" and 5/8" |
| Fits | 18840, 18860 |

Order No.

black 18873-300-55

Accessories

Page

| | |
|--------------------------------------|-----|
| Sheet music and concept holder 18805 | 160 |
| Adapter for screens 19685 | 302 |
| Tablet PC stand holder 19790 | 302 |



Convert your »Spider Pro« keyboard stand easily into a lectern



ADAPTER FOR »SPIDER PRO«

| 18853 | STARLINE |
|------------------|---|
| Weight | 0.14 kg |
| Special features | reinforcement to attach heavy booms and sheet music holders |
| Material | steel |
| Dimensions | 136 x 85 x 29 mm |
| Fits | 18840, 18860 |

Order No.

black 18853-000-55

THREADED BOLT SET FOR »SPIDER PRO«

| 18864 | STARLINE |
|------------------|--|
| Weight | 0.04 kg |
| Special features | only necessary when the »Spider Pro« is modified to take the laptop rest 18863; features: to mount microphone booms and music sheet desks to the »Spider Pro« products; long threaded bolt necessary when laptop rest 18863 is installed |
| Material | steel |
| Male thread | 3/8" or rather M8 |
| Fits | 18840, 18860 |

Order No.

black zinc-plated 18864-000-25

EXTENSION ROD

| 18872 | STARLINE |
|--------------------|--|
| Weight | 0.387 kg |
| Special features | in combination with threaded bolt set 18864 to mount microphone booms to the »Spider Pro« products when laptop rest 18863 is installed |
| Material | steel |
| Height adjustment | clutch |
| Height | from 330 to 550 mm |
| Threaded connector | 3/8" |
| Rod combination | 2-piece folding design |
| Fits | 18817, 18840, 18860 |

Order No.

black 18872-300-55





SHEET MUSIC AND CONCEPT HOLDER

| 18805 | STARLINE |
|-----------------------|-------------------------------|
| Weight | 1.5 kg |
| Special features | prismatic »V-block« connector |
| Material | steel |
| Music desk dimensions | 416 x 296 x 30 mm |
| Fits | 18807, 18817, 18873, 18944 |

Order No.

black 18805-300-55

CARRYING CASE

| 18851 | STARLINE |
|-------------------------|----------------------------|
| Weight | 0.88 kg |
| Material | nylon |
| Dimensions | 1,280 x 180 x 185 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 18860, 21338, 21339, 21340 |

Order No.

18851-000-00

CARRYING CASE

| 18846 | STARLINE |
|-------------------------|---|
| Weight | 0.7 kg |
| Material | nylon |
| Dimensions | 880 x 180 x 185 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 14160, 14760, 14761, 15045, 17620, 18840, 21455 |

Order No.

18846-000-00





Example: Trolley 18806
with table-style keyboard
stand 18950

TROLLEY FOR KEYBOARD STANDS

18806

| | |
|------------------|---|
| Weight | 7.1 kg |
| Special features | locking casters |
| Material | steel |
| extendable | from 564 to 787 mm |
| Width | 183 mm |
| Height | 78 mm |
| Fits | 18810, 18820, 18826, 18840, 18860, 18880, 18930, 18933, 18940, 18950, 18953, 18962, 18963, 18969, 18990, 18993, 18995, 18997, 28101, 42040 |

Order No.

black 18806-000-55

„Keep on Rolling“ - The unique trolley keeps your keyboard stand on the move. The trolley provides extra mobility on stage, in rehearsal rooms or at home. The trolley is suited for all standard König & Meyer keyboard and equipment stands. Both trolleys are adjustable in length. Thanks to the locking casters the keyboard stand can remain on the trolley while in use.



Adjustable in length;
locking casters





STANDS FOR MIXER, MONITORS, AND 19" RACK-MOUNTED PRODUCTS

Whether in the rehearsal room, on stage or in a professional sound studio, König & Meyer stands and racks support your equipment day after day.

The high-quality, well designed 19" products are equally appropriate for use on stage as well as for everyday use in the studio.

A large selection of accessories guarantees flexibility for every purpose. The systems are extendable, practical, comfortable and adjustable.



**HEADPHONES TABLE STAND**

| 16075 | |
|------------------|-------------------------------|
| Weight | 0.7 kg |
| Special features | slip-resistant by rubber pads |
| Material | steel |
| Dimensions | 147 x 145 x 250 mm |
| Support | rubber covered |

Order No.

| | |
|-------|--------------|
| black | 16075-000-56 |
|-------|--------------|

HEADPHONE HOLDER

| 16080 | |
|------------------|---|
| Weight | 0.185 kg |
| Special features | for up to 2 standard headphones and 2 In-Ear headphones |
| Material | steel |
| Support width | 100 mm |
| Support depth | 60 mm |
| Size when folded | 60 x 70 x 180 mm |
| Screw-on to | tube diameter up to 30 mm |
| Support | rubber covered |

Order No.

| | |
|-------|--------------|
| black | 16080-000-55 |
|-------|--------------|



HEADPHONE HOLDER WITH TABLE CLAMP

| 16085 | |
|------------------|---|
| Weight | 0.26 kg |
| Special features | for up to 2 standard headphones and 2 In-Ear headphones; the holder can be rotated from any position by 90° |
| Material | steel |
| Support width | 100 mm |
| Support depth | 60 mm |
| Clamping range | up to 48 mm |
| Support | rubber covered |

Order No.

| | |
|-------|--------------|
| black | 16085-000-55 |
|-------|--------------|

Can easily take two sets of headphones



HEADPHONE HOLDER

| 16090 | |
|------------------|---|
| Weight | 0.205 kg |
| Special features | for up to 2 standard headphones and 2 In-Ear headphones |
| Material | steel |
| Support width | 100 mm |
| Support depth | 60 mm |
| Clamping range | up to 45 mm |
| Support | rubber covered |

Order No.

black16090-000-55

HEADPHONE WALL HOLDER

| 16312 | |
|------------------|-----------------------------|
| Weight | 0.075 kg |
| Special features | screws and anchors included |
| Material | plastic |
| Support width | 60 mm |
| Support depth | 68 mm |
| Width | 60 mm |
| Height | 95 mm |

Order No.

black16312-000-55

HEADPHONE WALL HOLDER

| 16310 | |
|------------------|---|
| Weight | 0.22 kg |
| Special features | for up to 2 standard headphones and 2 In-Ear headphones |
| Material | steel |
| Support width | 100 mm |
| Support depth | 60 mm |
| Support | rubber covered |

Order No.

black16310-000-55



**HEADPHONE WALL HOLDER**

| 16311 | |
|------------------|---|
| Weight | 0.097 kg |
| Special features | for one standard headphone and 2 In-Ear headphones; screws and anchors included |
| Material | steel |
| Support width | 36 mm |
| Support depth | 74 mm |
| Height | 31 mm |

Order No.

black 16311-000-55

HEADPHONE HOLDER

| 49302 | |
|------------------|-----------|
| Weight | 0.114 kg |
| Special features | swiveling |
| Material | steel |
| Height (units) | 2 spaces |

Order No.

black 49302-012-55

HEADPHONE HOLDER

| 16330 | |
|------------------|--|
| Weight | 0.175 kg |
| Special features | two wooden screws included; can be mounted under a table |
| Material | steel |
| Support width | 100 mm |
| Support depth | 72 mm |
| Dimensions | 106 x 100 x 81 mm |
| Support | rubber covered |

Order No.

black 16330-000-55



2 in-ear headphones can also be placed on the slotted front of the holder.



Swiveling holder



MIXER STAND

28075

| | |
|----------------------|--|
| Weight | 5.92 kg |
| Special features | additional levelling screw for uneven surfaces |
| Material | steel |
| Support | felt pads |
| Max. load capacity | 35 kg |
| Adjustment | support arms gradual in 15° settings |
| Angle of inclination | 0° to 45° |
| Suitable for | amplifiers and mixers |
| Height adjustment | spring-loaded clamping knob |
| Support width | from 455 to 665 mm |
| Support depth | 310 mm |
| Height | from 710 to 1,005 mm |
| Leg construction | collapsible square tube legs |
| Number of legs | 4 pieces |

Order No.

black 28075-000-55



**AMP STAND**

| 28130 | |
|----------------------|---|
| Weight | 1.58 kg |
| Special features | with a 3/8" or 5/8" threaded connection for attaching a microphone boom; folds very small; support arms with non-marring rubber |
| Material | steel |
| Support | non-marring material |
| Max. load capacity | 35 kg |
| Angle of inclination | 15° to 28° |
| Suitable for | amplifiers, monitors and speakers |
| Support width | from 350 to 530 mm |
| Support depth | from 280 to 385 mm |
| Size when folded | 122 x 86 x 602 mm |
| Height | from 570 to 990 mm |
| Leg construction | tube legs with cross braces |
| Number of legs | 3 pieces |

Order No.

| | |
|-------|--------------|
| black | 28130-011-55 |
|-------|--------------|

The amp stand can hold monitors, amps or other equipment to a max. weight of 35 kg without a problem. The angled front legs have significantly improved the stand's stability and strength. The low centre of gravity ensures even larger amps are securely displayed. The fine adjustment on the supporting leg allows a tilt between 15° and 28°. A microphone can be attached to the telescopic tube using a boom arm with a thread of either 3/8" or 5/8". Folds compactly.

Accessories

Carrying case 10811

Page

54

MIXER STAND

42040

| | |
|--------------------|---------------------|
| Weight | 2.6 kg |
| Material | aluminum |
| Support | non-marring rubber |
| Max. load capacity | 40 kg |
| Adjustment | interlocking braces |
| Support width | 525 mm |
| Support depth | 480 mm |
| Height | 725 mm |

Order No.

black 42040-000-55

Accessories

Page

Trolley for Keyboard Stands 18806 161





RACK WAGON

| 28200 | |
|------------------|--|
| Weight | 13.6 kg |
| Special features | four casters, two of them locking; Cage nuts M6 and locking screws M6 x 16 mm (30 pieces) are included |
| Material | steel |
| Height (units) | 16 + 7 spaces |
| Height | 1,060 mm |

| Order No. | |
|-----------|--------------|
| black | 28200-000-55 |

| Accessories | Page |
|------------------|------|
| Side cover 28201 | 170 |

SIDE COVER

| 28201 | |
|------------------|--|
| Weight | 4.36 kg |
| Special features | contains 2 steel side covers with drillings and 14 screws M5 x 16 mm |
| Material | steel |
| Height | 880 mm |
| Fits | 28200 |

| Order No. | |
|-----------|--------------|
| black | 28201-000-55 |

RACK DESK STAND

| 40900 | |
|------------------|---|
| Weight | 4.34 kg |
| Special features | Cage nuts M6 (16 pieces) and locking screws M6 x 16 mm are included |
| Material | steel |
| Height (units) | 8 spaces |
| Base dimensions | 440 x 550 mm |

| Order No. | |
|-----------|--------------|
| black | 40900-000-55 |



RACK WAGON

| 42020 | |
|--------------------|---|
| Weight | 12.88 kg |
| Special features | four casters, two of them locking; Cage nuts M5 and locking screws M5 x 16 (32 pieces) are included; angle adjustable to 45°; heavy-duty construction |
| Material | steel |
| Height (units) | 12 spaces in top section, 9 spaces in lower section |
| Max. load capacity | 50 kg |
| Adjustment | T-bar locking screw |
| Height | 910 mm |

| Order No. | |
|-----------|--------------|
| black | 42020-000-55 |

| Accessories | Page |
|-----------------------------|------|
| Extender brackets 19" 42021 | 171 |

EXTENDER BRACKETS 19"

| 42021 | |
|------------------|--|
| Weight | 2.14 kg |
| Special features | Cage nuts M5 and locking screws M5 x 16 (16 pieces) are included |
| Material | steel |
| Height (units) | 9 spaces |
| Height | 500 mm |
| Fits | 42020 |

| Order No. | |
|-----------|--------------|
| black | 42021-000-55 |

RACK

| 48240 | |
|------------------|-----------------------------------|
| Special features | rack rails on front and back side |
| Material | steel |
| Dimensions | 525 x 429 mm |

| Order No. | |
|---------------------------|--------------|
| black, 8 spaces, 9,92 kg | 48240-008-55 |
| black, 12 spaces, 10,0 kg | 48240-012-55 |



**RACK****48260**

| | |
|------------------|---|
| Special features | rack rails on front and back side; sloped front; with casters |
| Material | steel |

Order No.

| | |
|-------------------------------|--------------|
| black, 16 spaces, 16,32 kg | 48260-016-55 |
| black, 21 spaces, 18,56 kg | 48260-021-55 |

19" RACK SHELF**28481-28483**

| | |
|------------------|--|
| Special features | in 1, 2 and 3 spaces 300 mm or 380 mm deep |
| Material | steel |

Order No.


| | |
|-------------------------------------|--------------|
| black, 1 space, 300 mm, 1,84 kg | 28481-000-55 |
| black, 1 space, 380 mm, 2,37 kg | 28481-070-55 |
| black, 2 spaces, 300 mm, 2,14 kg | 28482-000-55 |
| black, 2 spaces, 380 mm, 2,79 kg | 28482-070-55 |
| black, 3 spaces, 300 mm, 2,5 kg | 28483-000-55 |
| black, 3 spaces, 380 mm, 3,13 kg | 28483-070-55 |

UNIVERSAL RACK SHELF**49035**

| | |
|------------------|--|
| Weight | 1.502 kg |
| Special features | to mount half rack components, wireless units, and other gear horizontally |
| Material | steel |
| Height (units) | 1 space |
| Depth | 240 mm |

Order No.

| | |
|-------|--------------|
| black | 49035-000-55 |
|-------|--------------|

**SLIDING SHELF****49070**

| | |
|------------------|---|
| Weight | 5.2 kg |
| Special features | security lock for uncontrolled reverse motion |
| Material | steel |
| Height (units) | 1 space |
| Depth | 360 mm |

Order No.

| | |
|-------|--------------|
| black | 49070-000-55 |
|-------|--------------|

PANEL**28210-28240**

| | |
|------------------|------------|
| Special features | flat style |
| Material | aluminum |
| Thickness | 2 mm |

Order No.

| | |
|--------------------------|--------------|
| black, 1 space, 0,12 kg | 28210-070-55 |
| black, 2 spaces, 0,24 kg | 28220-070-55 |
| black, 3 spaces, 0,36 kg | 28230-070-55 |
| black, 4 spaces, 0,48 kg | 28240-070-55 |



PANEL**28306-28312**

| | |
|----------------|----------------|
| Material | steel |
| Height (units) | 1 space |
| Suitable for | XLR connectors |

Order No.

| | |
|-----------------|--------------|
| 6 XLR, 0,28 kg | 28306-000-55 |
| 8 XLR, 0,28 kg | 28308-000-55 |
| 12 XLR, 0,24 kg | 28312-000-55 |

VENTILATION PANEL**28451/28452**

| | |
|------------------|------------------------|
| Special features | with ventilation slots |
| Material | steel |

Order No.


| | |
|--------------------------|--------------|
| black, 1 space, 0,26 kg | 28451-000-55 |
| black, 2 spaces, 0,46 kg | 28452-000-55 |

PANEL**494/1**

| | |
|------------------|---------------|
| Special features | flanged style |
| Material | steel |
| Thickness | 1.5 mm |

Order No.

| | |
|--------------------------|--------------|
| black, 1 space, 0,28 kg | 49411-000-55 |
| black, 2 spaces, 0,48 kg | 49412-000-55 |
| black, 3 spaces, 0,7 kg | 49413-000-55 |
| black, 4 spaces, 0,94 kg | 49414-000-55 |

**PANEL****494/2**

| | |
|------------------|---------------|
| Special features | flanged style |
| Material | aluminum |
| Thickness | 1.5 mm |

Order No.

| | |
|--------------------------|--------------|
| black, 1 space, 0,1 kg | 49421-000-55 |
| black, 2 spaces, 0,2 kg | 49422-000-55 |
| black, 3 spaces, 0,32 kg | 49423-000-55 |
| black, 4 spaces, 0,4 kg | 49424-000-55 |

RACKMOUNT STORAGE**491/2**

| | |
|------------------|-----------------------------------|
| Special features | with keylock heavy-duty slides |
| Material | steel |
| Depth | 390 mm |

Order No.

| | |
|--------------------------|--------------|
| black, 2 spaces, 7,17 kg | 49122-072-55 |
| black, 3 spaces, 7,78 kg | 49123-073-55 |
| black, 4 spaces, 8,94 kg | 49124-074-55 |



**19"-POWER BOX**

| 28665 | |
|-------------------------------|---|
| Weight | 0.76 kg |
| Special features | maximum 3600 W total power input under regular technical connection conditions |
| Material | aluminum |
| Height (units) | 1 space |
| Connection | electric cable 2 m |
| Electrical connection data | 230 V AC 50Hz |
| On/off switch | Yes |
| Sockets | 7 piece on the back side |
| Plug | shockproofed |

Order No.

black 28665-000-55

**19" POWER BOX**

| 28670 | |
|-------------------------------|---|
| Weight | 0.76 kg |
| Special features | maximum 3600 W total power input under regular technical connection conditions |
| Material | aluminum |
| Height (units) | 1 space |
| Connection | electric cable 2 m |
| Electrical connection data | 230 V AC 50Hz |
| On/off switch | No |
| Sockets | 8 piece on the front side |
| Plug | shockproofed |

Order No.

black 28670-000-55

**19" POWER BOX**

| 28675 | |
|-------------------------------|---|
| Weight | 0.74 kg |
| Special features | maximum 3600 W total power input under regular technical connection conditions |
| Material | aluminum |
| Height (units) | 1 space |
| Connection | electric cable 2 m |
| Electrical connection data | 230 V AC 50Hz |
| On/off switch | Yes |
| Sockets | 7 piece on the front side |
| Plug | shockproofed |

Order No.

black 28675-000-55

**SINGLE RACK RAIL**

| 28410 | |
|------------------|-----------------------------------|
| Weight | 0.24 kg |
| Special features | other space units upon request |
| Material | steel |
| Height (units) | 10 spaces |

Order No.

black 28410-000-55

**SUPPORT BRACKET**

| 286/8 | |
|------------------|----------------------------------|
| Special features | other measurements on request |
| Material | steel |
| Suitable for | 19"-equipment |

Order No.

| | |
|-----------------------------------|--------------|
| 4 holes, 370 mm long, 0,54 kg | 28680-000-55 |
| 8 holes, 370 mm long, 0,57 kg | 28681-000-55 |
| 10 holes, 493 mm long, 0,73 kg | 28687-000-55 |









MICROPHONE STANDS

We're especially proud of these: König & Meyer microphone stands have boasted an outstanding reputation worldwide for decades. There is hardly a music studio, concert or event that isn't outfitted with König & Meyer microphone stands.

What convinces the musicians?

The solid, tough clamp elements and mechanics, or the choice of materials and the quality of the finish? We think it's the sum of all the parts of a stand that is made with precision and a love for detail.

All microphone stands are also available in 5/8" thread



MICROPHONE STAND

| 199 | BASELINE |
|--------------------|-----------------------------------|
| Weight | 1.52 kg |
| Special features | plastic base; folds very small |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | non-scratching locking screws |
| Rod combination | 3-piece folding design |
| Size when folded | 95 x 85 x 565 mm |
| Height | from 625 to 1,480 mm |

Order No.

black 19900-300-55

MICROPHONE STAND

| 260 | BASELINE |
|--------------------|---|
| Weight | 5.74 kg |
| Special features | anti-vibration rubber insert for noise filtration |
| Material | steel |
| Base diameter | 250 mm |
| Leg construction | heavy round cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 870 to 1,565 mm |

Order No.

chrome 26000-300-02
black 26000-300-55

Accessories

Knurled washer 26004 228
Carrying case 26019 222

MICROPHONE STAND

| 260/1 | BASELINE |
|--------------------|---|
| Weight | 3.6 kg |
| Special features | anti-vibration rubber insert for noise filtration |
| Material | steel |
| Base diameter | 250 mm |
| Leg construction | flat round cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 870 to 1,575 mm |

Order No.

chrome 26010-300-02
black 26010-300-55

Accessories

Knurled washer 26004 228
Carrying case 26019 222



Round base
with an inte-
grated steel
plate with
an attractive
plastic cover

MICROPHONE STAND

| 260/1 | BASELINE |
|--------------------|---|
| Weight | 3 kg |
| Special features | significantly light-weight, but nonetheless stable due to the ingenious round base with an integrated steel plate with an attractive plastic cover; circumferential rubber profile reduces undesirable vibration and footfall noise |
| Material | steel |
| Base diameter | 275 mm |
| Leg construction | round base |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 870 to 1,575 mm |

Order No.

pure white 26010-300-76



Round base with an integrated steel plate with an attractive plastic cover

MICROPHONE STAND

| 201/2 | TOPLINE |
|--------------------|---|
| Weight | 2 kg |
| Special features | zinc die-cast base; short-legged design |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Size when folded | 105 x 85 x 840 mm |
| Height | from 890 to 1,590 mm |

Order No.

black 20120-300-55



Short-legged design

MICROPHONE STAND

| 201A/2 | TOPLINE |
|--------------------|---------------------------|
| Weight | 2.4 kg |
| Special features | zinc die-cast base |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Size when folded | 105 x 85 x 840 mm |
| Height | from 900 to 1,605 mm |

Order No.

chrome 20130-300-02
black 20130-300-55





ONE HAND MICROPHONE STAND

| 25680 | TOPLINE |
|--------------------|--|
| Weight | 2.14 kg |
| Special features | zinc die-cast base |
| Material | leg construction made from steel, rod combination made from aluminum |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | »Soft-Touch« one-hand clutch |
| Rod combination | 2-piece folding design |
| Height | from 1,100 to 1,820 mm |

Order No.

black 25680-300-55

STACKABLE MICROPHONE STAND

| 26045 | TOPLINE |
|--------------------|--|
| Weight | 3.4 kg |
| Special features | round cast-iron base with a cut-out design that allows for stacking of up to 5 microphone stands |
| Material | steel |
| Base diameter | 278 mm |
| Leg construction | flat round cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 870 to 1,575 mm |

Order No.

black 26045-300-55

Accessories

| | Page |
|----------------------|------|
| Knurled washer 26004 | 228 |
| Carrying case 26019 | 222 |

STACKABLE ONE-HAND MICROPHONE STAND

| 26075 | TOPLINE |
|--------------------|--|
| Weight | 3 kg |
| Special features | round cast-iron base with a cut-out design that allows for stacking of up to 5 microphone stands |
| Material | cast-iron base, rod combination made from aluminum |
| Base diameter | 278 mm |
| Leg construction | flat round cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | »Soft-Touch« one-hand clutch |
| Rod combination | 2-piece folding design |
| Height | from 1,060 to 1,790 mm |

Order No.

black 26075-300-55

Accessories


| | Page |
|----------------------|------|
| Knurled washer 26004 | 228 |
| Carrying case 26019 | 222 |



»Soft-Touch« one-hand clutch mechanism which easily raises and lowers the mic



Round cast-iron base with a cut-out design that allows for stacking of up to 5 microphone stands



»Soft-Touch« one-hand clutch mechanism which easily raises and lowers the mic

ONE HAND MICROPHONE STAND


| 26085 | TOPLINE |
|--------------------|--|
| Weight | 3.2 kg |
| Special features | anti-vibration rubber insert for noise filtration |
| Material | cast-iron base, rod combination made from aluminum |
| Base diameter | 250 mm |
| Leg construction | flat round cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | »Soft-Touch« one-hand clutch |
| Rod combination | 2-piece folding design |
| Height | from 1,060 to 1,790 mm |

Order No.

black 26085-300-55

Accessories

Page

Knurled washer 26004
Carrying case 26019228
222

»Soft-Touch«
one-hand clutch
mechanism which
easily raises and
lowers the mic

MICROPHONE STAND XL

NEW

| 20150 | TOPLINE |
|--------------------|--|
| Weight | 4.97 kg |
| Special features | extendable to more than 3 m |
| Material | steel |
| Base diameter | 850 mm |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch/clamping element with locking screw |
| Rod combination | 3-piece folding design |
| Size when folded | 1,120 mm |
| Height | from 1,190 to 3,220 mm |

Order No.

black 20150-300-55



For special recording
techniques and
antenna positions.

Extendable to more
than 3 m

MICROPHONE STAND -
TUBE COMBINATION

| 26007 | TOPLINE |
|--------------------|--|
| Weight | 1.73 kg |
| Special features | extendable to more than 3 m; Adapter 21950 included |
| Material | steel |
| Threaded connector | 3/8" |
| Height adjustment | clutch/clamping element with locking screw |
| Rod combination | 3-piece folding design |
| Height | from 1,120 to 3,150 mm |

Order No.

black 26007-319-55

Accessories

Page

Base plate 26009
Base plate 26700
Base plate 26703-26705
Base plate 26706228
257
257
258

Can be used with
the round microphone
stand bases and the
larger loudspeaker
stand bases.



For special recording
techniques and antenna
positions.

Extendable to
more than 3 m

MICROPHONE STAND

| 200 | STARLINE |
|--------------------|--|
| Weight | 2.7 kg |
| Special features | zinc die-cast base; with built-in anti-vibration filters in legs; suitable for studios; heavy metal legs |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Size when folded | 105 x 85 x 840 mm |
| Height | from 910 to 1,615 mm |

Order No.

black 20000-300-55

MICROPHONE STAND »SOFT-TOUCH«

| 26010 | STARLINE |
|--------------------|--|
| Weight | 3.8 kg |
| Special features | anti-vibration rubber insert for noise filtration; gray powder coating; low light reflection |
| Material | steel |
| Base diameter | 250 mm |
| Leg construction | flat round cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 870 to 1,575 mm |

Order No.

gray 26010-300-87

Accessories

Carrying case 26019

Page

222

MICROPHONE STAND

| 26125 | STARLINE |
|--------------------|---|
| Weight | 3.36 kg |
| Special features | stable, lightweight metal round base with plastic cover; full circle anti-vibration rubber damping ring for noise filtration; large support area provides great stability |
| Material | steel |
| Base diameter | 275 mm |
| Leg construction | round base |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 1,000 to 1,700 mm |

Order No.

black 26125-300-55

Accessories

Carrying case 26019

Page

222

Anti-vibration filters to isolate microphones



Easy-to-grip clutch with elastic surface




Attractive gray powder coating; Low light reflection; Eye-catcher on every stage



Slim clutch



Round base with a full circle anti-vibration rubber damping ring



Big tubes provide a modern look and superior stability;

Tall tubing combination



Smoothly and silently adjustable one-hand system



reddot design award
winner 2013

Avant-garde, one-hand microphone stand; can be adjusted soundlessly, simply and easily; knurled screw is impossible to lose

Lightweight, but nonetheless stable steel base



p16e.k-m.de
Product video

ONE-HAND MICROPHONE STAND
»ELEGANCE«

| 26200 | STARLINE |
|--------------------|--|
| Weight | 3 kg |
| Special features | triangular-shaped rods; knurled screw is impossible to lose; can be adjusted soundlessly, simply and easily; significantly lightweight, but nonetheless stable due to the ingenious round base with an integrated steel plate with an attractive plastic cover; circumferential rubber profile reduces undesirable vibration and footfall noise |
| Material | rod combination made from aluminum, handle bar zinc die-cast |
| Base diameter | 275 mm |
| Leg construction | round base |
| Threaded connector | 3/8" |
| Height adjustment | one-hand clutch |
| Rod combination | 2-piece folding design |
| Height | from 1,055 to 1,735 mm |

Order No.

black 26200-300-55

The elegant combination of triangular-shaped sections and the new design of the slender one-hand adjustment mechanism go harmoniously with standard microphone clips and microphones. The height of the stand can be adjusted soundlessly, simply and easily using the unique one-hand clutch. The stand is significantly lightweight, but nonetheless stable due to the ingenious round base with an integrated steel plate with an attractive plastic cover.

| Accessories | Page |
|---------------------|------|
| Carrying case 26019 | 222 |



Smoothly and silently adjustable one-hand system

Lightweight, but nonetheless stable steel base



ONE-HAND MICROPHONE STAND »PERFORMANCE«

| 26250 | STARLINE |
|--------------------|--|
| Weight | 2.99 kg |
| Special features | round-shaped rods; soundless and easy height adjustment; significantly light-weight, but nonetheless stable due to the ingenious round base with an integrated steel plate with an attractive plastic cover; circumferential rubber profile reduces undesirable vibration and footfall noise |
| Material | rod combination made from aluminum, handle bar plastic |
| Base diameter | 275 mm |
| Leg construction | round base |
| Threaded connector | 3/8" |
| Height adjustment | one-hand clutch |
| Rod combination | 2-piece folding design |
| Height | from 1,055 to 1,750 mm |

Order No.

black 26250-300-55

The stable combination of high quality round-shaped rods and the elegant one-hand adjustment present a harmonious overall appearance. With the practical one-hand system the height of the stand can adjusted smoothly and silently (no scratching noises). The ingenious steel base with its elegant plastic cover provides more stability even though the base is much lighter. A circular rubber insert ring on the base also reduces unwanted vibrations and foot traffic noise, even when the stand is placed in extreme positions. In addition, the floor (e.g. wood floor) is protected from possible damage.

Accessories

Carrying case 26019

Page

222

MICROPHONE STAND

| 25400 | BASELINE |
|--------------------|------------------------------------|
| Weight | 1.84 kg |
| Special features | boom arm non-detachable |
| Material | steel |
| Base diameter | 660 mm |
| Leg construction | U-profile legs snap into socket |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | one-piece design |
| Boom arm clamping | locking knob |
| Boom arm length | 805 mm |
| Size when folded | 95 x 80 x 865 mm |
| Height | from 890 to 1,600 mm |

Order No.

black 25400-300-55

MICROPHONE STAND

| 21070 | BASELINE |
|--------------------|------------------------------|
| Weight | 2.19 kg |
| Special features | zinc die-cast base |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | one-piece design |
| Boom arm clamping | wing nut |
| Boom arm length | 805 mm |
| Size when folded | 105 x 85 x 960 mm |
| Height | from 900 to 1,600 mm |

Order No.

black 21070-300-55

Accessories

Carrying case 21421

Page

220

MICROPHONE STAND

| 27105 | BASELINE |
|--------------------|------------------------------|
| Weight | 2.3 kg |
| Special features | plastic base |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | one-piece design |
| Boom arm clamping | wing nut |
| Boom arm length | 805 mm |
| Size when folded | 105 x 85 x 960 mm |
| Height | from 900 to 1,600 mm |

Order No.

black 27105-300-55

Accessories

Carrying case 21421

Page

220



MICROPHONE STAND

| 27195 | BASELINE |
|--------------------|---------------------------|
| Weight | 2.3 kg |
| Special features | plastic base |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | wing nut |
| Boom arm length | from 425 to 725 mm |
| Size when folded | 96 x 85 x 985 mm |
| Height | from 900 to 1,600 mm |

| Order No. | |
|-----------|--------------|
| black | 27195-300-55 |

| Accessories | Page |
|---------------------|------|
| Carrying case 21421 | 220 |





An absolute classic -
often imitated -
never duplicated!
Designed for heavy use.

MICROPHONE STAND

| 210/2 | TOPLINE |
|--------------------|--|
| Weight | 3.2 kg |
| Special features | the industry standard; stable and sturdy; zinc die-cast base; designed for heavy use |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | one-piece design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | 800 mm |
| Size when folded | 105 x 85 x 960 mm |
| Height | from 900 to 1,605 mm |

| Order No. | |
|-----------|--------------|
| chrome | 21020-300-02 |
| black | 21020-300-55 |

Often copied – but never duplicated – a König & Meyer classic. High-quality materials and quality craftsmanship have made this stand a global standard for microphone stands for over 50 years.

| Accessories | Page |
|---------------------|------|
| Carrying case 21421 | 220 |



MICROPHONE STAND

| 210/9 | TOPLINE |
|--------------------|--|
| Weight | 3.2 kg |
| Special features | stable and sturdy; zinc die-cast base |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | from 435 to 745 mm |
| Size when folded | 105 x 85 x 985 mm |
| Height | from 900 to 1,605 mm |

Order No.

| | |
|------------|--------------|
| chrome | 21090-300-02 |
| black | 21090-300-55 |
| pure white | 21090-300-76 |

Accessories

| | Page |
|---------------------|------|
| Carrying case 21421 | 220 |

MICROPHONE STAND

| 210/6 | TOPLINE |
|--------------------|------------------------------|
| Weight | 3 kg |
| Special features | zinc die-cast base |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | one-piece design |
| Boom arm clamping | wing nut |
| Boom arm length | 805 mm |
| Size when folded | 105 x 85 x 960 mm |
| Height | from 925 to 1,630 mm |

Order No.

| | |
|--------|--------------|
| chrome | 21060-300-02 |
| black | 21060-300-55 |

Accessories

| | Page |
|---------------------|------|
| Carrying case 21421 | 220 |

MICROPHONE STAND

| 210/8 | TOPLINE |
|--------------------|------------------------------|
| Weight | 3 kg |
| Special features | zinc die-cast base |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | wing nut |
| Boom arm length | from 425 to 725 mm |
| Size when folded | 96 x 85 x 985 mm |
| Height | from 925 to 1,630 mm |

Order No.

| | |
|--------|--------------|
| chrome | 21080-300-02 |
| black | 21080-300-55 |

Accessories

| | Page |
|---------------------|------|
| Carrying case 21421 | 220 |



MICROPHONE STAND

| 252 | TOPLINE |
|--------------------|--|
| Weight | 2.9 kg |
| Special features | zinc die-cast base folds very small |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | non-scratching locking screws |
| Rod combination | 3-piece folding design |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | from 425 to 725 mm |
| Size when folded | 110 x 85 x 730 mm |
| Height | from 620 to 1,470 mm |

Order No.

black 25200-300-55

Accessories

Carrying case 10811

Page

54

MICROPHONE STAND

| 26145 | TOPLINE |
|--------------------|---|
| Weight | 6.2 kg |
| Special features | slim clutch; tall tubing combination; big tubes provide a modern look and a superior stability |
| Material | steel |
| Base diameter | 300 mm |
| Leg construction | heavy round cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | from 435 to 745 mm |
| Height | from 1,000 to 1,700 mm |

Order No.

black 26145-300-55

MICROPHONE STAND »SOFT-TOUCH«

| 21060 | STARLINE |
|--------------------|---|
| Weight | 3 kg |
| Special features | zinc die-cast base; gray powder coating; low light reflection |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | one-piece design |
| Boom arm clamping | wing nut |
| Boom arm length | 805 mm |
| Size when folded | 105 x 85 x 960 mm |
| Height | from 925 to 1,630 mm |

Order No.

gray 21060-300-87

Accessories

Carrying case 21421

Page

220



Slim clutch;
Tall tubing combination;
Big tubes provide
a modern look and
a superior stability



Easy-to-grip clutch
with elastic surface



Attractive gray
powder coating;
Low light reflection;
Eye-catcher on
every stage



MICROPHONE STAND »SOFT-TOUCH«

| 21080 | STARLINE |
|--------------------|---|
| Weight | 3 kg |
| Special features | zink die-cast base; gray powder coating; low light reflection |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | wing nut |
| Boom arm length | from 425 to 725 mm |
| Size when folded | 96 x 85 x 985 mm |
| Height | from 925 to 1,630 mm |

Order No.

gray 21080-300-87

The attractive basalt gray powder coating gives the microphone stand an extravagant accent and reduces light reflection to a minimum. This stand is perfect for professional use on the public stage. Further features include the easy-to-grip »Soft-Touch« clutch with an elastic plastic cover and a boom arm with user-friendly wing nut adjustment.

Accessories

Carrying case 21421

Page

220





The exclusive
microphone stand

MICROPHONE STAND

| 25600 | STARLINE |
|--------------------|---|
| Weight | 3.4 kg |
| Special features | zinc die-cast base; no parts to lose; clamping lever can be used for cable management |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | heavy-duty all metal clamping lever |
| Boom arm length | from 600 to 955 mm |
| Size when folded | 105 x 90 x 1,090 mm |
| Height | from 970 to 1,640 mm |

| Order No. | |
|-----------|--------------|
| black | 25600-300-55 |

The unique design retains all adjustment elements. The distinctive ergonomically designed and patented clamping lever easily and comfortably adjusts the boom arm in any position and can also hold microphone cables. This high-quality stand is impressively robust.

| Accessories | Page |
|---------------------|------|
| Carrying case 21422 | 265 |



OVERHEAD MICROPHONE STAND

| 21021 | |
|--------------------|---|
| Weight | 5.9 kg |
| Special features | zinc die-cast base; extra high; longer legs |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | one-piece design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | 1,065 mm |
| Size when folded | 105 x 85 x 1,170 mm |
| Height | from 1,120 to 2,010 mm |

Order No.

black 21021-300-55

Accessories

Carrying case 21422 265

OVERHEAD MICROPHONE STAND

| 20800 | |
|--------------------|--|
| Weight | 3.8 kg |
| Special features | for special stage and studio applications; adjustable up to 3.10 m |
| Material | steel |
| Base diameter | 1,000 mm |
| Leg construction | tube legs with cross braces |
| Threaded connector | 3/8" |
| Height adjustment | clamping element with locking screw |
| Rod combination | 3-piece folding design |
| Height | from 1,350 to 3,100 mm |

Order No.

black 20800-309-55

Accessories

Carrying case 21422 265

OVERHEAD MICROPHONE STAND

| 20811 | |
|--------------------|---|
| Weight | 10.5 kg |
| Special features | adjustable up to 4.40 m; additional safety rings included |
| Material | steel |
| Base diameter | 1,485 mm |
| Leg construction | tube legs with double cross braces |
| Threaded connector | 1/2" |
| Height adjustment | non-scratching locking screws |
| Rod combination | 3-piece folding design |
| Height | from 1,850 to 4,400 mm |

Order No.

black 20811-409-55

Accessories

Boom arm 21231 199



OVERHEAD MICROPHONE STAND

| 21411 | |
|--------------------|--|
| Weight | 4.94 kg |
| Special features | for special stage and studio applications; rod combination with additional locking mechanism |
| Material | steel |
| Leg construction | tube legs with double cross braces |
| Threaded connector | 1/2" |
| Height adjustment | clamping element with locking screw |
| Max. load capacity | 12 kg |
| Rod combination | 2-piece folding design |
| Height | from 1,480 to 2,290 mm |

Order No.

black 21411-400-55

Accessories

| | Page |
|------------------------------|-------------|
| Boom arm 21231 | 199 |
| Carrying case 21311 | 263 |
| Carrying case »Pro« 21312 | 265 |
| Carrying case »Select« 21316 | 264 |

**OVERHEAD MICROPHONE STAND**

| 21430 | |
|--------------------|---|
| Weight | 17.42 kg |
| Special features | heavy die-cast base with low centre of gravity for high level safety; 3 lockable castor wheels; extendable boom arm with a 3 kg counterweight; additional mini boom arm with 5/8"- and 3/8" thread and length of 245 mm |
| Material | steel |
| Base diameter | 660 mm |
| Leg construction | cast-iron base |
| Threaded connector | 5/8" |
| Height adjustment | clamping element with locking screw |
| Rod combination | 2-piece folding design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | from 1,070 to 1,870 mm |
| Height | from 1,340 to 2,210 mm |

Order No.

black 21430-500-55



MICROPHONE STAND

| 255 | |
|--------------------|--------------------------------------|
| Weight | 4.1 kg |
| Special features | zinc die-cast base; extra low design |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | from 870 to 1,550 mm |
| Height | 290 mm |

Order No.

black 25500-300-55

MICROPHONE STAND

| 259 | |
|--------------------|--|
| Weight | 2.2 kg |
| Special features | low-level microphone stand; zinc die-cast base |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | from 435 to 745 mm |
| Size when folded | 115 x 85 x 580 mm |
| Height | from 425 to 645 mm |

Order No.

black 25900-300-55

Accessories

Carrying case 10811

Page

54

MICROPHONE STAND

| 259/1 | |
|--------------------|--------------------------------------|
| Weight | 1.9 kg |
| Special features | extra low design; zinc die-cast base |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Boom arm | one-piece design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | 525 mm |
| Height | 280 mm |

Order No.

black 25910-300-55

Accessories

Carrying case 10811

Page

54



MICROPHONE STAND »RIEN«

| 25950 | |
|--------------------|--|
| Weight | 2.98 kg |
| Special features | extra low design; zinc die-cast base; very short, heavy legs |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | from 425 to 725 mm |
| Size when folded | 122 x 85 x 450 mm |
| Height | 280 mm |

| Order No. | |
|-----------|--------------|
| black | 25950-300-55 |

The low-level stand is particularly suitable for bass drums or bass amplifiers. Very short and heavy legs mean this stand needs very little standing space. A telescopic boom arm completes the features of this compact unit.

| Accessories | Page |
|---------------------|------|
| Carrying case 14303 | 81 |



MICROPHONE STAND

| 25993 | |
|--------------------|--|
| Weight | 2.4 kg |
| Special features | for bass drum, AMPs, Cajon, etc.; space saving flat foot construction; elastic rubber feet absorb the impact sound |
| Material | steel |
| Leg construction | flat steel plate |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | wing nut |
| Boom arm length | from 333 to 565 mm |
| Base dimensions | 250 x 202 mm |
| Height | from 275 to 405 mm |

Order No.

black 25993-300-55

MICROPHONE STAND

| 25960 | |
|--------------------|---|
| Weight | 5.25 kg |
| Special features | anti-vibration rubber insert for noise filtration |
| Material | steel |
| Base diameter | 250 mm |
| Leg construction | heavy round cast-iron base |
| Threaded connector | 3/8" |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | wing nut |
| Boom arm length | from 425 to 725 mm |
| Height | 430 mm |

Order No.

black 25960-300-55

MICROPHONE STAND

| 23320 | |
|--------------------|---|
| Weight | 2.4 kg |
| Special features | anti-vibration rubber insert for noise filtration |
| Material | steel |
| Base diameter | 250 mm |
| Leg construction | flat round cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 217 to 347 mm |

Order No.

black 23320-300-55



MICROPHONE STAND

23323

| | |
|--------------------|---|
| Weight | 2.55 kg |
| Special features | anti-vibration rubber insert for noise filtration |
| Material | steel |
| Base diameter | 250 mm |
| Leg construction | flat round cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 350 to 570 mm |

Order No.

black 23323-300-55

MICROPHONE STAND »SOFT-TOUCH«

25900

| | |
|--------------------|---|
| Weight | 2.1 kg |
| Special features | low-level microphone stand; zinc die-cast base; gray powder coating; low light reflection |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | 2-piece telescopic design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | from 425 to 725 mm |
| Size when folded | 115 x 85 x 580 mm |
| Height | from 425 to 645 mm |

Order No.

gray 25900-370-87

MICROPHONE STAND »SOFT-TOUCH«

25910

| | |
|--------------------|---|
| Weight | 1.9 kg |
| Special features | extra low design; die-cast base; gray powder coating; low light reflection |
| Material | steel |
| Leg construction | socket with foldable legs |
| Threaded connector | 3/8" |
| Boom arm | one-piece design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | 525 mm |
| Height | 280 mm |

Order No.

gray 25910-300-87

Accessories

Carrying case 10811

Page

54



BOOM ARM

| 21160 | |
|--------------------|------------------|
| Weight | 0.5 kg |
| Special features | short boom arm |
| Material | steel |
| Threaded connector | 3/8" |
| Boom arm | one-piece design |
| Boom arm length | 395 mm |
| Clamping | wing nut |

Order No.

black 21160-300-55

BOOM ARM

| 211/1 | |
|--------------------|---------------------------|
| Weight | 0.64 kg |
| Material | steel |
| Threaded connector | 3/8" |
| Boom arm | 2-piece telescopic design |
| Boom arm length | from 435 to 745 mm |
| Clamping | T-bar locking screw |
| Fits | 18807, 18817, 18944 |

Order No.

chrome 21110-300-02
black 21110-300-55

BOOM ARM

| 21140 | |
|--------------------|---------------------------|
| Weight | 0.58 kg |
| Material | steel |
| Threaded connector | 3/8" |
| Boom arm | 2-piece telescopic design |
| Boom arm length | from 425 to 725 mm |
| Clamping | wing nut |

Order No.

black 21140-300-55



BOOM ARM

| 211 | |
|--------------------|---------------------|
| Weight | 0.7 kg |
| Material | steel |
| Threaded connector | 3/8" |
| Boom arm | one-piece design |
| Boom arm length | 800 mm |
| Clamping | T-bar locking screw |

| Order No. | |
|-----------|--------------|
| chrome | 21100-300-02 |
| black | 21100-300-55 |

BOOM ARM

| 25530 | |
|--------------------|---|
| Weight | 1.7 kg |
| Special features | adjustable heavy counterweight included |
| Material | steel |
| Threaded connector | 3/8" |
| Boom arm | 2-piece telescopic design |
| Boom arm length | from 870 to 1,550 mm |
| Clamping | T-bar locking screw |

| Order No. | |
|-----------|--------------|
| black | 25530-319-55 |

BOOM ARM

| 21231 | |
|--------------------|---|
| Weight | 5.3 kg |
| Special features | connecting thread 1/2"; adjustable heavy counterweight included |
| Material | steel |
| Threaded connector | 3/8" |
| Boom arm | 2-piece telescopic design |
| Boom arm length | from 1,070 to 1,870 mm |
| Clamping | T-bar locking screw |
| Fits | 20811, 21411 |

| Order No. | |
|-----------|--------------|
| black | 21231-400-55 |

| Accessories | Page |
|----------------------|------|
| Carrying case 21422 | 265 |
| Thread adapter 21900 | 223 |



MINI BOOM ARM

21431

| | |
|--------------------|----------------------------|
| Weight | 0.31 kg |
| Special features | suitable for overhead uses |
| Material | steel |
| Threaded connector | 3/8" and 5/8" |
| Boom arm | one-piece design |
| Boom arm length | 290 mm |
| Clamping | wing nut |

Order No.

black 21431-300-55



TABLE MICROPHONE STAND

| 23105 | |
|--------------------|----------------------------------|
| Weight | 0.07 kg |
| Special features | can be used as microphone handle |
| Material | plastic |
| Leg construction | foldable legs |
| Threaded connector | 3/8" |
| Height | 70 mm |

Order No.

black23105-300-55

TABLE MICROPHONE STAND

| 231/1 | |
|--------------------|--------------------------|
| Weight | 0.08 kg |
| Material | plastic base, steel legs |
| Leg construction | foldable legs |
| Threaded connector | 3/8" |
| Height | 60 mm |

Order No.

black23110-316-55

TABLE MICROPHONE STAND

| 232 | |
|--------------------|---|
| Weight | 1.35 kg |
| Special features | anti-vibration rubber insert for noise filtration; screw in threaded bolt |
| Material | steel |
| Base diameter | 130 mm |
| Leg construction | heavy round cast-iron base |
| Threaded connector | 3/8" |
| Height | 175 mm |

Order No.

black23200-300-55



TABLE MICROPHONE STAND

| 23220 | |
|--------------------|---|
| Weight | 1.05 kg |
| Special features | anti-vibration rubber insert for noise filtration |
| Material | steel |
| Base diameter | 130 mm |
| Leg construction | heavy round cast-iron base |
| Threaded connector | 3/8" |
| Height | 45 mm |

Order No.

black 23220-300-55

TABLE MICROPHONE STAND

| 23230 | |
|--------------------|--|
| Weight | 0.75 kg |
| Special features | attractive trilobular base; anti-vibration circular rubber insert ring |
| Material | steel |
| Base diameter | 137 mm |
| Leg construction | steel trilobular base |
| Threaded connector | 3/8" |
| Height | 152 mm |

Order No.

black 23230-300-55

TABLE MICROPHONE STAND

| 23266 | |
|--------------------|---|
| Weight | 0.33 kg |
| Special features | compact base; anti-vibration felt insert for noise filtration |
| Material | steel |
| Base diameter | 64 mm |
| Leg construction | very small round base |
| Threaded connector | 3/8" |
| Height | 60 mm |

Order No.

gray 23266-300-74



Base with an attractive triangle form.



TABLE MICROPHONE STAND

| 23380 | |
|--------------------|---|
| Weight | 1.3 kg |
| Special features | stable table stand; attractive design; non-slip rubber feet |
| Material | plastic, steel |
| Threaded connector | 3/8" |
| Base dimensions | 136 x 114 mm |
| Height | 49 mm |

Order No.

black 23380-300-55

DESIGN MICROPHONE TABLE STAND

| 23250 | |
|--------------------|---|
| Weight | 0.7 kg |
| Special features | stable and sturdy; special design; surface area for company logo etc.; space saving flat foot construction |
| Material | steel |
| Threaded connector | 3/8" |
| Base dimensions | 125 x 130 mm |
| Height | 142 mm |

Order No.

black 23250-300-55

TABLE- / FLOOR MICROPHONE STAND

| 25995 | |
|--------------------|--|
| Weight | 1.4 kg |
| Special features | space saving flat foot construction |
| Material | steel |
| Leg construction | flat steel plate |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Boom arm | one-piece design |
| Boom arm clamping | wing nut |
| Boom arm length | 310 mm |
| Base dimensions | 200 x 200 mm |
| Height | from 285 to 400 mm |

Order No.

black 25995-300-55

Perfect for labelling
or your logoSpace saving
constructionPerfect for labelling
or your logoSpace saving
construction

TABLETOP MICROPHONE STAND

| 23150 | |
|--------------------|--|
| Weight | 0.41 kg |
| Special features | easy-to-use clamping levers |
| Material | steel |
| Base diameter | 250 mm |
| Leg construction | square tube legs snap into socket |
| Threaded connector | 1/4" or 3/8" |
| Height adjustment | infinitely variable by means of ergonomically shaped clamping elements |
| Rod combination | 2-piece folding design |
| Size when folded | 230 mm |
| Height | from 230 to 430 mm |

Order No.

| | |
|------------|--------------|
| black 1/4" | 23150-100-55 |
| black 3/8" | 23150-300-55 |

TABLE- /FLOOR MICROPHONE STAND

| 23325 | |
|--------------------|---|
| Weight | 2.51 kg |
| Special features | anti-vibration rubber insert for noise filtration |
| Material | steel |
| Base diameter | 180 mm |
| Leg construction | heavy round cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 217 to 347 mm |

Order No.

| | |
|-------|--------------|
| black | 23325-300-55 |
|-------|--------------|

TABLE- /FLOOR MICROPHONE STAND

| 233 | |
|--------------------|---|
| Weight | 2.6 kg |
| Special features | anti-vibration rubber insert for noise filtration |
| Material | steel |
| Base diameter | 180 mm |
| Leg construction | heavy round cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 355 to 580 mm |

Order No.

| | |
|-------|--------------|
| black | 23300-300-55 |
|-------|--------------|

Accessories

| | |
|----------------------|-----|
| Knurled washer 26004 | 228 |
|----------------------|-----|



TABLE- /FLOOR MICROPHONE STAND

| 234 | |
|--------------------|--|
| Weight | 2.1 kg |
| Special features | anti-vibration felt insert for noise filtration; tilt angle adjustment |
| Material | steel |
| Leg construction | rectangular cast-iron base |
| Threaded connector | 3/8" |
| Height adjustment | non-scratching locking screw |
| Rod combination | 2-piece folding design |
| Base dimensions | 170 x 135 mm |
| Height | from 400 to 640 mm |

Order No.

black23400-300-55

MICROPHONE TABLE BASE

| 29375 | |
|---------------------------------|-------------------------------|
| Weight | 0.48 kg |
| Special features | crackle-free switching; wired |
| Material | zinc die-cast |
| Base diameter | 130 mm |
| Control element | switch |
| Female connector for microphone | 3-pin XLR-jack |
| Pilot light | voltage and mic on/off |
| Plug connection mixer | 3-pin XLR-plug |
| Height | 35 mm |

Order No.

black29375-000-55

MICROPHONE TABLE BASE

| 29376 | |
|---------------------------------|----------------|
| Weight | 0.47 kg |
| Special features | wired |
| Material | zinc die-cast |
| Base diameter | 130 mm |
| Female connector for microphone | 3-pin XLR-jack |
| Plug connection mixer | 3-pin XLR-plug |
| Height | 35 mm |

Order No.

black29376-000-55



MICROPHONE TABLE BASE

| 29377 | |
|---------------------------------|----------------------------------|
| Weight | 0.48 kg |
| Special features | crackle-free switching; wired |
| Material | zinc die-cast |
| Base diameter | 130 mm |
| Control element | push-button (push-to-talk) |
| Female connector for microphone | 3-pin XLR-jack |
| Pilot light | voltage and mic on/off |
| Plug connection mixer | 3-pin XLR-plug |
| Height | 35 mm |

Order No.

black 29377-000-55

MICROPHONE TABLE BASE

| 29390 | |
|---------------------------------|-------------------|
| Weight | 2.44 kg |
| Special features | wired |
| Material | zinc die-cast |
| Female connector for microphone | 3-pin XLR-jack |
| Plug connection mixer | 3-pin XLR-plug |
| Dimensions | 160 x 150 x 51 mm |
| Length | 160 mm |

Order No.

black 29390-000-55



GOOSENECK

| 223 | |
|---------------|---------|
| Weight | 0.32 kg |
| Material | steel |
| Diameter | 15 mm |
| Male thread | 3/8" |
| Female thread | 3/8" |
| Length | 400 mm |

Order No.

| | |
|--------|--------------|
| nickel | 22300-300-01 |
| black | 22300-300-55 |

GOOSENECK

| 224 | |
|---------------|---------|
| Weight | 0.24 kg |
| Material | steel |
| Diameter | 15 mm |
| Male thread | 3/8" |
| Female thread | 3/8" |
| Length | 300 mm |

Order No.

| | |
|--------|--------------|
| nickel | 22400-300-01 |
| black | 22400-300-55 |

GOOSENECK

| 225 | |
|---------------|---------|
| Weight | 0.18 kg |
| Material | steel |
| Diameter | 15 mm |
| Male thread | 3/8" |
| Female thread | 3/8" |
| Length | 200 mm |

Order No.

| | |
|-------|--------------|
| black | 22500-300-55 |
|-------|--------------|



GOOSENECK

| 226 | |
|---------------|---------|
| Weight | 0.09 kg |
| Material | steel |
| Diameter | 11 mm |
| Male thread | 3/8" |
| Female thread | 3/8" |
| Length | 200 mm |

Order No.

| | |
|-------|--------------|
| black | 22600-300-55 |
|-------|--------------|

GOOSENECK

| 227 | |
|---------------|---------|
| Weight | 0.6 kg |
| Material | steel |
| Diameter | 18.5 mm |
| Male thread | 3/8" |
| Female thread | 3/8" |
| Length | 500 mm |

Order No.

| | |
|-------|--------------|
| black | 22700-300-55 |
|-------|--------------|

GOOSENECK

| 228 | |
|---------------|---------|
| Weight | 0.64 kg |
| Material | steel |
| Diameter | 18.5 mm |
| Male thread | 3/8" |
| Female thread | 3/8" |
| Length | 600 mm |

Order No.

| | |
|-------|--------------|
| black | 22800-300-55 |
|-------|--------------|



GOOSENECK

| 230/1 | |
|------------------|---------------------------------|
| Weight | 0.26 kg |
| Special features | lateral cable entry terminating |
| Material | steel |
| Diameter | 15 mm |
| Female thread | 3/8" |
| Plug connection | 3-pin XLR jack NC3FX, XLR-TYPE |
| Length | 300 mm |

Order No.

black 23010-300-55



GOOSENECK

| 230/2 | |
|------------------|---|
| Weight | 0.28 kg |
| Special features | not wired |
| Material | steel |
| Diameter | 15 mm |
| Plug connection | 3-pin XLR jack NC3FX, XLR-TYPE and 3-pin plug NC3MX, XLR-TYPE |
| Length | 300 mm |

Order No.

black 23020-000-55



GOOSENECK

| 230/3 | |
|------------------|---------------------------------|
| Weight | 0.35 kg |
| Special features | lateral cable entry terminating |
| Material | steel |
| Diameter | 15 mm |
| Female thread | 3/8" |
| Plug connection | 3-pin XLR jack NC3FX, XLR-TYPE |
| Length | 400 mm |

Order No.

black 23030-300-55



GOOSENECK

| 230/4 | |
|------------------|---|
| Weight | 0.36 kg |
| Special features | not wired |
| Material | steel |
| Diameter | 15 mm |
| Plug connection | 3-pin XLR jack NC3FX, XLR-TYPE and 3-pin plug NC3MX, XLR-TYPE |
| Length | 400 mm |

Order No.

black 23040-000-55



MICROPHONE »FISHING POLE«**23755**

| | |
|--------------------|---|
| Weight | 0.75 kg |
| Special features | cables can be placed inside; carrying case included |
| Material | aluminum |
| Threaded connector | 3/8" |
| Rod combination | 3-piece folding design |
| Length | from 635 to 1,520 mm |
| Adjustment | clamp lever(s) |

Order No.

black 23755-300-55

MICROPHONE »FISHING POLE«**23765**

| | |
|--------------------|---|
| Weight | 0.9 kg |
| Special features | cables can be placed inside; carrying case included |
| Material | aluminum |
| Threaded connector | 3/8" |
| Rod combination | 4-piece folding design |
| Length | from 1,000 to 3,220 mm |
| Adjustment | clamp lever(s) |

Order No.

black 23765-300-55

MICROPHONE »FISHING POLE«**23770**

| | |
|--------------------|--|
| Weight | 0.8 kg |
| Special features | rubberized anti-slip grip section; microphone cable can be routed through the tubing; carrying case included |
| Material | glass fibre |
| Threaded connector | 3/8" and 5/8" |
| Max. load capacity | 0.5 kg |
| Rod combination | 5-piece folding design |
| Length | from 1,200 to 4,600 mm |
| Adjustment | large locking rings |

Order No.

black 23770-000-55

Cables can be placed inside



Cables can be placed inside



**MICROPHONE »FISHING POLE«**

| 23780 | |
|--------------------|---|
| Weight | 0.58 kg |
| Special features | cables can be placed inside; carrying case included |
| Material | carbon |
| Threaded connector | 3/8" |
| Rod combination | 5-piece folding design |
| Length | from 600 to 1,825 mm |
| Adjustment | clamp lever(s) |

Order No.

black 23780-000-55

MICROPHONE »FISHING POLE«

| 23785 | |
|--------------------|---|
| Weight | 0.74 kg |
| Special features | cables can be placed inside; carrying case included |
| Material | carbon |
| Threaded connector | 3/8" |
| Rod combination | 5-piece folding design |
| Length | from 800 to 2,825 mm |
| Adjustment | clamp lever(s) |

Order No.


black 23785-000-55

Carbon microphone fishing pole with high stiffness. Cables can be placed inside the pole.

Length:
600 to 1,825 mm



Innovative locking system



Carbon microphone fishing pole with high stiffness. Cables can be placed inside the pole.

Length:
800 to 2,825 mm



Innovative locking system



Carbon microphone fishing pole with high stiffness. Cables can be placed inside the pole.

Length:
1,000 to 3,825 mm

MICROPHONE »FISHING POLE«

23790

| | |
|--------------------|---|
| Weight | 0.9 kg |
| Special features | cables can be placed inside; carrying case included |
| Material | carbon |
| Threaded connector | 3/8" |
| Rod combination | 5-piece folding design |
| Length | from 1,000 to 3,825 mm |
| Adjustment | clamp lever(s) |

Order No.

black 23790-000-55

Professional carbon microphone fishing pole. The exceptional characteristics of this microphone fishing pole include sturdiness and high stiffness considering its light weight. The four clamps with the innovative locking system are easy to use and provide highly functional locking force. The fishing pole can be adjusted variably between 1000 and 3825 mm. Cables can be placed inside the pole. An upholstered carrying case is included.

POPKILLER

23956

| | |
|---------------------|---|
| Weight | 0.22 kg |
| Special features | double nylon screen with plastic frame |
| Material | steel |
| Screw-on to | tube diameter up to 30 mm |
| Shield diameter | 130 mm |
| Goose neck diameter | 8 mm |
| Goose neck length | 330 mm |

Order No.

black 23956-000-55



POPKILLER**23966**

| | |
|---------------------|---|
| Weight | 0.32 kg |
| Special features | double nylon screen with plastic frame; large shield diameter |
| Material | steel |
| Screw-on to | tube diameter up to 30 mm |
| Shield diameter | 200 mm |
| Goose neck diameter | 8 mm |
| Goose neck length | 330 mm |

Order No.

| | |
|-------|--------------|
| black | 23966-000-55 |
|-------|--------------|

This high-quality popkiller is an essential piece of equipment for every professional recording studio. The large nylon screen is a perfect filter for troublesome buzzing and popping sounds. In addition it is better protection than a metal screen against moisture. The stable gooseneck can be mounted on all standard microphone stands and is suitable for many types of performance.



MICROPHONE DESK ARM

| 23850 | |
|--------------------|---------------------|
| Weight | 1.72 kg |
| Material | steel |
| Threaded connector | 3/8" and 5/8" |
| Max. load capacity | 0.8 kg |
| Length | from 460 to 960 mm |
| Connection | 3-pin XLR-cable 5 m |
| Clamping range | up to 48 mm |

Order No.

black 23850-311-55

Accessories

Table flange 23855 214

MICROPHONE DESK ARM

| 23860 | |
|--------------------|---------------------|
| Weight | 1.3 kg |
| Material | aluminum, steel |
| Threaded connector | 3/8" and 5/8" |
| Max. load capacity | 1.5 kg |
| Length | from 460 to 960 mm |
| Connection | 3-pin XLR-cable 6 m |
| Clamping range | up to 48 mm |

Order No.

black 23860-311-55

Accessories

Table flange 23855 214

TABLE FLANGE

| 23855 | |
|---------------|-----------------------|
| Weight | 0.23 kg |
| Material | steel |
| Base diameter | 73 mm |
| Bore holes | diameter 5.2 mm (3 x) |
| Height | 61 mm |
| Function | screw-on type |
| Fits | 23850, 23860 |

Order No.

black 23855-000-55



MICROPHONE HOLDER FOR DRUMS

24030

| | |
|--------------------|---|
| Weight | 0.14 kg |
| Special features | noise and shock absorbing rubber inserts; no parts to lose |
| Material | steel |
| Threaded connector | 3/8" |
| Height | 60 mm |

Order No.

black 24030-300-55



MICROPHONE HOLDER FOR DRUMS

24035

| | |
|--------------------|---|
| Weight | 0.12 kg |
| Special features | noise and shock absorbing rubber inserts; no parts to lose; „RIMS“ suitable; microphone can be slid up to 70 mm on the mounting rail |
| Material | steel |
| Threaded connector | 3/8" |
| Length | 115 mm |

Order No.

black 24035-300-55



TABLE CLAMP

237

| | |
|--------------------|-------------|
| Weight | 0.18 kg |
| Material | steel |
| Threaded connector | 3/8" |
| Clamping range | up to 45 mm |

Order No.

black 23700-300-55



MICROPHONE ARM

240/1

| | |
|--------------------|---------------------|
| Weight | 0.94 kg |
| Material | steel |
| Threaded connector | 3/8" |
| Boom arm | one-piece design |
| Boom arm clamping | T-bar locking screw |
| Boom arm length | 605 mm |
| Height | 340 mm |
| Clamping | locking screws |
| Clamping range | 15 to 30 mm |

Order No.

black 24010-314-55



MICROPHONE HOLDER

240/5

| | |
|--------------------|--|
| Weight | 0.45 kg |
| Special features | movable retaining clip; adjustable to any angle |
| Material | steel |
| Threaded connector | 3/8" |
| Length | 308 mm |
| Clamping range | up to 48 mm |

Order No.

black 24050-320-55



TABLE MICROPHONE CLAMP

258

| | |
|--------------------|------------------------|
| Weight | 0.8 kg |
| Material | steel |
| Threaded connector | 3/8" |
| Rod combination | 2-piece folding design |
| Height | from 560 to 1,020 mm |
| Clamping | locking screw |
| Clamping range | up to 48 mm |
| Swivel | 360° |

Order No.

black 25800-311-55



TABLE CLAMP

| 23720 | |
|--------------------|--|
| Weight | 0.23 kg |
| Special features | includes threaded bolt and universal spanner; maximum 4 threaded bolts for 4 different directions can be applied |
| Material | steel |
| Threaded connector | 3/8" |
| Clamping range | up to 48 mm |

Order No.

black 3/8" 23720-300-55

Accessories

Threaded bolt 23721 216

UNIVERSAL CLAMP

| 23723 | |
|--------------------|--|
| Weight | 0.26 kg |
| Special features | includes threaded bolt and universal spanner; maximum 4 threaded bolts for 4 different directions can be applied |
| Material | steel |
| Threaded connector | 3/8" |
| Clamping range | up to 51 mm |

Order No.

black 3/8" 23723-300-55

Accessories

Threaded bolt 23721 216

NEW

THREADED BOLT

| 23721 | |
|------------------|--|
| Weight | 0.09 kg |
| Special features | to upgrade table clamp 23720 for additional applications |
| Material | steel |
| Male thread | 1/4", 3/8" or 5/8" |
| Fits | 23720, 23723 |

Order No.

black passivated 1/4" x 31,5 mm 23721-100-25
 black passivated 3/8" x 32,5 mm 23721-300-25
 black passivated 5/8" x 34,5 mm 23721-500-25



UNIVERSAL CLAMPING HOLDER

19715

| | |
|--------------------|---|
| Weight | 0.339 kg |
| Special features | to be attached to tubes up to 30 mm diameter; connects other accessories, such as boom arm, gooseneck, iPad holder, Tablet PC holder etc.; with 3/8" threaded connector |
| Material | steel |
| Max. load capacity | 0.75 kg |
| Length | 232 mm |
| Screw-on to | tube diameter up to 30 mm |

Order No.

black 19715-300-55



CEILING STAND

| 22150 | |
|--------------------|------------------------|
| Weight | 1.1 kg |
| Material | steel |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 610 to 1,120 mm |

Order No.

black 22150-300-55

CEILING STAND

| 22160 | |
|--------------------|------------------------|
| Weight | 1.3 kg |
| Material | steel |
| Threaded connector | 3/8" |
| Height adjustment | clutch |
| Rod combination | 2-piece folding design |
| Height | from 860 to 1,560 mm |

Order No.

black 22160-300-55



MICROPHONE BAR

23510

| | |
|--------------------------|--|
| Weight | 0.2 kg |
| Special features | moveable bars on both sides to position the microphone; no parts to lose; connects to top of mic stands with 3/8" thread |
| Material | steel |
| Threaded connector | 3/8" |
| Length | 217 mm |
| Number of knurled screws | 2 pieces |

Order No.

black 23510-300-55

MICROPHONE BAR

23550

| | |
|--------------------------|--|
| Weight | 0.09 kg |
| Special features | no parts to lose; connects to top of mic stands with 3/8" thread |
| Material | aluminum |
| Threaded connector | 3/8" |
| Length | 200 mm |
| Number of knurled screws | 2 pieces |
| Spacing of holes | from 60 to 172 mm |

Order No.

black 23550-300-55

MICROPHONE BAR

236

| | |
|--------------------------|--|
| Weight | 0.4 kg |
| Special features | no parts to lose; connects to top of mic stands with 3/8" thread |
| Material | steel |
| Threaded connector | 3/8" |
| Length | 365 mm |
| Number of knurled screws | 4 pieces |

Order No.

black 23600-300-55



MICROPHONE BAR

23560

| | |
|--------------------------|--|
| Weight | 0.62 kg |
| Special features | connects to top of mic stands with 3/8" thread |
| Material | steel |
| Threaded connector | 3/8" |
| Length | 850 mm |
| Number of knurled screws | 6 pieces |

Order No.

black 23560-300-55

MICROPHONE HOLDER

238

| | |
|--------------------|---------------------------|
| Weight | 0.18 kg |
| Special features | no parts to lose |
| Material | steel |
| Threaded connector | 3/8" |
| Length | 155 mm |
| Screw-on to | tube diameter up to 30 mm |

Order No.

black 23800-300-55



CARRYING CASE

| 21315 | |
|-------------------------|--|
| Weight | 2.38 kg |
| Special features | for 6 microphone stands; separate internal compartments prevent scratching and damage of the stands |
| Material | nylon |
| Dimensions | 1,100 x 180 x 220 mm |
| Handle or carrying type | handle and shoulder straps |
| Fastener | zip fastener |

Order No.

21315-000-00

CARRYING CASE

| 21421 | |
|-------------------------|--|
| Weight | 0.34 kg |
| Special features | to store and transport two microphone stands; two inside compartments |
| Material | nylon |
| Dimensions | 1,000 x 130 x 130 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 210/2, 210/6, 210/8, 210/9, 21060, 21070, 21080, 21333, 21334, 21336, 21337, 21347, 21356, 21357, 21360, 21364, 21367, 254, 27105, 27195 |

Order No.

21421-000-00

CARRYING CASE

| 26019 | |
|-------------------------|--|
| Weight | 0.18 kg |
| Special features | 3 internal compartments and fixed Velcro strips provide maximum protection |
| Material | nylon |
| Dimensions | 1,100 x 320 x 60 mm |
| Handle or carrying type | handle and shoulder straps |
| Fastener | zip fastener |
| Fits | 260, 260/1, 260/1, 26010, 26045, 26075, 26085, 26125, 26150, 26200, 26250 |

Order No.

26019-000-00



CARRYING CASE »SELECT«

| 21427 | |
|-------------------------|--|
| Weight | 4.7 kg |
| Special features | for 6 microphone stands; separate internal compartments prevent scratching and damage of the stands; castors included |
| Material | 1680D Nylon fabric |
| Dimensions | 1,110 x 350 x 370 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |

Order No.

21427-000-00

Professional carrying case for 6 microphone stands. Includes castors for easy and comfortable transport. Case made of extremely durable 1680D nylon fabric. All seams hand-stitched in high quality. Padded carrying handles and a durable zipper are further quality features.



Professional carrying case for 6 microphone stands. Includes castors for comfortable transport.

SHEET MUSIC AND DOCUMENT HOLDER

NEW

11505

| | |
|-----------------------|--|
| Weight | 1.1 kg |
| Special features | large foldable music desk; adjustable in angle and depth |
| Material | clamping element aluminum with protective plastic inserts, foldable steel desk |
| Screw-on to | tube diameter up to 30 mm |
| Music desk dimensions | 485 x 240 x 42 mm |

Order No.

black 11505-000-55

SHEET MUSIC AND DOCUMENT HOLDER

11510

| | |
|-----------------------|---|
| Weight | 1 kg |
| Special features | adjustable in angle and depth; high-quality, flexible clamp |
| Material | steel |
| Clamping range | up to 48 mm |
| Music desk dimensions | 300 x 200 x 30 mm |

Order No.

black 11510-000-55



SHEET MUSIC AND DOCUMENT HOLDER

115/2

| | |
|-----------------------|-------------------------------|
| Weight | 0.93 kg |
| Special features | adjustable in angle and depth |
| Material | steel |
| Screw-on to | tube diameter up to 30 mm |
| Music desk dimensions | 300 x 210 x 30 mm |

Order No.

black 11520-000-55



SHEET MUSIC AND DOCUMENT HOLDER

11540

| | |
|-----------------------|---|
| Weight | 1.7 kg |
| Special features | large desk; adjustable in angle and depth |
| Material | clamping element aluminum with protective plastic inserts, steel desk |
| Screw-on to | tube diameter up to 30 mm |
| Music desk dimensions | 420 x 300 x 30 mm |

Order No.

black 11540-000-55



THREAD ADAPTER

215

| | |
|---------------|---------------|
| Weight | 0.01 kg |
| Male thread | 5/8" 27 gauge |
| Female thread | 1/2" and 3/8" |

Order No.

zinc-plated 21500-000-29



THREAD ADAPTER

216

| | |
|------------------|----------------------|
| Weight | 0.022 kg |
| Special features | with knurled surface |
| Male thread | 3/8" |
| Female thread | 5/8" 27 gauge |

Order No.

zinc-plated 21600-000-29



THREAD ADAPTER

| 217 | |
|---------------|---------------|
| Weight | 0.01 kg |
| Male thread | 5/8" 27 gauge |
| Female thread | 3/8" |

Order No.

zinc-plated 21700-000-29



THREAD ADAPTER

| 218 | |
|------------------|----------------------|
| Weight | 0.03 kg |
| Special features | with knurled surface |
| Male thread | 3/8" |
| Female thread | 1/2" |

Order No.

zinc-plated 21800-000-29



THREAD ADAPTER

| 219 | |
|------------------|----------------------|
| Weight | 0.036 kg |
| Special features | with knurled surface |
| Male thread | 1/2" |
| Female thread | 3/8" |

Order No.

zinc-plated 21900-000-29



THREAD ADAPTER

| 21900 | |
|------------------|--|
| Weight | 0.03 kg |
| Special features | goes into the threaded hole of the K&M 21231 |
| Male thread | 1/2" |
| Female thread | 3/8" |
| Fits | 21231 |

Order No.

zinc-plated 21900-208-29



THREAD ADAPTER

| 21918 | |
|------------------|----------------------|
| Weight | 0.03 kg |
| Special features | with knurled surface |
| Male thread | M8 x 12 mm |
| Female thread | 3/8" |

Order No.

zinc-plated 21918-000-29



THREAD ADAPTER

| 21920 | |
|------------------|----------------------|
| Weight | 0.03 kg |
| Special features | with knurled surface |
| Male thread | 1/4" x 10 mm |
| Female thread | 3/8" |

Order No.

zinc-plated 21920-000-29



THREAD ADAPTER

| 21980 | |
|------------------|---------------------------------|
| Weight | 0.04 kg |
| Special features | with a width across flats of 17 |
| Male thread | M10 x 12 mm |
| Female thread | 3/8" |

Order No.

zinc-plated 21980-000-29



THREAD ADAPTER

| 85040 | |
|---------------|---------------|
| Weight | 0.01 kg |
| Material | plastic |
| Male thread | 5/8" 27 gauge |
| Female thread | 3/8" |

Order No.

black 85040-000-55



THREAD ADAPTER

| 85045 | |
|---------------|---------------|
| Weight | 0.01 kg |
| Material | plastic |
| Male thread | 5/8" 27 gauge |
| Female thread | 3/8" |

Order No.

black 85045-217-55



THREAD ADAPTER

| 21950 | |
|---------------------|---------------------------|
| Weight | 0.09 kg |
| Material | steel |
| Dimensions diameter | 25 x 50 mm |
| Male thread | M20 |
| Female thread | M20 x 1.25 mm |
| Fits | 26700, 26703-26705, 26706 |

Order No.

black 21950-000-25



UNIVERSAL JOINT

| 19695 | |
|---------------------|----------------------------------|
| Weight | 0.13 kg |
| Special features | incl. thread adapter 1/4" - 3/8" |
| Material | steel |
| Dimensions diameter | 29 x 60 mm |
| Male thread | 1/4" or 3/8" |
| Female thread | 3/8" with thread adapter 1/4" |

Order No.

black 1/4" male thread 19695-100-55
black 3/8" male thread 19695-300-55



For mobile recorders, cameras, etc.



MICROPHONE CLIP

85035

| | |
|--------------------------|---------------------|
| Weight | 0.03 kg |
| Special features | elastic mic support |
| Material | plastic |
| Threaded connector | 3/8" and 5/8" |
| Microphone clip diameter | diameter 17-22 mm |

Order No.

| | |
|---------------|--------------|
| 3/8" and 5/8" | 85035-000-55 |
| 5/8" | 85035-500-55 |



MICROPHONE CLIP

85050

| | |
|--------------------------|---------------------|
| Weight | 0.03 kg |
| Special features | elastic mic support |
| Material | plastic |
| Threaded connector | 3/8" and 5/8" |
| Microphone clip diameter | diameter 22-28 mm |

Order No.

| | |
|---------------|--------------|
| 3/8" and 5/8" | 85050-000-55 |
| 5/8" | 85050-500-55 |



MICROPHONE CLIP

85055

| | |
|--------------------------|---------------------|
| Weight | 0.04 kg |
| Special features | elastic mic support |
| Material | plastic |
| Threaded connector | 3/8" and 5/8" |
| Microphone clip diameter | diameter 28-34 mm |

Order No.

| | |
|---------------|--------------|
| 3/8" and 5/8" | 85055-000-55 |
| 5/8" | 85055-500-55 |



MICROPHONE CLIP

85060

| | |
|--------------------------|---------------------|
| Weight | 0.06 kg |
| Special features | elastic mic support |
| Material | plastic |
| Threaded connector | 3/8" and 5/8" |
| Microphone clip diameter | diameter 34-40 mm |

Order No.

| | |
|---------------|--------------|
| 3/8" and 5/8" | 85060-000-55 |
| 5/8" | 85060-500-55 |



MICROPHONE CLIP

85070

| | |
|--------------------------|---------------------|
| Weight | 0.04 kg |
| Special features | elastic mic support |
| Material | plastic |
| Threaded connector | 3/8" and 5/8" |
| Microphone clip diameter | diameter 34-40 mm |

Order No.

| | |
|---------------|--------------|
| 3/8" and 5/8" | 85070-000-55 |
| 5/8" | 85070-500-55 |



TABLE FLANGE

221 a

| | |
|--------------------|-------------------------------------|
| Weight | 0.24 kg |
| Special features | threaded bolt with cable entry hole |
| Material | steel |
| Threaded connector | 3/8" |
| Diameter | 73 mm |
| Bore holes | diameter 5.2 mm (3 x) |
| Height | 150 mm |
| Function | screw-on type |

Order No.

| | |
|-------|--------------|
| black | 22110-300-55 |
|-------|--------------|



TABLE FLANGE

| 221 c | |
|--------------------|--|
| Weight | 0.16 kg |
| Special features | 2 threads, for vertical and horizontal connection; threaded bolt with cable entry hole |
| Material | steel |
| Threaded connector | 3/8" |
| Diameter | 73 mm |
| Bore holes | diameter 5.2 mm (3 x) |
| Height | 39 mm |
| Function | screw-on type |

Order No.

black 22130-300-55

TABLE FLANGE

| 221 d | |
|--------------------|-------------------------------------|
| Weight | 0.115 kg |
| Special features | threaded bolt with cable entry hole |
| Material | steel |
| Threaded connector | 3/8" |
| Diameter | 73 mm |
| Bore holes | diameter 5.2 mm (3 x) |
| Height | 13 mm |
| Function | screw-on type |

Order No.

black 22140-300-55

COUNTER WEIGHT

| 21105 | |
|------------------|---|
| Weight | 0.8 kg |
| Special features | used for heavy microphones |
| Material | steel |
| Diameter | 46 mm |
| Height | 60 mm |
| Suitable for | one-piece K&M boom arms with 3/8" thread or tube diameter 15 mm |

Order No.

black 21105-000-55



**EXTENSION ROD
FOR MICROPHONE STANDS**

NEW

| 20002 | |
|-------------|---|
| Weight | 0.12 kg |
| Material | steel |
| Diameter | 15 mm |
| Tube end(s) | 3/8" female thread, 3/8" male thread |
| Length | 260 mm |

Order No.

black 20002-300-55



**EXTENSION ROD
FOR MICROPHONE STANDS**

NEW

| 20004 | |
|-------------|---|
| Weight | 0.19 kg |
| Material | steel |
| Diameter | 15 mm |
| Tube end(s) | 3/8" female thread, 3/8" male thread |
| Length | 500 mm |

Order No.

black 20004-300-55



**EXTENSION ROD
FOR MICROPHONE STANDS**

| 20005 | |
|-------------|---|
| Weight | 0.34 kg |
| Material | steel |
| Diameter | 15 mm |
| Tube end(s) | 3/8" female thread, 3/8" male thread |
| Length | 950 mm |

Order No.

black 20005-300-55



BASE PLATE

| 26009 | |
|--------------------|---|
| Weight | 4.4 kg |
| Special features | full circle anti-vibration rubber damping ring for noise filtration |
| Material | grey cast iron |
| Threaded connector | M20 x 1.25 |
| Diameter | 300 mm |
| Height | 40 mm |
| Fits | 26007 |

Order No.

structured black 26009-000-56

KNURLED WASHER

| 26004 | |
|------------------|---|
| Weight | 0.012 kg |
| Special features | to secure rod combination in the round base |
| Material | aluminum |
| Diameter | 30 mm |
| Height | 5 mm |
| Suitable for | M20 x 1.25 thread |
| Fits | 233, 260, 260/1, 260/1, 26045, 26075, 26085 |

Order No.

26004-000-00

PICK HOLDER


| 14510 | |
|------------------|---------------------------------------|
| Weight | 0.06 kg |
| Special features | includes 4 picks of 0.81 mm thickness |
| Material | plastic |
| Length | 147.5 mm |

Order No.

black 14510-000-55



The pick holder has 2 sections. To store even more picks, more units can be linked.



**QUICK-RELEASE ADAPTER
FOR MICROPHONES**

| 23910 | |
|---------------------|-------------------------------------|
| Weight | 0.04 kg |
| Special features | incl. thread adapter 3/8" - 5/8" |
| Material | aluminum |
| Dimensions diameter | 22.5 x 50.7 mm |
| Male thread | 3/8" with thread adapter 5/8" |
| Female thread | 5/8" with thread adapter 3/8" |

Order No.

| | |
|-------|--------------|
| black | 23910-000-55 |
|-------|--------------|



Quick Release Adapter makes it easy to quickly switch microphones.

Switching of microphones in just one second - only by pressing the scored plastic handle.



The König & Meyer Quick Release Adapter makes quickly switching of microphones or other accessories on stage or in studio easier.

The adapter consists of two components.

The lower section is screwed into the 3/8" or 5/8" microphone stand thread, and the upper section is screwed on using a 3/8" or 5/8" microphone clamp or holder or to other accessories. The lower section ensures the secure and flexible hold of the upper section through 8 punched bore holes. The upper section is used to remove or click the microphone into place using the quick-release adapter. By pressing the scored plastic handle on the upper section both sections can either be disconnected or clicked in place. The adapter is made of high-quality aluminum. A thread adapter is included with the delivery for 5/8" threading. Both adapter components can be left attached to the stand i.e. on the microphone/accessories.





SPEAKER, LIGHTING AND MONITOR STANDS

König & Meyer speaker, lighting and monitor stands set the standard in their class. Reliability, stability and solidity are particularly important in this area: Nothing less than the safety of the musicians and the audience is at stake. Intensive research into appropriate materials from among the highest-quality plastics available and the construction of highly durable connecting parts are just some of the individual steps in a long development process. Our latest models from the "Ring Lock" series also prove that König & Meyer speaker stands aren't just exceptionally reliable, but also provide a big plus when it comes to practicality and handiness.

* With centric loading, on a horizontal surface and without lateral forces (wind, shocks etc.)



**SPEAKER/MONITOR STAND**

| 21420 | BASILINE |
|---------------------|-------------------------------------|
| Weight | 1.32 kg |
| Special features | lightweight stand |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,200 mm |
| Leg construction | tube legs with cross braces |
| Height adjustment | clamping element with locking screw |
| Max. load capacity* | 12 kg |
| Tube end(s) | diameter 25 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,060 mm |
| Height | from 1,265 to 2,105 mm |

Order No.

black 21420-000-55

Accessories**Page**

Flange adapter 19665
Carrying case 21422

259
265

SPEAKER STAND

| 21450 | BASILINE |
|---------------------|--|
| Weight | 2.35 kg |
| Special features | easy-to-use clamping levers; adapter sleeve 21326 included |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,150 mm |
| Leg construction | tube legs with cross braces |
| Height adjustment | clamping lever and safety pin |
| Max. load capacity* | 50 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,060 mm |
| Height | from 1,270 to 1,930 mm |

Order No.

anodized aluminum 21450-000-30
black 21450-000-55

Accessories**Page**

Carrying case 21311 263
Carrying case »Pro« 21312 265
Carrying case »Select« 21316 264

SPEAKER STAND PACKAGE

| 21459 | BASILINE |
|------------------|--|
| Weight | 6.01 kg |
| Special features | 2 x K&M Speaker Stand 21450 in a Carrying Case |

Order No.

black 21459-000-55



SPEAKER STAND PACKAGE

| 21449 | BASELINE |
|---------------------|--|
| Weight | 6.01 kg |
| Special features | 2 x K&M speaker stand in a carrying case; easy-to-use clamping lever; patented gradual height adjustment system; adapter sleeve 21326 included |
| Material | aluminum |
| Number of legs | 3 pieces |
| Leg construction | tube legs with cross braces |
| Height adjustment | locking screw with push-button system |
| Max. load capacity* | 50 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Height | from 1,270 to 1,930 mm |

| | |
|------------------|--------------|
| Order No. | |
| black | 21449-000-55 |



Patented push-button system

With carrying case

SPEAKER STAND

NEW

| 21471 | TOPLINE |
|---------------------|---|
| Weight | 3.5 kg |
| Special features | patented gradual height adjustment system; integrated shock absorber; mounting aid included |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,238 mm |
| Leg construction | tube legs with cross braces |
| Height adjustment | locking screw with push-button system |
| Max. load capacity* | 50 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,122 mm |
| Height | from 1,357 to 2,065 mm |

| | |
|------------------|--------------|
| Order No. | |
| black | 21471-000-55 |

| | |
|--------------------------------------|-------------|
| Accessories | Page |
| Carrying case 21311 | 263 |
| Carrying case »Pro« 21312 | 265 |
| Carrying case »Select« 21316 | 264 |
| Leveling leg for speaker stand 21445 | 262 |



Mounting aid



Patented push-button system

Approved for loads up to 50 kg



XL:
Extra large
but lightweight
aluminum
speaker stand

Approved for loads
up to 50 kg

Large root circle:
1,558 mm

SPEAKER STAND XL

NEW

| 21472 | TOPLINE |
|---------------------|---|
| Weight | 4.1 kg |
| Special features | patented gradual height adjustment system; integrated shock absorber; mounting aid included |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,558 mm |
| Leg construction | tube legs with cross braces |
| Height adjustment | locking screw with push-button system |
| Max. load capacity* | 50 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,302 mm |
| Height | from 1,580 to 2,474 mm |

Order No.

| | |
|-------|--------------|
| black | 21472-000-55 |
|-------|--------------|

Sturdy and stable and completely made of aluminum tubes. Solid base tubes with 35 mm diameter and large rubber end caps guarantee a stable and secure stand. In comparison to a „normal“ speaker stand the root circle is much larger and amounts to remarkable 1,558 mm. The max. height reaches 2,500 mm and thus offers versatile application possibilities. The clamping screw provides additional stability and vibration-free hold of the speaker. Further special features are the pull-out guard for the extension tube, the integrated shock absorber and a mounting aid for the speaker cabinets.

| Accessories | Page |
|--------------------------------------|------|
| Carrying case 21319 | 265 |
| Leveling leg for speaker stand 21445 | 262 |

SPEAKER STAND

| 21435 | TOPLINE |
|---------------------|---|
| Weight | 5.91 kg |
| Special features | patented gradual height adjustment system; integrated shock absorber; mounting aid included |
| Material | steel |
| Number of legs | 3 pieces |
| Base diameter | 1,150 mm |
| Leg construction | tube legs with cross braces |
| Height adjustment | locking screw with push-button system |
| Max. load capacity* | 50 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,150 mm |
| Height | from 1,440 to 2,230 mm |

Order No.

black 21435-009-55

Accessories

Page

| | |
|--------------------------------------|-----|
| Carrying case 21311 | 263 |
| Carrying case »Pro« 21312 | 265 |
| Carrying case »Select« 21316 | 264 |
| Leveling leg for speaker stand 21445 | 262 |

SPEAKER STAND

| 21436 | TOPLINE |
|---------------------|--|
| Weight | 3.5 kg |
| Special features | lightweight stand; patented gradual height adjustment system; integrated shock absorber; steel extension tube; mounting aid included |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,150 mm |
| Leg construction | tube legs with cross braces |
| Height adjustment | locking screw with push-button system |
| Max. load capacity* | 40 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,150 mm |
| Height | 1,440 to 2,230 mm |

Order No.

black 21436-009-55

Accessories

Page

| | |
|--------------------------------------|-----|
| Carrying case 21311 | 263 |
| Carrying case »Pro« 21312 | 265 |
| Carrying case »Select« 21316 | 264 |
| Leveling leg for speaker stand 21445 | 262 |

SPEAKER STAND

| 21455 | TOPLINE |
|---------------------|---|
| Weight | 3.3 kg |
| Special features | lightweight stand; steel extension tube; integrated shock absorber; for low to medium height applications |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 730 mm |
| Leg construction | tube legs with double cross braces |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity* | 40 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 860 mm |
| Height | from 1,005 to 1,545 mm |

Order No.

black 21455-009-55

Accessories

Page

| | |
|---------------------|-----|
| Carrying case 18846 | 160 |
|---------------------|-----|

Mounting aid



Approved for loads up to 50 kg



Patented push-button height adjustment system



Mounting aid



Approved for loads up to 40 kg



Patented push-button height adjustment system

p05e.k-m.de
Product video

Extra low design



Height adjustment with spring-loaded bolt and locking screw





Approved for
loads up to 50 kg

Heavy-duty
aluminum stand

Mounting aid



Height adjustment with
spring-loaded bolt and
locking screw

SPEAKER STAND

| 214/6 | TOPLINE |
|---------------------|---|
| Weight | 4.3 kg |
| Special features | lightweight stand; steel extension tube; integrated shock absorber; gradual height adjustment system; zinc die-cast connecting parts; mounting aid included |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,320 mm |
| Leg construction | tube legs with double cross braces |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity* | 50 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,170 mm |
| Height | from 1,375 to 2,185 mm |

Order No.

| | |
|------------|--------------|
| black | 21460-009-55 |
| pure white | 21460-009-76 |
| silver | 21460-009-81 |

Worldwide accepted: the speaker stand 214/6 – robust and sturdy. All clamps are high quality zinc die-cast. The leg construction and large fixed foot end caps enhance safety and stability. Other features are the pull-out guard for the extension tube, the integral anti-shock component and comfortable height adjustment with spring-loaded bolt and locking screw. Comes with a mounting aid on the extension rod.

| Accessories | Page |
|---|------|
| Carrying case 21311 | 263 |
| Carrying case »Pro« 21312 | 265 |
| Carrying case »Select« 21316 | 264 |
| Leveling leg for speaker stand 21445 | 262 |

SPEAKER STAND

| 19500 | TOPLINE |
|---------------------|---|
| Weight | 6.5 kg |
| Special features | particularly useful when space is restricted; folds flat; integrated shock absorber |
| Material | steel |
| Number of legs | 4 pieces |
| Base diameter | 950 mm |
| Leg construction | collapsible square tube legs |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity* | 50 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,075 x 125 x 125 mm |
| Height | from 1,240 to 1,940 mm |

Order No.

black 19500-011-55

Accessories

| | Page |
|------------------------------|------|
| Carrying case 21311 | 263 |
| Carrying case »Select« 21316 | 264 |

Folds flat



Flat footprint

SPEAKER STAND

| 26750 | TOPLINE |
|---------------------|---|
| Weight | 8.34 kg |
| Special features | speaker will be fixed with flange adapter |
| Material | steel |
| Base diameter | 450 mm |
| Leg construction | round cast-iron base |
| Height adjustment | locking screw and safety pin |
| Max. load capacity* | 35 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Height | from 950 to 1,430 mm |

Order No.

black 26750-000-55

Accessories

| | Page |
|---|------|
| Carrying case 21422 | 265 |
| Carrier bag for round base 26751 | 265 |
| Additional weight for base plates 26709 | 258 |



SPEAKER STAND

| 26734 | TOPLINE |
|---------------------|--|
| Weight | 12.85 kg |
| Special features | speaker will be fixed with flange adapter; mounting aid included |
| Material | steel |
| Leg construction | cast-iron base |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity* | 20 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Base dimensions | 480 x 480 mm |
| Height | from 1,100 to 1,810 mm |

Order No.

black 26734-000-55

Accessories


| | Page |
|--|------|
| Carrying case 21422 | 265 |
| Carrying case for base plate 24627-24629 | 265 |
| Additional weight for base plates 26709 | 258 |

Mounting aid



Height adjustment with spring-loaded bolt and locking screw

Can be extended to 1.81 m



SPEAKER STAND

| 26735 | TOPLINE |
|---------------------|--|
| Weight | 10 kg |
| Special features | speaker will be fixed with flange adapter; mounting aid included |
| Material | steel |
| Base diameter | 450 mm |
| Leg construction | round cast-iron base |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity* | 20 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Height | from 1,100 to 1,810 mm |


Order No.

| | |
|------------|--------------|
| black | 26735-000-55 |
| pure white | 26735-000-76 |

Accessories

| | Page |
|---|------|
| Carrying case 21422 | 265 |
| Carrier bag for round base 26751 | 265 |
| Additional weight for base plates 26709 | 258 |





SPEAKER STAND

| 213 | STARLINE |
|---------------------|---|
| Weight | 8.57 kg |
| Special features | push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety; zinc die-cast connecting parts |
| Material | steel |
| Number of legs | 3 pieces |
| Base diameter | 1,320 mm |
| Leg construction | tube legs with double cross braces |
| Height adjustment | hand crank with push-button system and locking screw |
| Max. load capacity* | 50 kg |
| Tube end(s) | diameter 35 mm, integrated threaded bush M10 for crossbars |
| Rod combination | 2-piece folding design |
| Size when folded | 1,170 mm |
| Height | from 1,385 to 2,180 mm |

Order No.

black 21300-009-55

A high quality professional speaker stand. Infinitely variable height adjustment is easy and comfortable with its hand crank system. A push-button prevents uncontrolled reverse motion. An additional locking screw guarantees extra safety.

| Accessories | Page |
|--------------------------------------|------|
| Carrying case 21311 | 263 |
| Carrying case »Pro« 21312 | 265 |
| Carrying case »Select« 21316 | 264 |
| Leveling leg for speaker stand 21445 | 262 |

SPEAKER STAND

| 21302 | STARLINE |
|---------------------|---|
| Weight | 7.65 kg |
| Special features | push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety; plastic connecting parts |
| Material | steel |
| Number of legs | 3 pieces |
| Base diameter | 1,150 mm |
| Leg construction | tube legs with cross braces |
| Height adjustment | hand crank with push-button system and locking screw |
| Max. load capacity* | 40 kg |
| Tube end(s) | diameter 35 mm, integrated threaded bush M10 for crossbars |
| Rod combination | 2-piece folding design |
| Size when folded | 1,170 mm |
| Height | from 1,385 to 2,180 mm |

Order No.

black 21302-009-55

Accessories
Page

| | |
|--------------------------------------|-----|
| Carrying case 21311 | 263 |
| Carrying case »Pro« 21312 | 265 |
| Carrying case »Select« 21316 | 264 |
| Leveling leg for speaker stand 21445 | 262 |

Heavy-duty stand



Easy-to-use

Approved for loads up to 40 kg


SPEAKER STAND WITH PNEUMATIC SPRING

| 21463 | STARLINE |
|---------------------|--|
| Weight | 6 kg |
| Special features | pneumatic spring with 25 kg power, for easy and safely lift up of speakers; lightweight stand; steel extension tube; gradual height adjustment system; zinc die-cast connecting parts; mounting aid included |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,320 mm |
| Leg construction | tube legs with double cross braces |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity* | 50 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,170 mm |
| Height | from 1,395 to 2,145 mm |

Order No.

black 21463-000-55

Accessories
Page

| | |
|--------------------------------------|-----|
| Carrying case 21311 | 263 |
| Carrying case »Pro« 21312 | 265 |
| Carrying case »Select« 21316 | 264 |
| Leveling leg for speaker stand 21445 | 262 |



Approved for loads up to 50 kg

Pneumatic spring
with 25 kg power


Spring-loaded bolt and locking screw


p13e.k-m.de
Product video


SPEAKER STAND »RING LOCK«**21467****STARLINE**

| | |
|---------------------|---|
| Weight | 5.2 kg |
| Special features | further development of 214/6; lightweight stand; steel extension tube; patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,320 mm |
| Leg construction | tube legs with double cross braces |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity* | 50 kg |
| Tube end(s) | »Ring Lock« diameter 35 to 37 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,160 mm |
| Height | 1,370 to 2,170 mm |

Order No.

black

21467-000-55

An exceptional aluminum speaker stand with a unique patented expanding mandrel system. The movable plastic splints provide for a vibration-free connection between the rod and the speaker. Connecting the speaker is easy and is done using the handy ring lock - which is simply placed in position and screwed on. The height is adjusted by an easy-to-use spring-loaded bolt and locking screw. Double foot struts, zinc die cast clamping brackets and large end caps provide for highest degree of stand stability. It can't get any better than this!

Accessories**Page**

| | |
|--------------------------------------|-----|
| Carrying case 21311 | 263 |
| Carrying case »Pro« 21312 | 265 |
| Carrying case »Select« 21316 | 264 |
| Leveling leg for speaker stand 21445 | 262 |



SPEAKER STAND »RING LOCK«

| 26737 | STARLINE |
|---------------------|--|
| Weight | 10 kg |
| Special features | patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints |
| Material | steel |
| Base diameter | 450 mm |
| Leg construction | round cast-iron base |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity* | 20 kg |
| Tube end(s) | »Ring Lock« diameter 35 to 37 mm |
| Rod combination | 2-piece folding design |
| Height | 1,125 to 1,810 mm |

Order No.

black 26737-000-55

Accessories

Page

| | |
|---|-----|
| Carrying case 21422 | 265 |
| Carrier bag for round base 26751 | 265 |
| Additional weight for base plates 26709 | 258 |

Easy-to-use Ring Lock system

Tight and firm fit for the speaker



Height adjustment with spring-loaded locking screw and safety bolt





TABLE MONITOR STAND

| 26772 | TOPLINE |
|--------------------|--|
| Weight | 3.1 kg |
| Special features | 4 rubber pads each for floor and tray provide for stability and noise filtration |
| Material | steel |
| Leg construction | flat steel plate |
| Height adjustment | continuous |
| Max. load capacity | 15 kg |
| Bearing plate | 150 x 170 mm |
| Base dimensions | 214 x 214 mm |
| Height | from 167 to 254 mm |

Order No.

structured black 26772-000-56

Attractive table stand for studio monitors and loudspeakers. The height adjustment is variable between 167 and 254 mm. 4 rubber pads each for floor and tray provide for stability and noise filtration. The recommended max. load is 15 kg. The support area (tray) dimensions are 150 x 170 mm.





TABLE MONITOR STAND

| 26774 | TOPLINE |
|--------------------|--|
| Weight | 4.96 kg |
| Special features | 4 rubber pads each for floor and tray provide for stability and noise filtration |
| Material | steel |
| Leg construction | flat steel plate |
| Height adjustment | continuous |
| Max. load capacity | 15 kg |
| Bearing plate | 230 x 250 mm |
| Base dimensions | 290 x 295 mm |
| Height | from 167 to 254 mm |

Order No.

structured black 26774-000-56

MONITOR STAND

| 26720 | TOPLINE |
|--------------------|--|
| Weight | 5.35 kg |
| Special features | internal cable routing possible; support plate with rubber bumps; for stationary use |
| Material | steel |
| Number of legs | 3 pieces |
| Leg construction | fixed screw-in legs |
| Height adjustment | locking screw and safety pin |
| Max. load capacity | 35 kg |
| Rod combination | 2-piece folding design |
| Bearing plate | 245 x 205 mm |
| Height | from 680 to 1,140 mm |

Order No.

black 26720-000-55

MONITOR STAND

| 26740 | TOPLINE |
|--------------------|--|
| Weight | 10.16 kg |
| Special features | direct attachment of monitors with 3/8" threaded joint (thread length 12 mm) possible; support plate with 4 thread points and 4 rubber knobs; for stationary use |
| Material | steel |
| Base diameter | 450 mm |
| Leg construction | round cast-iron base |
| Height adjustment | locking screw and safety pin |
| Max. load capacity | 35 kg |
| Rod combination | 2-piece folding design |
| Bearing plate | 245 x 205 mm |
| Height | from 950 to 1,430 mm |

Order No.

black 26740-000-55

Accessories

Page

| | |
|---|-----|
| Carrier bag for round base 26751 | 265 |
| Additional weight for base plates 26709 | 258 |



MONITOR STAND

| 26754 | TOPLINE |
|----------------------|---|
| Weight | 6.8 kg |
| Special features | with tiltable tray; additional stop angle; gradual height adjustment |
| Material | steel |
| Base diameter | 600 mm |
| Leg construction | 3-legged steel base |
| Height adjustment | 10 different positions |
| Max. load capacity | 35 kg |
| Rod combination | 2-piece folding design |
| Bearing plate | 250 x 230 mm |
| Height | from 800 to 1,300 mm |
| Angle of inclination | 0° to 12.5° |

Order No.

black

26754-000-55



The modern studio monitor stand with a tiltable tray and a metal tripod base provides for stability and functionality. The three felt pads ensure noise filtration. The adjustments for the monitor tray include a 12.5° angle and 45 mm in depth. The stop angle of the tray provides additional safety. The height is adjusted by a clamping lever and ranges from 800 to 1300 mm. The gradual height adjustment to the desired positions takes place in 50 mm intervals.



PROJECTOR TRAY

| 26747 | TOPLINE |
|---------------------------------|--|
| Weight | 3.08 kg |
| Special features | for projectors, monitors and for other equipment |
| Material | steel |
| Bearing plate | 420 x 380 mm |
| Function | to slip on stand |
| Suitable for tubing diameter of | 35 mm |

Order No.

black 26747-000-55

DESIGN MONITOR STAND

| 26785 | STARLINE |
|-------------------|---|
| Weight | 12.8 kg |
| Special features | for the Genelec 8000 monitor series; quick, uncomplicated mounting of the monitor is accomplished using the suspension device; gradual height adjustment system |
| Material | steel |
| Leg construction | cast-iron base |
| Height adjustment | spring-loaded clamping knob |
| Rod combination | 2-piece folding design |
| Base dimensions | 420 x 420 mm |
| Height | 1,100 to 1,700 mm |

Order No.

structured black 26785-018-56

DESIGN MONITOR STAND

| 26791 | STARLINE |
|-------------------|----------------------------------|
| Weight | 16.73 kg |
| Special features | gradual height adjustment system |
| Material | steel |
| Leg construction | cast-iron base |
| Height adjustment | spring-loaded clamping knob |
| Rod combination | 2-piece folding design |
| Base dimensions | 480 x 480 mm |
| Height | from 644 to 1,044 mm |

Order No.

structured black 26791-000-56

Accessories

Bearing plate 26792
Adapter 26793

Page

247
247



Internal cable bushing

DESIGN MONITOR STAND

| 26795 | STARLINE |
|-------------------|----------------------------------|
| Weight | 17.5 kg |
| Special features | gradual height adjustment system |
| Material | steel |
| Leg construction | cast-iron base |
| Height adjustment | spring-loaded clamping knob |
| Rod combination | 2-piece folding design |
| Base dimensions | 480 x 480 mm |
| Height | from 794 to 1,344 mm |

Order No.

structured black 26795-018-56

Accessories

| | Page |
|---------------------|------|
| Bearing plate 26792 | 247 |
| Adapter 26793 | 247 |

BEARING PLATE

| 26792 | STARLINE |
|------------------|--|
| Weight | 4 kg |
| Special features | available in 3 different sizes; 4 spikes and 4 rubber knobs included |
| Material | steel |
| Fits | 26791, 26795 |

Order No.

structured black, 240 x 5 x 200 mm, 1.924 kg 26792-024-56
 structured black, 320 x 5 x 280 mm, 3.582 kg 26792-032-56
 structured black, 420 x 5 x 380 mm, 6.352 kg 26792-042-56

ADAPTER

| 26793 | STARLINE |
|---------------------------------|-----------------------------|
| Weight | 0.312 kg |
| Special features | 2 fastening screws included |
| Material | steel |
| Max. load capacity | 50 kg |
| Height | 85 mm |
| Function | screw-on type |
| Suitable for tubing diameter of | 35 mm |
| Fits | 26791, 26795 |

Order No.

black 26793-000-56





ADAPTER BOLT

| 19683 | |
|-------------|--------------------------------------|
| Weight | 0.4 kg |
| Material | steel |
| Tube end(s) | diameter 35 mm, threaded bolt M20 |
| Height | 50 mm |

Order No.

zinc-plated 19683-000-29

Accessories

Page

| | |
|------------------------|-----|
| Connector plate 24116 | 257 |
| Base plate 26700 | 257 |
| Base plate 26703-26705 | 257 |
| Base plate 26706 | 258 |

ADAPTER BOLT

| 21324 | |
|-------------|---|
| Weight | 0.18 kg |
| Material | aluminum |
| Tube end(s) | diameter 35 mm, threaded bush M20 |
| Height | 75 mm |
| Fits | 21334, 21337, 21339, 21340, 21347, 21357, 21364, 21367, 21368, 24623, 26736 |

Order No.

black 21324-000-55

ADAPTER

| 21329 | |
|-------------|---|
| Weight | 0.6 kg |
| Material | steel |
| Tube end(s) | threaded bush M20, threaded bolt M20 |
| Height | 250 mm |

Order No.

black 21329-025-55



EXTENSION ROD

| 213/3 | |
|-------------|---|
| Weight | 1.76 kg |
| Material | steel |
| Tube end(s) | threaded bush M10, threaded bolt M10 |
| Height | 990 mm |

| Order No. | |
|-----------|--------------|
| black | 21330-900-55 |



DISTANCE ROD

| 21333 | |
|--------------------|----------------|
| Weight | 0.72 kg |
| Material | steel |
| Max. load capacity | 35 kg |
| Tube end(s) | diameter 35 mm |
| Height | 745 mm |

| Order No. | |
|-----------|--------------|
| black | 21333-000-55 |

| Accessories | Page |
|---------------------|------|
| Carrying case 21421 | 220 |



DISTANCE ROD

| 21334 | |
|--------------------|--------------------------------------|
| Weight | 1.14 kg |
| Special features | for precise fit |
| Material | steel |
| Max. load capacity | 35 kg |
| Tube end(s) | diameter 35 mm, threaded bolt M20 |

| Order No. | |
|---------------|--------------|
| black, 880 mm | 21334-000-55 |
| black, 500 mm | 21334-050-55 |

| Accessories | Page |
|------------------------|------|
| Carrying case 21421 | 220 |
| Adapter bolt 21324 | 248 |
| Connector plate 24116 | 257 |
| Base plate 26700 | 257 |
| Base plate 26703-26705 | 257 |
| Base plate 26706 | 258 |



DISTANCE ROD

| 21336 | |
|--------------------|--------------------------------------|
| Weight | 2.25 kg |
| Special features | mounting aid included |
| Material | steel |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity | 35 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Height | from 945 to 1,475 mm |

Order No.

black 21336-000-55

Accessories
Page

Carrying case 21421 220

DISTANCE ROD

| 21337 | |
|--------------------|--|
| Weight | 2.5 kg |
| Special features | for precise fit; mounting aid included |
| Material | steel |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity | 35 kg |
| Tube end(s) | diameter 35 mm, threaded bolt M20 |
| Rod combination | 2-piece folding design |
| Height | from 905 to 1,450 mm |

Order No.

black 21337-000-55
pure white 21337-000-76

Accessories
Page

Carrying case 21421 220
Adapter bolt 21324 248
Connector plate 24116 257
Base plate 26700 257
Base plate 26703-26705 257
Base plate 26706 258

DISTANCE ROD

| 26736 | |
|--------------------|--|
| Weight | 2.85 kg |
| Special features | for precise fit; mounting aid included |
| Material | steel |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity | 35 kg |
| Tube end(s) | diameter 35 mm, threaded bolt M20 |
| Rod combination | 2-piece folding design |
| Height | from 1,085 to 1,785 mm |

Order No.

black 26736-000-55
pure white 26736-000-76

Accessories
Page

Carrying case 21422 265
Adapter bolt 21324 248
Connector plate 24116 257
Base plate 26700 257
Base plate 26703-26705 257
Base plate 26706 258

Mounting aid



Height adjustment with spring-loaded bolt and locking screw



Mounting aid



Height adjustment with spring-loaded locking screw and safety bolt



Mounting aid



Height adjustment with spring-loaded locking screw and safety bolt





Height adjustment with spring-loaded locking screw and safety bolt

DISTANCE ROD

NEW

24623

| | |
|--------------------|---|
| Weight | 3.88 kg |
| Special features | integrated threaded socket M10 allows the mounting of a crossbar or the direct attachment of spotlights |
| Material | steel |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity | 18 kg |
| Tube end(s) | diameter 35 mm, integrated threaded bush M10 for cross-bars; threaded bolt M20 |
| Rod combination | 2-piece folding design |
| Height | from 1,400 to 2,400 mm |

Order No.

| | |
|------------|--------------|
| black | 24623-000-55 |
| pure white | 24623-000-76 |

Steel tube combination for use with various base plates. With threaded bolt M20 for screwing in. Extension tube with diameter 35 mm to accommodate loudspeaker cabinets with flange socket. Height adjustable by means of a locking screw and safety bolt. The integrated threaded socket M10 allows the mounting of a crossbar or the direct attachment of spotlights.

Accessories

Page

| | |
|------------------------|-----|
| Adapter bolt 21324 | 248 |
| Connector plate 24116 | 257 |
| Base plate 26700 | 257 |
| Base plate 26703-26705 | 257 |
| Base plate 26706 | 258 |

DISTANCE ROD WITH HAND CRANK

| 21338 | |
|--------------------|---|
| Weight | 3.5 kg |
| Special features | push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety |
| Material | steel |
| Height adjustment | hand crank with push-button system and locking screw |
| Max. load capacity | 35 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Height | from 1,040 to 1,605 mm |

Order No.

black 21338-000-55

Accessories

Carrying case 18851

Page

160

DISTANCE ROD WITH HAND CRANK

| 21339 | |
|--------------------|--|
| Weight | 3.98 kg |
| Special features | push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety; M20 bolt for precise and vertical fit |
| Material | steel |
| Height adjustment | hand crank with push-button system and locking screw |
| Max. load capacity | 35 kg |
| Tube end(s) | diameter 35 mm, threaded bolt M20 |
| Rod combination | 2-piece folding design |
| Height | from 940 to 1,505 mm |

Order No.

black 21339-000-55

Accessories

Universal carrying case 15043
Carrying case 18851
Adapter bolt 21324
Connector plate 24116
Base plate 26700
Base plate 26703-26705
Base plate 26706

Page

85
160
248
257
257
257
258


**DISTANCE ROD WITH
HAND CRANK AND »RING LOCK«**

| 21340 | |
|--------------------|---|
| Weight | 3.8 kg |
| Special features | patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety; M20 bolt for precise and vertical fit |
| Material | steel |
| Height adjustment | hand crank with push-button system and locking screw |
| Max. load capacity | 35 kg |
| Tube end(s) | »Ring Lock« diameter 35 to 37 mm, threaded bolt M20 |
| Rod combination | 2-piece folding design |
| Height | from 920 to 1,520 mm |

Order No.

black 21340-000-55

Accessories

| | Page |
|-------------------------------|------|
| Universal carrying case 15043 | 85 |
| Carrying case 18851 | 160 |
| Adapter bolt 21324 | 248 |
| Connector plate 24116 | 257 |
| Base plate 26700 | 257 |
| Base plate 26703-26705 | 257 |
| Base plate 26706 | 258 |


 Easy-to-use
»Ring Lock« system

 Tight and firm fit
for the speaker

DISTANCE ROD

| 21347 | |
|--------------------|---------------------------------------|
| Weight | 2.19 kg |
| Special features | M20 bolt for precise and vertical fit |
| Material | steel |
| Height adjustment | locking screw and safety pin |
| Max. load capacity | 35 kg |
| Tube end(s) | diameter 35 mm, threaded bolt M20 |
| Rod combination | 2-piece folding design |
| Height | from 905 to 1,385 mm |

Order No.

black 21347-000-55

Accessories

| | Page |
|------------------------|------|
| Carrying case 21421 | 220 |
| Adapter bolt 21324 | 248 |
| Connector plate 24116 | 257 |
| Base plate 26700 | 257 |
| Base plate 26703-26705 | 257 |
| Base plate 26706 | 258 |

DISTANCE ROD

| 21348 | |
|--------------------|--|
| Weight | 2.12 kg |
| Special features | with additional levelling adapter for a clearance-free fit |
| Material | steel |
| Height adjustment | locking screw and safety pin |
| Max. load capacity | 35 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Height | from 970 to 1,490 mm |

Order No.

black 21348-000-55

Accessories

| | Page |
|---------------------|------|
| Carrying case 21422 | 265 |



**DISTANCE ROD
WITH PNEUMATIC SPRING**

| 21356 | |
|--------------------|---|
| Weight | 3.01 kg |
| Special features | pneumatic spring with 17 kg power, for easy and safely lift up of speakers; gradual height adjustment system; mounting aid included |
| Material | steel |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity | 35 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Height | from 1,025 to 1,545 mm |

Order No.

black 21356-000-55

Accessories

Carrying case 21421 220

**DISTANCE ROD
WITH PNEUMATIC SPRING**

| 21357 | |
|--------------------|--|
| Weight | 3.01 kg |
| Special features | for precise fit; pneumatic spring with 17 kg power, for easy and safely lift up of speakers; gradual height adjustment system; mounting aid included |
| Material | steel |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity | 35 kg |
| Tube end(s) | diameter 35 mm, threaded bolt M20 |
| Rod combination | 2-piece folding design |
| Height | from 925 to 1,445 mm |

Order No.

black 21357-000-55

Accessories

| | Page |
|------------------------|------|
| Carrying case 21421 | 220 |
| Adapter bolt 21324 | 248 |
| Connector plate 24116 | 257 |
| Base plate 26700 | 257 |
| Base plate 26703-26705 | 257 |
| Base plate 26706 | 258 |

DISTANCE ROD »RING LOCK«

| 21360 | |
|--------------------|--|
| Weight | 1.15 kg |
| Special features | patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints |
| Material | steel |
| Max. load capacity | 35 kg |
| Tube end(s) | »Ring Lock« diameter 35 to 37 mm |
| Height | 750 mm |

Order No.

black 21360-000-55

Accessories

Carrying case 21421 220

Mounting aid



Height adjustable with spring-loaded bolt and locking screw

Integrated 17 kg
pneumatic spring

Mounting aid



Height adjustable with spring-loaded bolt and locking screw

Integrated 17 kg
pneumatic spring

Easy-to-use
»Ring Lock«
system

Tight and firm fit
for the base and
satellite speaker

DISTANCE ROD »RING LOCK«

| 21364 | |
|--------------------|--|
| Weight | 1.33 kg |
| Special features | patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; M20 bolt for precise and vertical fit |
| Material | steel |
| Max. load capacity | 35 kg |
| Tube end(s) | »Ring Lock« diameter 35 to 37 mm, threaded bolt M20 |
| Height | 880 mm |

Order No.

black 21364-000-55

Accessories Page

| | |
|------------------------|-----|
| Carrying case 21421 | 220 |
| Adapter bolt 21324 | 248 |
| Connector plate 24116 | 257 |
| Base plate 26700 | 257 |
| Base plate 26703-26705 | 257 |
| Base plate 26706 | 258 |

DISTANCE ROD »RING LOCK«

| 21366 | |
|--------------------|--|
| Weight | 2.9 kg |
| Special features | patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints |
| Material | steel |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity | 35 kg |
| Tube end(s) | »Ring Lock« diameter 35 to 37 mm |
| Rod combination | 2-piece folding design |
| Height | from 1,005 to 1,485 mm |

Order No.

black 21366-014-55

Accessories Page

| | |
|---------------------|-----|
| Carrying case 21422 | 265 |
|---------------------|-----|

DISTANCE ROD »RING LOCK«

| 21368 | |
|--------------------|--|
| Weight | 3.2 kg |
| Special features | patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; M20 bolt for precise and vertical fit |
| Material | steel |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity | 35 kg |
| Tube end(s) | »Ring Lock« diameter 35 to 37 mm, threaded bolt M20 |
| Rod combination | 2-piece folding design |
| Height | from 1,100 to 1,800 mm |

Order No.

black 21368-000-55

Accessories Page

| | |
|------------------------|-----|
| Adapter bolt 21324 | 248 |
| Connector plate 24116 | 257 |
| Base plate 26700 | 257 |
| Base plate 26703-26705 | 257 |
| Base plate 26706 | 258 |

Easy-to-use
»Ring Lock«
systemTight and firm fit
for the speakerTight and
firm fit for
the speakerEasy-to-use
»Ring Lock«
systemHeight adjustment
with spring-loaded
locking screw and
safety boltTight and firm
fit for the satellite
speaker



Easy-to-use
»Ring Lock« system

Tight and firm fit
for the satellite
speaker



DISTANCE ROD »RING LOCK«

| 21367 | |
|--------------------|---|
| Weight | 2.76 kg |
| Special features | patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; M20 bolt for precise and vertical fit |
| Material | steel |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity | 35 kg |
| Tube end(s) | »Ring Lock« diameter 35 to 37 mm, threaded bolt M20 |
| Rod combination | 2-piece folding design |
| Height | from 890 to 1,380 mm |

Order No.

| | |
|-------|--------------|
| black | 21367-014-55 |
|-------|--------------|

This high quality, height adjustable distance rod is a guarantee for a secure, stable and quiet connection to satellite systems. The height is adjusted by an easy-to-use spring-loaded bolt and locking screw. The distance rod is connected to the subwoofer using the M20 threaded bolt. The unique patented expanding mandrel system provides a stable, tight and firm fit for satellite speakers. The movable plastic splints provide for a vibration-free connection between the rod and the speaker. Connecting the speaker is easy and is done using the handy ring lock - which is simply placed in position and screwed on.

| Accessories | Page |
|------------------------|------|
| Carrying case 21421 | 220 |
| Adapter bolt 21324 | 248 |
| Connector plate 24116 | 257 |
| Base plate 26700 | 257 |
| Base plate 26703-26705 | 257 |
| Base plate 26706 | 258 |

CONNECTOR PLATE

| 24116 | |
|--------------------|--|
| Weight | 0.24 kg |
| Material | zinc die-cast |
| Bore holes | diameter 6.5 mm (4 x) |
| Function | to screw on speakers |
| Diameter | 105 mm |
| Height | 25 mm |
| Threaded connector | M20 |
| Fits | 19683, 21334, 21337, 21339, 21340, 21347, 21357, 21364, 21367, 21368, 24623, 26736 |

Order No.

black 24116-000-55

BASE PLATE

| 26700 | |
|--------------------|---|
| Weight | 6.7 kg |
| Special features | Felt strips for floor protection are included |
| Material | grey cast iron |
| Diameter | 450 mm |
| Height | 21 mm |
| Threaded connector | M20 |
| Fits | 19683, 21334, 21337, 21339, 21340, 21347, 21357, 21364, 21367, 21368, 24623, 26007, 26736 |

Order No.

structured black 26700-000-56
pure white 26700-000-76

Accessories

| | Page |
|---|------|
| Thread adapter 21950 | 224 |
| Carrier bag for round base 26751 | 265 |
| Additional weight for base plates 26709 | 258 |



For all common distance rods and tube combinations with M20 threaded bolts.

**BASE PLATE**

| 26703-26705 | |
|--------------------|---|
| Weight | 13.5 kg |
| Special features | heavy, flat steel plate; includes a practical integrated handle and a cable management |
| Material | steel |
| Dimensions | 550 x 550 x 27.3 mm |
| Threaded connector | M20 |
| Fits | 19683, 21334, 21337, 21339, 21340, 21347, 21357, 21364, 21367, 21368, 24623, 26007, 26736 |

Order No.

structured black, 410 x 410 x 27.3 mm, weight: 7 kg 26703-000-56
structured black, 480 x 480 x 27.3 mm, weight: 10 kg 26704-000-56
structured black, 550 x 550 x 27.3 mm, weight: 13.5 kg 26705-000-56
pure white, 550 x 550 x 27.3 mm, weight: 13.5 kg 26705-000-76

Accessories

| | Page |
|--|------|
| Thread adapter 21950 | 224 |
| Carrying case for base plate 24627-24629 | 265 |
| Ring spanner for base plates 26702 | 258 |
| Additional weight for base plates 26709 | 258 |

With integrated handle and cable management.
For all common distance rods and tube combinations with M20 threaded bolts.





BASE PLATE

NEW

| 26706 | |
|--------------------|---|
| Weight | 13.3 kg |
| Special features | heavy, flat steel plate; includes a practical integrated handle and a cable management; depending on the requirements, there are three options for positioning the pedestal |
| Material | steel |
| Dimensions | 550 x 550 x 27.3 mm |
| Threaded connector | M20 |
| Fits | 19683, 21334, 21337, 21339, 21340, 21347, 21357, 21364, 21367, 21368, 24623, 26007, 26736 |

Order No.

| | |
|------------------|--------------|
| structured black | 26706-000-56 |
| pure white | 26706-000-76 |

Accessories

Page

| | |
|--|-----|
| Thread adapter 21950 | 224 |
| Carrying case for base plate 24627-24629 | 265 |
| Ring spanner for base plates 26702 | 258 |
| Additional weight for base plates 26709 | 258 |

RING SPANNER FOR BASE PLATES

| 26702 | |
|------------------|--|
| Weight | 0.215 kg |
| Special features | Wrench, SW 40 mm, for aligning spacer rods and tube combinations in conjunction with base plates |
| Material | steel |
| Dimensions | 250 x 53 x 26 mm |
| Fits | 24624, 26703-26705, 26706 |

Order No.

| | |
|-------------|--------------|
| zinc-plated | 26702-000-29 |
|-------------|--------------|



ADDITIONAL WEIGHT FOR BASE PLATES

NEW


| 26709 | |
|------------------|--|
| Weight | 5 kg |
| Special features | to increase the stability; including self-adhesive rubber buffers for non-slip, low-noise operation; several plates can also be stacked onto each other. |
| Material | steel |
| Bore holes | diameter 43.5 mm (2 x) |
| Diameter | 325 mm |
| Height | 8 mm |
| Fits | 24624, 26700, 26703-26705, 26706, 26734, 26735, 26737, 26740, 26750 |

Order No.

| | |
|------------------|--------------|
| structured black | 26709-000-56 |
|------------------|--------------|



With integrated handle and cable management.
For all common distance rods and tube combinations with M20 threaded bolts.



MOUNTING ADAPTER

| 195/8 | |
|---------------------------------|--|
| Weight | 0.68 kg |
| Material | steel |
| Max. load capacity | 50 kg |
| Dimensions | 175 x 110 x 104 mm |
| Bore holes | 35 x 9.5 mm (2 x) |
| Function | to screw on speakers, to slip on stand |
| Spacing of holes | from 100 to 152 mm |
| Suitable for tubing diameter of | 35 mm |

Order No.

| | |
|------------|--------------|
| black | 19580-000-55 |
| pure white | 19580-000-76 |

**FLANGE ADAPTER**

| 19654 | |
|---------------------------------|---|
| Weight | 0.077 kg |
| Material | plastic |
| Bore holes | diameter 6.5 mm (4 x) |
| Function | to screw into speaker, to slip on stand |
| Suitable for tubing diameter of | 35 mm |
| Installation depth | 60.5 mm |
| Flange | diameter 105 mm |

Order No.

| | |
|-------|--------------|
| black | 19654-000-55 |
|-------|--------------|

**FLANGE ADAPTER**

| 19656 | |
|---------------------------------|---|
| Weight | 0.34 kg |
| Material | zinc die-cast |
| Bore holes | diameter 6.5 mm (4 x) |
| Function | to screw into speaker, to slip on stand |
| Suitable for tubing diameter of | 35 mm |
| Installation depth | 75 mm |
| Flange | diameter 105 mm |

Order No.

| | |
|-------|--------------|
| black | 19656-000-55 |
|-------|--------------|

**FLANGE ADAPTER**

| 19665 | |
|---------------------------------|---|
| Weight | 0.38 kg |
| Material | steel |
| Bore holes | diameter 6.5 mm (4 x) |
| Function | to screw into speaker, to slip on stand |
| Suitable for tubing diameter of | 25 mm |
| Installation depth | 78 mm |
| Flange | diameter 105 mm |
| Fits | 21420 |

Order No.

| | |
|-------|--------------|
| black | 19665-000-55 |
|-------|--------------|

**SCREW-ON ADAPTER**

| 24281 | |
|---------------------------------|---|
| Weight | 0.56 kg |
| Special features | secured by locking screw; mounting bolts M10 x 40 mm, washers and nuts (2 of each) included |
| Material | steel |
| Dimensions | 146 x 40 x 105 mm |
| Bore holes | ø 11 mm (2 x) |
| Function | to screw on speakers, to slip on stand |
| Spacing of holes | 115 mm |
| Suitable for tubing diameter of | 35 mm |

Order No.

| | |
|-------|--------------|
| black | 24281-000-55 |
|-------|--------------|



SPEAKER TILT CONNECTOR

»RING LOCK«

| 19674 | |
|---------------------------------|---|
| Weight | 0.85 kg |
| Special features | patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; secured by locking screws; with setting scale |
| Material | steel |
| Max. load capacity | 25 kg |
| Tube end(s) | »Ring Lock« diameter 35 to 37 mm |
| Height | 300 mm |
| Angle of inclination | 0° to 15° |
| Function | to slip on stand, to insert into speaker |
| Suitable for tubing diameter of | 35 mm |

Order No.

black 19674-000-55



SPEAKER TILT CONNECTOR

| 19670 | |
|---------------------------------|---|
| Weight | 0.67 kg |
| Special features | secured by locking screws; with setting scale |
| Material | steel |
| Max. load capacity | 25 kg |
| Height | 230 mm |
| Angle of inclination | 0° to 15° |
| Function | to slip on stand, to insert into speaker |
| Suitable for tubing diameter of | 35 mm |

Order No.

black 19670-000-55



SPEAKER MOUNT

| 19688 | |
|------------------|---|
| Weight | 0.36 kg |
| Special features | to hold a JBL Control 1 speaker; incl. thread adapter 5/8" - 3/8" |
| Material | steel |
| Swivel | 250° |
| Suitable for | 3/8" and 5/8" thread |

Order No.

black 19688-300-55



LEVELLING ADAPTER

| 85890 | |
|---------------------------------|--|
| Weight | 0.01 kg |
| Special features | for distance rods; for a wobble-free fit; two adapter rings, one at each side of the rod, should be used with a satellite system |
| Material | plastic |
| Suitable for tubing diameter of | 35 mm |
| Diameter | 42 mm |
| Height | 14.5 mm |

Order No.

black (unit: 2 pcs.) 85890-000-55



ADAPTER SLEEVE

| 21326 | |
|---------------------------------|---|
| Weight | 0.01 kg |
| Special features | for speaker flanges with inside tube diameter 38 mm |
| Material | plastic |
| Height | 102 mm |
| Function | to slip on stand |
| Suitable for tubing diameter of | 35 mm |

Order No.

black 21326-000-55



ADAPTER SLEEVE »RING LOCK«

| 21441 | |
|---------------------------------|--|
| Weight | 0.66 kg |
| Special features | patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; secured by locking screw |
| Material | steel |
| Tube end(s) | »Ring Lock« diameter 35 to 37 mm |
| Height | 270 mm |
| Function | to slip on stand, to insert into speaker |
| Suitable for tubing diameter of | 35 mm |

| Order No. | |
|-----------|--------------|
| black | 21441-000-55 |

Easy-to-use Ring Lock system



Tight and firm fit for the speaker



INCLINABLE STAND ADAPTER

| 19780 | |
|---------------------------------|---|
| Weight | 0.55 kg |
| Special features | assembly is easy as the swivel mount is first attached to the stand and then slotted into the bracket; tiltable |
| Material | steel |
| Max. load capacity | 15 kg |
| Height | 80 mm |
| Angle of inclination | 0° to 30° |
| Function | to slip on stand |
| Suitable for tubing diameter of | 35 mm |

| Order No. | |
|------------|--------------|
| black | 19780-018-55 |
| pure white | 19780-018-76 |

| Accessories | Page |
|--|------|
| Adapter panel 1 24352 | 271 |
| Adapter panel 2 24354 | 271 |
| Adapter panel 3 24356 | 272 |
| Adapter panel 4 24357 | 272 |
| Adapter panel 5 24358 | 272 |
| Adapter panel 6 24359 | 272 |
| Adapter plate VESA MIS-D 75/100 19615 | 303 |
| Adapter plate VESA MIS-E 200 19616 | 303 |
| Adapter plate VESA MIS-F 200x200 19617 | 303 |





Allows a height adjustment of max. 200 mm

If the surface is even or for transport simply leave the adapter on the speaker foot

Leveling leg for placement on uneven surfaces (stairs, steps etc.)



LEVELING LEG FOR SPEAKER STAND

| 21445 | |
|---------------------------------|---|
| Weight | 0.7 kg |
| Special features | with the help of this adapter you can easily balance out uneven surfaces, stairs, steps or sloped surfaces; allows a height adjustment of max. 200 mm; if the surface is even, you simply leave the adapter in the initial position on the speaker foot |
| Material | steel |
| Suitable for tubing diameter of | 35 mm |
| Diameter | 40 mm |
| Height | 647 mm |
| Fits | 213, 21302, 214/6, 21435, 21436, 21463, 21467, 21471, 21472, 24630 |

Order No.

black 21445-000-55

Adapt your speaker stand to the respective stage, studio or rehearsal room using this leveling leg

- a useful supplement for the following König & Meyer speaker stands:

1300-009-55, 21302-009-55, 21435-009-55, 21436-009-55, 21460-009-55, 21460-009-76, 21460-009-81, 21463-000-55, 21467-000-55 and 24630-009-55. With the help of this adapter you can easily level uneven surfaces, stairs, steps or sloped surfaces. The leveling leg is attached to one of the speaker feet and set using a clamping bracket. The required leveling length is variable and allows a height adjustment of max. 200 mm. If the surface is even, you simply leave the adapter in the initial position on the speaker foot.

SPEAKER MOUNTING FORK

| 24105 | |
|------------------------------------|---|
| Weight | 1.48 kg |
| Special features | for 2 speakers; secured by locking screw; for loads up to 2 x 25 kg |
| Material | steel |
| Mounting bolt | diameter 35 mm x 120 mm |
| Function | to slip on stand |
| Suitable for tubing diameter of | 35 mm |
| Width-adjustable | from 310 to 490 mm |

Order No.

black 24105-000-55



TRAY

NEW

| 12227 | |
|------------------|--|
| Weight | 2 kg |
| Special features | can/cup holder is included; with slot for convenient cable routing; a foam insert is included |
| Material | steel |
| Dimensions | 250 x 330 mm |
| Screw-on to | tube diameter up to 42 mm |

Order No.

black 12227-000-55



WARNING STRIP

| 21402 | |
|------------------|---|
| Weight | 0.08 kg |
| Special features | reflective collar; yellow/black stripes printed with „CAUTION“ |
| Material | nylon |
| Dimensions | 600 x 175 mm |
| Mounting | leg of the stand with velcro |

Order No.

21402-000-00



CABLE HOLDER

| 21403 | |
|------------------|--------------------------------|
| Weight | 0.01 kg |
| Special features | for better cable management |
| Material | Velours |
| Dimensions | 220 x 25 x 1.5 mm |

Order No.

black (unit: 3 pcs.) 21403-003-55



CABLE CLAMP

| 21404 | |
|------------------------------------|---|
| Weight | 0.031 kg |
| Special features | for speaker stands & lighting stands; for up to 12 cables; 2 cable clamps are included in the delivery |
| Material | plastic |
| Dimensions diameter | 61 x 16 mm |
| Suitable for tubing diameter of | 35 to 42 mm |

Order No.

black 21404-000-55

Can secure a total of 12
cables with 4 – 9 mm width

CARRYING CASE

| 21311 | |
|----------------------------|--|
| Weight | 1 kg |
| Special features | to store and transport two spea- ker/lighting stands; two inside compart- ments |
| Material | nylon |
| Dimensions | 1,200 x 250 x 250 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 19500, 213, 21302, 214/6, 21411, 21435, 21436, 21450, 21456, 21463, 21467, 21471, 28070 |

Order No.

21311-000-00



High quality cushioning



CARRYING CASE »SELECT«

| 21316 | |
|-------------------------|--|
| Weight | 2.1 kg |
| Special features | to store and transport two speaker/lighting stands; two inside compartments |
| Material | 1680D Nylon fabric |
| Dimensions | 1,200 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 19500, 213, 21302, 214/6, 21411, 21435, 21436, 21450, 21463, 21467, 21471, 28070 |

Order No.

21316-000-00

Large carrying case for speaker and hand crank stands. Case made of extremely durable 1680D nylon fabric. All seams hand-stitched in high quality. Padded carrying handles and a durable zipper are further quality features.

CARRYING CASE »PRO«

| 21312 | |
|-------------------------|--|
| Weight | 1.32 kg |
| Special features | to store and transport two speaker/lighting stands; two inside compartments |
| Material | nylon |
| Dimensions | 1,200 x 250 x 250 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 213, 21302, 214/6, 21411, 21435, 21436, 21450, 21456, 21463, 21467, 21471, 28070 |

Order No.

21312-000-00

**CARRYING CASE****NEW**

| 21319 | |
|-------------------------|---|
| Weight | 1.2 kg |
| Special features | to store and transport two speaker/lighting stands; two inside compartments |
| Material | nylon |
| Dimensions | 1,350 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 21472 |

Order No.

21319-000-00

**CARRYING CASE**

| 21422 | |
|-------------------------|--|
| Weight | 0.36 kg |
| Special features | to store and transport two speaker/monitor stands; two inside compartments |
| Material | nylon |
| Dimensions | 1,290 x 140 x 140 mm |
| Handle or carrying type | handle |
| Fastener | cord fastener |
| Fits | 20800, 21021, 21231, 21348, 21366, 21420, 25600, 26734, 26735, 26736, 26737, 26750 |

Order No.

21422-000-00

**CARRYING CASE**

| 24611 | |
|-------------------------|---|
| Weight | 1.13 kg |
| Special features | to store and transport two lighting/speaker stands; two inside compartments; snap fasteners adjust the sizes, 2250 or 1750 mm |
| Material | nylon |
| Dimensions | 2,250 x 320 x 170 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 246/1, 24620, 24624, 24625, 24630, 24640 |

Order No.

24611-000-00

**CARRYING CASE FOR BASE PLATE**

| 24627-24629 | |
|-------------------------|----------------------------------|
| Material | nylon |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 24624, 26703-26705, 26706, 26734 |

Order No.

dimension: 560 x 560 x 30 mm. Weight: 0.5 kg 24627-000-00
 dimension: 490 x 490 x 30 mm. Weight: 0.4 kg 24628-000-00
 dimension: 420 x 420 x 30 mm. Weight: 0.3 kg 24629-000-00

**CARRIER BAG FOR ROUND BASE**

| 26751 | |
|-------------------------|-----------------------------------|
| Weight | 0.38 kg |
| Material | nylon |
| Dimensions diameter | 460 x 25 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Suitable for | round cast-iron base diam. 450 mm |
| Fits | 26700, 26735, 26737, 26740, 26750 |

Order No.

26751-000-00



SPEAKER WALL MOUNT

| 24140 | |
|------------------------|---|
| Weight | 2.6 kg |
| Special features | speaker distance from the wall can be adjusted in 4 positions |
| Material | steel |
| Max. load capacity | 35 kg |
| Mounting bolt | diameter 35 mm x 85 mm |
| Wall-to-bolt clearance | 225/255/285/315 mm |
| Mounting | attaches to walls |

Order No.

black 24140-000-55



GS-approved for loads up to 35 kg



Tighten/loosen clamping element with enclosed key

SPEAKER WALL MOUNT

| 24110 | |
|------------------------|--|
| Weight | 2.7 kg |
| Special features | patented straddling bearing-anchors; guarantee effective clamping of speaker in any position; resonance-optimised construction |
| Material | steel |
| Max. load capacity | 50 kg |
| Mounting bolt | straddling bearing-anchors diameter 35 to 37 mm x 85 mm |
| Wall-to-bolt clearance | 420 mm |
| Mounting | attaches to walls |
| Angle of inclination | 0° to 22° |
| Adjustment | gradual in 11 settings |

Order No.

black 24110-000-55
white 24110-000-57


GS-approved for loads up to 50 kg



Tighten/loosen clamping
element with enclosed key



GS-approved for
loads up to 50 kg

SPEAKER WALL MOUNT

24120

| | |
|------------------------|--|
| Weight | 6.1 kg |
| Special features | very flexible; patented straddling bearing-anchors; guarantee effective clamping of speaker in any position; resonance-optimised construction |
| Material | steel |
| Max. load capacity | 50 kg |
| Mounting bolt | straddling bearing- anchors diameter 35 to 37 mm x 85 mm |
| Wall-to-bolt clearance | 420 mm |
| Mounting | attaches to walls |
| Angle of inclination | 0° to 22° |
| Swivel | 180° |
| Adjustment | gradual in 11 settings |
| Wall plate | 580 x 140 mm |

Order No.

black 24120-000-55

The swivelling and tiltable wall mount holds your speaker at the angle you want. The mount has 11 different tilt settings moving through 22°. The swivel is adjustable to any angle. The patented expanding mandrel for loud speakers with cabinet interiors of diameter from 35 to 37 mm is tightened with a key for a non-wobble and low-resonance speaker fit.

**SPEAKER MOUNT**

| 24150 | |
|------------------------|-------------------------------|
| Weight | 3.4 kg |
| Special features | for vertical traverse systems |
| Material | steel |
| Max. load capacity | 50 kg |
| Mounting bolt | diameter 35 mm x 100 mm |
| Wall-to-bolt clearance | 316/383/451 mm |
| Mounting | clamp |
| Swivel | 240° |
| Wall clearance | 515 mm |
| Clamping range | ø 45 to 55 mm |

Order No.

black 24150-018-55

SPEAKER WALL MOUNT WITH SHEET

| 24171 | |
|----------------------|--|
| Weight | 3.18 kg |
| Special features | clamp area for loudspeakers from 115 to 250 mm |
| Material | steel |
| Max. load capacity | 15 kg |
| Mounting | attaches to walls |
| Angle of inclination | 3° to -20° |
| Swivel | 100° |
| Wall plate | 220 x 120 mm |

Order No.

black 24171-000-55

SPEAKER WALL MOUNT

| 24173 | |
|------------------------|---------------------------|
| Weight | 3.7 kg |
| Material | steel |
| Max. load capacity | 25 kg |
| Mounting bolt | diameter 35 mm x 85 mm |
| Wall-to-bolt clearance | 173/203/233/ 263 mm |
| Mounting | attaches to walls |
| Angle of inclination | 0° to 30° |
| Swivel | 145° |
| Wall clearance | 486 mm |
| Wall plate | 220 x 120 mm |

Order No.

black 24173-000-55



UNIVERSAL SPEAKER WALL MOUNT

| 24161 | |
|---------------------------------|--------------------|
| Weight | 0.711 kg |
| Material | steel |
| Max. load capacity | 15 kg |
| Bearing plate | 100 x 90 mm |
| Mounting | attaches to walls |
| Angle of inclination | 0° to 45° |
| Swivel | 110° |
| Adjustment | stepless |
| Wall clearance | 65 mm |
| Ceiling mounting plate diameter | 95 mm |
| Spacing of holes | from 70 to 76,2 mm |

Order No.

| | |
|------------------|--------------|
| structured black | 24161-000-56 |
| structured white | 24161-000-66 |

SPEAKER WALL MOUNT

| 24180 | |
|----------------------|---|
| Weight | 0.735 kg |
| Special features | small (20 x 98 mm) and wide bracket (24 x 98 mm) included |
| Material | steel |
| Max. load capacity | 10 kg |
| Bearing plate | 40 x 98.5 mm |
| Mounting | attaches to walls |
| Angle of inclination | 0° to 15° |
| Swivel | 180° |
| Wall clearance | 105 mm |
| Wall plate | 130 x 70 mm |

Order No.

| | |
|-------|--------------|
| black | 24180-000-55 |
| white | 24180-000-57 |

SPEAKER WALL/ CEILING MOUNT

| 24185 | |
|----------------------|--------------------------------|
| Weight | 0.65 kg |
| Special features | also suitable as ceiling mount |
| Material | steel |
| Max. load capacity | 10 kg |
| Bearing plate | 95 x 80 mm |
| Mounting | attaches to walls and ceilings |
| Angle of inclination | 0° to 90° |
| Swivel | 360° |
| Adjustment | swivel ball joint assembly |
| Wall clearance | 160 mm |
| Wall plate | 95 x 95 mm |

Order No.

| | |
|--|--------------|
| black | 24185-017-55 |
| black, with 3/8" threaded connector, without bearing plate | 24185-317-55 |



**SPEAKER WALL/ CEILING MOUNT**

| 24195 | |
|----------------------|--|
| Weight | 1.08 kg |
| Special features | also suitable as ceiling mount; steel safety wire cable included |
| Material | steel |
| Max. load capacity | 15 kg |
| Bearing plate | 127 x 60 mm |
| Mounting | attaches to walls and ceilings |
| Angle of inclination | 0° to 90° |
| Swivel | 360° |
| Adjustment | tooth system with wing nut |
| Wall clearance | 271 mm |
| Wall plate | 170 x 95 mm |

Order No.

| | |
|-------|--------------|
| black | 24195-000-55 |
|-------|--------------|

SPEAKER WALL MOUNT

| 24465 | |
|----------------------|---------------------------------|
| Weight | 0.6 kg |
| Special features | to hold a JBL Control 1 speaker |
| Material | steel |
| Mounting | attaches to walls |
| Angle of inclination | 0° to 90° |
| Swivel | 85° |
| Wall clearance | 153 mm |
| Wall plate | 120 x 85 mm |

Order No.

| | |
|-------|--------------|
| black | 24465-000-55 |
| white | 24465-000-57 |

SPEAKER WALL MOUNT

| 24471 | |
|----------------------|---|
| Weight | 0.87 kg |
| Special features | easy mounting by convenient hooking in and screw locking; swivelling and tiltable |
| Material | steel |
| Max. load capacity | 15 kg |
| Mounting | attaches to walls |
| Angle of inclination | 0° to 30° |
| Swivel | 90° |
| Wall clearance | 110 mm |
| Wall plate | 160 x 90 mm |

Order No.

| | |
|-------|--------------|
| black | 24471-000-55 |
| white | 24471-000-57 |

Accessories**Page**

| | |
|-----------------------|-----|
| Adapter panel 1 24352 | 271 |
| Adapter panel 2 24354 | 271 |
| Adapter panel 3 24356 | 272 |
| Adapter panel 4 24357 | 272 |
| Adapter panel 5 24358 | 272 |
| Adapter panel 6 24359 | 272 |
| Adapter plate VESA | |
| MIS-D 75/100 19615 | 303 |
| Adapter plate VESA | |
| MIS-E 200 19616 | 303 |
| Adapter plate VESA | |
| MIS-F 200x200 19617 | 303 |



For loads up to 15 kg

SPEAKER WALL MOUNT

| 24481 | |
|----------------------|--|
| Weight | 1.34 kg |
| Special features | easy mounting by convenient hooking in and screw locking; swivelling and tiltable; large wall plate for heavy speakers |
| Material | steel |
| Max. load capacity | 25 kg |
| Mounting | attaches to walls |
| Angle of inclination | 0° to 30° |
| Swivel | 90° |
| Wall clearance | 110 mm |
| Wall plate | 220 x 120 mm |

Order No.

| | |
|-------|--------------|
| black | 24481-000-55 |
| white | 24481-000-57 |

| Accessories | Page |
|--------------------------|------|
| Adapter panel 1 24352 | 271 |
| Adapter panel 2 24354 | 271 |
| Adapter panel 3 24356 | 272 |
| Adapter panel 4 24357 | 272 |
| Adapter panel 5 24358 | 272 |
| Adapter panel 6 24359 | 272 |
| Adapter plate VESA | |
| MIS-D 75/100 19615 | 303 |
| Adapter plate VESA | |
| MIS-E 200 19616 | 303 |
| Adapter plate | |
| VESA MIS-F 200x200 19617 | 303 |

SPEAKER CEILING MOUNT

| 24496 | |
|------------------------|---|
| Weight | 1.79 kg |
| Special features | easy mounting by convenient hooking in and screw locking; internal cable management |
| Material | steel |
| Max. load capacity | 25 kg |
| Bearing plate | 90 x 47 mm |
| Mounting | attaches to ceilings |
| Angle of inclination | 0° to 45° |
| Swivel | 90° |
| Adjustment | stepless |
| Ceiling clearance | 250 mm |
| Ceiling mounting plate | 160 x 118 mm |
| Spacing of holes | from 70 to 76,2 mm |

Order No.

| | |
|-------|--------------|
| black | 24496-000-55 |
| white | 24496-000-57 |

| Accessories | Page |
|-----------------------|------|
| Adapter panel 1 24352 | 271 |
| Adapter panel 2 24354 | 271 |
| Adapter panel 3 24356 | 272 |
| Adapter panel 4 24357 | 272 |
| Adapter panel 5 24358 | 272 |
| Adapter panel 6 24359 | 272 |
| Adapter plate VESA | |
| MIS-D 75/100 19615 | 303 |
| Adapter plate VESA | |
| MIS-E 200 19616 | 303 |
| Adapter plate VESA | |
| MIS-F 200x200 19617 | 303 |

ADAPTER PANEL 1

| 24352 | |
|------------------|---|
| Weight | 0.33 kg |
| Special features | mounting templates: 69,9 x 127 mm - M8 50,8 x 107,9 mm - M6 62 x 47 mm - M6 70 to 76,2 mm - M6 |
| Material | steel |
| Bearing plate | 95 x 150 mm |
| Fits | 19610, 19780, 24471, 24481, 24496 |

Order No.

| | |
|-------|--------------|
| black | 24352-000-55 |
| white | 24352-000-57 |

**ADAPTER PANEL 2**

| 24354 | |
|------------------|---|
| Weight | 0.33 kg |
| Special features | mounting templates: 127 x 69,9 mm - M8 107,9 x 50,8 mm - M6 70 bis 76,2 mm - M6 |
| Material | steel |
| Bearing plate | 150 x 95 mm |
| Fits | 19610, 19780, 24471, 24481, 24496 |

Order No.

| | |
|-------|--------------|
| black | 24354-000-55 |
| white | 24354-000-57 |



**ADAPTER PANEL 3**

| 24356 | |
|------------------|--|
| Weight | 0.22 kg |
| Special features | mounting template: 50.8 x 107.9 mm - M6 |
| Material | steel |
| Bearing plate | 71 x 128 mm |
| Fits | 19610, 19780, 24471, 24481, 24496 |

Order No.

| | |
|-------|--------------|
| black | 24356-000-55 |
| white | 24356-000-57 |

ADAPTER PANEL 4

| 24357 | |
|------------------|--|
| Weight | 0.24 kg |
| Special features | mounting template: 107.9 x 50.8 mm - M6 |
| Material | steel |
| Bearing plate | 128 x 90 mm |
| Fits | 19610, 19780, 24471, 24481, 24496 |

Order No.

| | |
|-------|--------------|
| black | 24357-000-55 |
| white | 24357-000-57 |

ADAPTER PANEL 5

| 24358 | |
|------------------|--------------------------------------|
| Weight | 0.145 kg |
| Special features | mounting template: 115 mm - M10 |
| Material | steel |
| Bearing plate | 40 x 145 mm |
| Fits | 19610, 19780, 24471, 24481, 24496 |

Order No.

| | |
|-------|--------------|
| black | 24358-000-55 |
| white | 24358-000-57 |

**ADAPTER PANEL 6**

| 24359 | |
|------------------|---|
| Weight | 0.14 kg |
| Special features | mounting template: 70 to 76.2 mm - M6; including locking screws for the Genelec 8000 series |
| Material | steel |
| Bearing plate | 90 x 100 mm |
| Fits | 19610, 19780, 24471, 24481, 24496 |

Order No.

| | |
|-------|--------------|
| black | 24359-000-55 |
| white | 24359-000-57 |



Including locking
screws for the
Genelec 8000 series

LIGHTING STAND

| 24620 | BASILINE |
|---------------------|---|
| Weight | 3.66 kg |
| Special features | lightweight stand; aluminum crossbar included; crossbar with boreholes for up to 8 spotlights |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,150 mm |
| Leg construction | tube legs with cross braces |
| Height adjustment | clamping lever and safety pin |
| Max. load capacity* | 20 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,550 mm |
| Height | 1,750 to 3,000 mm |
| Crossbar dimensions | diameter 35 x 1,230 mm |

Order No.

black anodized 24620-000-35

Accessories

| | Page |
|-------------------------|------|
| Carrying case 24611 | 265 |
| Screw fitting set 24621 | 277 |



LIGHTING STAND

| 24625 | BASILINE |
|---------------------|--|
| Weight | 2.71 kg |
| Special features | lightweight stand; with adapter to take a TV pin (inner extension tube diameter 28 mm) |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,150 mm |
| Leg construction | tube legs with cross braces |
| Height adjustment | clamping lever and safety pin |
| Max. load capacity* | 20 kg |
| Tube end(s) | diameter 35 mm |
| Rod combination | 2-piece folding design |
| Size when folded | 1,590 mm |
| Height | from 1,800 to 3,220 mm |

Order No.

black anodized 24625-000-35

Accessories

| | Page |
|---------------------|------|
| Carrying case 24611 | 265 |
| Crossbar 24622 | 277 |



With adapter to take a TV pin



LIGHTING STAND

| 24630 | TOPLINE |
|---------------------|--|
| Weight | 7.11 kg |
| Material | steel |
| Number of legs | 3 pieces |
| Base diameter | 1,260 mm |
| Leg construction | tube legs with cross braces |
| Height adjustment | locking screw with push-button system |
| Max. load capacity* | 20 kg |
| Tube end(s) | diameter 35 mm, integrated threaded bush M10 for crossbars |
| Rod combination | 2-piece folding design |
| Size when folded | 1,600 mm |
| Height | 1,955 to 2,915 mm |

Order No.

black 24630-009-55

Accessories

| | Page |
|--------------------------------------|------|
| Crossbar 213/9 | 277 |
| Crossbar 21393 | 277 |
| Side crossbar 24637 | 277 |
| Crossbar 24622 | 277 |
| Carrying case 24611 | 265 |
| Leveling leg for speaker stand 21445 | 262 |



LIGHTING STAND

| 24640 | TOPLINE |
|---------------------|---|
| Weight | 12.68 kg |
| Special features | adjustable up to 4 m; additional safety rings |
| Material | steel |
| Number of legs | 3 pieces |
| Base diameter | 1,300 mm |
| Leg construction | tube legs with double cross braces |
| Height adjustment | non-scratching locking screws |
| Max. load capacity* | 20 kg |
| Tube end(s) | diameter 30 mm, integrated threaded bush M10 for crossbars |
| Rod combination | 3-piece folding design |
| Size when folded | 1,500 mm |
| Height | from 1,590 to 4,025 mm |

Order No.

black 24640-009-55

Accessories

Page

Crossbar 213/9

277

Carrying case 24611

265



LIGHTING STAND

| 24645 | TOPLINE |
|---------------------|---|
| Weight | 3.4 kg |
| Special features | adjustable up to 3,079 mm; collapsed only 1,170 mm; additional safety rings; thanks to the included adapter sleeve (diameter 35 mm) loudspeakers can also be attached |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,112 mm |
| Leg construction | tube legs with cross braces |
| Height adjustment | non-scratching locking screws |
| Max. load capacity* | 15 kg |
| Tube end(s) | diameter 30/35 mm, integrated threaded bush M10 for crossbars |
| Rod combination | 3-piece folding design |
| Size when folded | x 1,170 mm |
| Height | from 1,429 to 3,097 mm |

Order No.

black 24645-000-55

Accessories

Page

Crossbar 213/9

277



Loudspeakers
can also be attached

Max. load
capacity 15 kg

3-piece extension
reaches a height
of 3,097 mm

Can be folded to
a very small size,
only 1,170 mm





Integrated threaded bush M10 for crossbars

Height adjustment with spring-loaded bolt and locking screw

LIGHTING STAND

| 24624 | STARLINE |
|---------------------|---|
| Weight | 17.49 kg |
| Special features | integrated shock absorber; gradual height adjustment system; zinc die-cast connecting parts |
| Material | steel |
| Leg construction | flat steel plate |
| Height adjustment | spring-loaded bolt and locking screw |
| Max. load capacity* | 18 kg |
| Tube end(s) | diameter 35 mm, integrated threaded bush M10 for crossbars |
| Rod combination | 2-piece folding design |
| Base dimensions | 550 x 550 mm |
| Height | from 1,400 to 2,400 mm |

Order No.

| | |
|------------|--------------|
| black | 24624-000-55 |
| pure white | 24624-000-76 |

Attractive lighting stand. Thanks to the heavy, flat steel plate the stand is well suited for use in small areas. The proven safety bolt with locking screw provides for comfortable and safe height adjustment. The stand's maximum extension height is 2.400 mm and maximum weight is 18 kg. The integrated M10 threaded bushing provides for the attachment of crossbars.

| Accessories | Page |
|--|------|
| Carrying case 24611 | 265 |
| Carrying case for base plate 24627-24629 | 265 |
| Ring spanner for base plates 26702 | 258 |
| Additional weight for base plates 26709 | 258 |



Approved for
loads up to 30 kg

LIGHTING/SPEAKER STAND

| 246/1 | STARLINE |
|---------------------|---|
| Weight | 8.14 kg |
| Special features | steel extension tube; push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety; clamping ring 24613 included zinc die-cast connecting parts |
| Material | aluminum |
| Number of legs | 3 pieces |
| Base diameter | 1,320 mm |
| Leg construction | tube legs with double cross braces |
| Height adjustment | hand crank with push-button system and locking screw |
| Max. load capacity* | 30 kg |
| Tube end(s) | diameter 35 mm, integrated threaded bush M10 for crossbars |
| Rod combination | 2-piece folding design |
| Size when folded | 1,750 mm |
| Height | from 1,865 to 3,040 mm |

Order No.

black 24610-009-55

High quality lighting stand for professional use. New die-cast zinc clamps and the larger aluminum leg tubing enhance safety. Height adjustment to any height is by means of a hand crank and push button system. The integrated M10 thread adaptor can be used to attach crossbars 213/9 and 21393.

| Accessories | Page |
|---------------------|------|
| Crossbar 213/9 | 277 |
| Crossbar 21393 | 277 |
| Carrying case 24611 | 265 |

CROSSBAR

| 213/9 | |
|------------------|--------------------------------------|
| Weight | 2.14 kg |
| Special features | M10 x 40 mm bolt and washer included |
| Material | steel |
| Dimensions | 1,260 x 40 x 20 mm |
| Takes up to | 10 spot lights |
| Suitable for | M10 thread |
| Fits | 246/1, 24630, 24640, 24645 |

Order No.

black 21390-000-55

Accessories

Screw fitting set 21394 277

CROSSBAR

| 21393 | |
|------------------|---|
| Weight | 2.92 kg |
| Special features | secured by locking screw; 4 screw fittings included |
| Material | steel |
| Dimensions | 1,455 x 40 x 20 mm |
| Takes up to | 10 spot lights |
| Suitable for | tube diameter 35 mm |
| Fits | 246/1, 24630 |

Order No.

black 21393-070-55

Accessories

Screw fitting set 21394 277

CROSSBAR

| 24622 | |
|---------------------|--------------------------|
| Weight | 0.65 kg |
| Special features | secured by locking screw |
| Material | aluminum |
| Max. load capacity | 20 kg |
| Dimensions diameter | 36 x 1,230 mm |
| Takes up to | 8 spot lights |
| Suitable for | tube diameter 35 mm |
| Fits | 24625, 24630 |

Order No.

black anodized 24622-000-35

Accessories

Screw fitting set 24621 277

**SIDE CROSSBAR**

| 24637 | |
|---------------------|---------------------|
| Weight | 0.6 kg |
| Material | aluminum |
| Dimensions diameter | 36 x 665 mm |
| Takes up to | 4 spot lights |
| Suitable for | tube diameter 35 mm |
| Fits | 24630 |

Order No.

black 24637-000-55

SCREW FITTING SET

| 21394 | |
|---------------------|------------------|
| Weight | 0.36 kg |
| Special features | for crossbars |
| Dimensions diameter | 50 x 45 mm |
| Quantity | 4 screw fittings |
| Fits | 213/9, 21393 |

Order No.

black (unit: 4 pcs.) 21394-000-55

SCREW FITTING SET

| 24621 | |
|---------------------|------------------|
| Weight | 0.3 kg |
| Dimensions diameter | 54 x 51 mm |
| Quantity | 4 screw fittings |
| Fits | 24620, 24622 |

Order No.

black (unit: 4 pcs.) 24621-000-55





TV PIN

| 24516 | |
|--------------------|----------------------------|
| Weight | 0.02 kg |
| Material | aluminum |
| Diameter | 16 mm |
| Length | 46.5 mm |
| Threaded connector | male thread M10 x 17 mm |

Order No.

blank 24516-000-00

TV PIN

| 24518 | |
|--------------------|------------------------------|
| Weight | 0.48 kg |
| Material | steel |
| Diameter | 35 mm |
| Length | 215 mm |
| Threaded connector | female thread M10 x 35 mm |

Order No.

zinc-plated 24518-000-29

TV PIN

| 24519 | |
|--------------------|------------------------------|
| Weight | 0.478 kg |
| Material | steel |
| Diameter | 28 mm |
| Length | 115 mm |
| Threaded connector | female thread M10 x 34 mm |

Order No.

zinc-plated 24519-000-29



RIGGING

| 24613 | |
|------------------|---|
| Weight | 0.08 kg |
| Special features | for all K&M loud-speaker and lighting stands with extension tube diameter of 30-35 mm; with 3 drill holes ø 10 mm |
| Material | aluminum |
| Diameter | 65 mm |
| Height | 12 mm |

Order No.

24613-000-00



REDUCER FLANGE

| 24521 | |
|---------------------------------|--------------------------|
| Weight | 0.52 kg |
| Special features | secured by locking screw |
| Material | steel |
| Function | to slip on stand |
| Suitable for tubing diameter of | 35 mm |
| Diameter | 40 mm |
| Length | 100 mm |

Order No.

| | |
|----------------------------|--------------|
| black, M10 x 12 mm | 24521-000-55 |
| black, M8 x 18 mm | 24521-070-55 |
| black, bolt diameter 25 mm | 24521-250-55 |
| black, 3/8" x 12 mm | 24521-300-55 |

REDUCER FLANGE

| 24528 | |
|---------------------------------|--------------------------|
| Weight | 0.46 kg |
| Special features | secured by locking screw |
| Material | steel |
| Function | to slip on stand |
| Suitable for tubing diameter of | 35 mm |
| Diameter | 40 mm |
| Length | 100 mm |
| Threaded connector | M10 |

Order No.

| | |
|-------|--------------|
| black | 24528-000-55 |
|-------|--------------|

CONNECTION SLEEVE

| 66350 | |
|---------------------------------|--|
| Weight | 0.66 kg |
| Special features | for TV-pin diameter 28 mm; with threaded bolt M10 x 20 mm; T-bar locking screw |
| Material | steel |
| Function | to slip on stand |
| Suitable for tubing diameter of | 35 mm |
| Diameter | 40 mm |
| Length | 249 mm |
| Threaded connector | M10 |

Order No.

| | |
|-------|--------------|
| black | 66350-070-55 |
|-------|--------------|





CONNECTION SLEEVE

NEW

66360

| | |
|---------------------------------|---|
| Weight | 0.7 kg |
| Special features | for TV-pin diameter 28 mm; for lighting cross-bars and individual spotlights |
| Material | steel |
| Function | to slip on stand |
| Suitable for tubing diameter of | 35 mm |
| Length | 249 mm |

Order No.

black 66360-000-55

FLOOR STAND FOR SPOT LIGHTS

17720

| | |
|------------------|--------------------|
| Weight | 0.7 kg |
| Special features | with mini TV mount |
| Material | steel |
| Base diameter | 352 mm |
| Height | 68 mm |

Order No.

black 17720-000-55

FLOOR STAND FOR SPOT LIGHTS

17725

| | |
|------------------|------------------------|
| Weight | 0.7 kg |
| Special features | with threaded bolt M10 |
| Material | steel |
| Base diameter | 352 mm |
| Height | 50 mm |

Order No.

black 17725-000-55



With mini TV mount



With threaded bolt M10








MULTIMEDIA EQUIPMENT

The growing market for multimedia products has in turn sparked a steadily climbing demand for holders and stands for diverse purposes.

For example, monitors of all shapes and sizes need to be mounted on shop ceilings, on the walls of trade fair stands, or presented on stands in entrances.

König & Meyer offers flexible holders and stands for nearly every purpose in unmistakable designs and the usual high-quality workmanship.



LECTERN »OVATION PRO«

| 12386 | |
|------------------|--|
| Weight | 15.2 kg |
| Special features | acoustic insulation (shock-mount plates effectively absorb shock and vibrations) |
| Material | stand aluminum, wooden desk with aluminum finish |
| Size when folded | 1,186 x 255 x 620 mm |
| Base dimensions | 850 x 670 mm |
| Connection | two 3-pin XLR microphone sockets |
| Height | 1,290 mm |
| Sloping desktop | 620 x 462 mm |
| Level top | 550 x 134 mm |

Order No.

silver 12386-020-81

Accessories

Page

| | |
|---|-----|
| Promotional board (excl. Logo) 12383 | 284 |
| Protective cover for lectern 12387 | 284 |
| Transportation case (hard case) for Lectern 12388 | 285 |

PROMOTIONAL BOARD (EXCL. LOGO)

| 12383 | |
|------------------|---|
| Weight | 1.8 kg |
| Special features | quick mounting and removal with two locking screws, no tools required optional: foil lettering to customer specifications |
| Material | aluminum |
| Dimensions | 480 x 230 mm |
| Fits | 12386 |

Order No.

silver 12383-020-81

PROTECTIVE COVER FOR LECTERN

| 12387 | |
|-------------------------|----------------------------|
| Weight | 3 kg |
| Special features | foamed cover |
| Material | nylon |
| Handle or carrying type | handle and shoulder straps |
| Fastener | zip fastener |
| Fits | 12386 |

Order No.

12387-000-00



TRANSPORTATION CASE
(HARD CASE) FOR LECTERN

| 12388 | |
|------------------|---|
| Weight | 16.2 kg |
| Special features | with aluminum edges and casters; foamed compartments for housing the folded lectern and accessories |
| Material | plastic |
| Dimensions | 1,290 x 730 x 300 mm |
| Thickness | 7 mm |
| Fits | 12386 |

Order No.

12388-020-00

UNIVERSAL TABLE-TOP STAND

| 12140 | |
|------------------------|--|
| Weight | 1.267 kg |
| Special features | suitable for note-books, multimedia equipment, books, sheet music, etc.; 4 rubber knobs included |
| Material | steel stand, aluminum desk |
| Leg construction | U-profile legs snap into socket |
| Max. load capacity | 4 kg |
| Connection stand/plate | prismatic »V-block« connector |
| Bearing plate | 350 x 273 mm |
| Height | 240 mm |

Order No.


black12140-000-55

Prismatic »V-block« Connector





Can be inclined to 3 different angles,
assembled and disassembled very easily



LAPTOP STAND

12190

| | |
|----------------------|---|
| Weight | 1.8 kg |
| Special features | individually adjustable stop pins; non-slip rubber pads are included |
| Material | steel tube, aluminum plates |
| Max. load capacity | 8 kg |
| Bearing plate | 264 x 304 mm |
| Size when folded | 329 x 304 x 66 mm |
| Dimensions | 298 x 261 x 320 mm |
| Angle of inclination | 0° to 35° |
| Adjustment | tilt gradual in 3 settings |

Order No.

structured black 12190-000-56

This foldable and space-saving laptop stand is a must-have for every mobile DJ and musician.

Due to its functionality and versatility, it can be assembled and disassembled very easily. The robust steel tube construction in combination with the attractive aluminium foot and support plate ensures excellent stability despite its low weight. Individually adjustable stop pins with rubber caps allow the use of all common laptop models, mixers, CD players, etc. The horizontal height is 320 mm and can be inclined in 3 steps. Non-slip rubber pads are included in the delivery.

Accessories

Carrying case 12199

Page

287

CARRYING CASE

| 12199 | |
|-------------------------|-------------------|
| Weight | 0.25 kg |
| Material | nylon |
| Dimensions | 330 x 305 x 66 mm |
| Handle or carrying type | handle |
| Fastener | zip fastener |
| Fits | 12190 |

Order No.

12199-000-00

LAPTOP STAND

| 12150 | |
|------------------------|---------------------------------------|
| Weight | 4 kg |
| Special features | mouse pad and 4 rubber knobs included |
| Material | aluminum stand, steel desk |
| Leg construction | tube legs with cross braces |
| Max. load capacity | 10 kg |
| Rod combination | 2-piece folding design |
| Connection stand/plate | prismatic »V-block« connector |
| Height | from 710 to 1,210 mm |
| Laptop rest | 400 x 290 mm |
| Mouse rest | 245 x 195 mm |
| Adjustment | stepless |

Order No.

black 12150-000-55

Accessories

Carrying case 11450

Page

54

MOUSE REST

| 12152 | |
|------------------|--------------------|
| Weight | 1.12 kg |
| Special features | Mouse pad included |
| Material | steel |
| Mouse rest | 245 x 195 mm |
| Fits | 12155, 12185 |

Order No.

black 12152-000-55



LAPTOP STAND

12155

| | |
|----------------------------|----------------------------------|
| Weight | 3.18 kg |
| Special features | 4 rubber knobs included |
| Material | steel, plastic base |
| Base diameter | 700 mm |
| Leg construction | socket with foldable legs |
| Max. load capacity | 5 kg |
| Rod combination | 2-piece folding design |
| Connection stand/ plate | prismatic »V-block« connector |
| Height | from 780 to 1,290 mm |
| Laptop rest | 400 x 290 mm |
| Adjustment | stepless |


Order No.

black 12155-000-55

Accessories

| | Page |
|---------------------|------|
| Carrying case 11450 | 54 |
| Mouse rest 12152 | 287 |

Folds compactly



LAPTOP STAND

12185

| | |
|----------------------------|---|
| Weight | 3.9 kg |
| Special features | 4 adjustable clamping bolts with rubber caps included |
| Material | steel |
| Base diameter | 750 mm |
| Leg construction | tube legs with cross braces |
| Max. load capacity | 10 kg |
| Rod combination | 2-piece folding design |
| Connection stand/ plate | screw connection |
| Height | from 700 to 1,250 mm |
| Laptop rest | 479 x 312 mm |
| Adjustment | stepless |

Order No.

black 12185-000-55

The laptop stand offers stability and safety.

The generously sized tray provides space for all common laptops. Thanks to the adjustable clamping bolts with rubber caps, the laptop is protected and can be secured safely on the stand. To secure the laptop, the clamping bolts are pressed on the laptop using wing nuts. An additional hole allows convenient cable management. The height of the stand can be adjusted variably. For transport the tray can be removed easily without the use of tools. The robust tripod legs quickly collapse together into a compact and easy to carry package.

Accessories

Mouse rest 12152

Page

287





Easy to set up -
hooking in system for screens

SCREEN/MONITOR STAND

26782

| | |
|-------------------|--|
| Weight | 22.5 kg |
| Special features | internal cable routing possible; installation material (M4/M6/M8) and assembly tools included |
| Material | steel |
| Leg construction | flat steel plate |
| Rod combination | 2-piece folding design |
| Height | from 1,058 to 1,608 mm |
| Mounting device | VESA MIS-D 100 (100x100) - ground plate, VESA MIS-E 200 (200x100) - ground plate, VESA MIS-E 200 (100x200) - with adapter bars, VESA MIS-F 200 (200x200) - with adapter bars, VESA MIS-F - with universal bracket: 250 to 600 mm horizontal 150 to 400 mm vertical |
| Height adjustment | spring-loaded clamping knob |
| Suitable for | flat screens from 24" to 46" |
| Base dimensions | 550 x 550 mm |

Order No.

structured black

26782-019-56

Modern screen stand with a flat steel base. The supplied mounting accessories allow VESA standard mounting for flat screens from 24" to 46". In the large dimensioned tube combination, cables are accommodated in a space-saving and organized manner. Height adjustment is made in steps using an ergonomic spring-loaded clamping knob.

SCREEN/MONITOR STAND

| 26783 | |
|-------------------|---|
| Weight | 17.7 kg |
| Special features | internal cable routing possible; installation material (M6/M8) and assembly tools included |
| Material | steel |
| Leg construction | Legs constructed from steel profile tubes with adjustable leveling feet ensure that the setup does not rock |
| Rod combination | 2-piece folding design |
| Height | 1,100 to 1,650 mm |
| Mounting device | VESA MIS-F - with universal bracket: 300 to 800 mm horizontal, 200 to 500 mm vertical, VESA MIS-F 200 (200x200) - with adapter bars |
| Height adjustment | spring-loaded clamping knob |
| Suitable for | flat screens from 42" to 65" |
| Base dimensions | 900 x 500 mm |

Order No.

structured black 26783-019-56



IPAD STAND

| 19772 | |
|----------------------|--|
| Weight | 1.65 kg |
| Special features | iPad is easily clipped into the holder; dock-connector and headphone jack are accessible; freely rotates 90°; suitable for iPad 2nd, 3rd or 4th generation |
| Material | plastic, steel |
| Max. load capacity | 1 kg |
| Bearing plate | 252.1 x 195.4 mm |
| Height | from 700 to 1,550 mm |
| Angle of inclination | 0° to 90° |
| Swivel | 90° |
| Adjustment | stepless |

Order No.

black 19772-300-55



IPAD AIR STAND

| 19774 | |
|----------------------|--|
| Weight | 1.67 kg |
| Special features | iPad is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; suitable for iPad Air, iPad 5th or 6th generation |
| Material | plastic, steel |
| Max. load capacity | 1 kg |
| Bearing plate | 249 x 178.7 mm |
| Height | from 700 to 1,550 mm |
| Angle of inclination | 0° to 90° |
| Swivel | 90° |
| Adjustment | stepless |

Order No.

black 19774-300-55



Swiveling in all directions.

Switches rapidly between the vertical and horizontal format without slipping.



p10e.k-m.de
Product video

IPAD AIR 2 STAND

| 19777 | |
|----------------------|---|
| Weight | 1.6 kg |
| Special features | iPad is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; suitable for iPad Air 2 or iPad Pro 9.7" |
| Material | plastic, steel |
| Max. load capacity | 1 kg |
| Bearing plate | 249 x 178.7 mm |
| Height | from 700 to 1,550 mm |
| Angle of inclination | 0° to 90° |
| Swivel | 90° |
| Adjustment | stepless |

Order No.

black 19777-300-55

Swiveling in all directions.

Switches rapidly between the vertical and horizontal format without slipping.



p10e.k-m.de
Product video

TABLET PC STAND

| 19776 | |
|----------------------|---|
| Weight | 1.8 kg |
| Special features | also suitable for tablets in cases or protective covers; adjustable clamping jaws ensure unhindered access to the interfaces and the operating elements on the device; freely rotates 90° |
| Material | plastic, steel |
| Max. load capacity | 1 kg |
| Height | from 120 to 222 mm |
| Width | from 160 to 320 mm |
| Angle of inclination | 0° to 90° |
| Swivel | 90° |
| Adjustment | stepless |
| Height Stand | from 650 to 1,500 mm |

Order No.

black 19776-300-55



p12e.k-m.de
Product video

TABLET PC STAND

| 19798 | |
|----------------------|----------------------|
| Weight | 1.58 kg |
| Special features | freely rotates 90° |
| Material | plastic, steel |
| Max. load capacity | 1 kg |
| Height | from 163 to 242 mm |
| Width | from 102 to 189 mm |
| Angle of inclination | 0° to 90° |
| Swivel | 90° |
| Adjustment | stepless |
| Depth | from 5 to 11 mm |
| Height Stand | from 700 to 1,550 mm |

Order No.

black 19798-300-55



Can be adjusted variably to accommodate different tablet sizes and switches between portrait and landscape positions

TABLET PC STAND

| 19793 | |
|----------------------|----------------------|
| Weight | 1.6 kg |
| Special features | freely rotates 90° |
| Material | plastic, steel |
| Max. load capacity | 1 kg |
| Height | from 222 to 334 mm |
| Width | from 128 to 232 mm |
| Angle of inclination | 0° to 90° |
| Swivel | 90° |
| Adjustment | stepless |
| Depth | from 6 to 11 mm |
| Height Stand | from 700 to 1,550 mm |

Order No.

black 19793-316-55

SMARTPHONE STAND

| 19850 | |
|------------------|------------------|
| Weight | 0.072 kg |
| Special features | gentle grip pads |
| Material | acrylic |
| Dimensions | 75 x 50 x 85 mm |

Order No.

black 19850-000-55

TABLET-PC STAND

| 19855 | |
|------------------|-------------------|
| Weight | 0.194 kg |
| Special features | gentle grip pads |
| Material | acrylic |
| Dimensions | 130 x 80 x 140 mm |

Order No.

black 19855-000-55



Can be adjusted variably to accommodate different tablet sizes and switches between portrait and landscape positions

Smartphones are easy to place into and remove from the stand. Two pads on the bottom provide a non-slip standing.



Tablets are easy to place into and remove from the stand. Two pads on the bottom provide a non-slip standing.



TABLET PC TABLE STAND

19797

| | |
|----------------------|--------------------|
| Weight | 1.28 kg |
| Special features | freely rotates 90° |
| Material | plastic, steel |
| Width | from 102 to 189 mm |
| Angle of inclination | 0° to 90° |
| Swivel | 90° |
| Adjustment | stepless |
| Height | from 163 to 242 mm |
| Depth | from 5 to 11 mm |

Order No.

black 19797-000-55

Can be adjusted variably
to accommodate different
tablet sizes and switches
between portrait and
landscape positions





Can be adjusted variably to accommodate different tablet sizes and switches between portrait and landscape positions



TABLET PC TABLE STAND

| 19792 | |
|----------------------|--------------------|
| Weight | 1.3 kg |
| Special features | freely rotates 90° |
| Material | plastic, steel |
| Width | from 128 to 232 mm |
| Angle of inclination | 0° to 90° |
| Swivel | 90° |
| Adjustment | stepless |
| Height | from 222 to 334 mm |
| Depth | from 6 to 11 mm |

| Order No. | |
|-----------|--------------|
| black | 19792-016-55 |

The individually adjustable support arms can accommodate the use of tablets ranging in height from 222 to 334 mm and width from 128 to 232 mm (for example iPad, iPad Air, iPad Pro, Amazon Fire HDX 8.9, Samsung Galaxy Tab from 9.7, Google Nexus 9, Asus Transformer or Microsoft Surface as well as Surface Pro). The depth of the tablets can vary between 6 and 11 mm. For the first use of the tablet holder the support arms settings are made by adjusting the clamp screws to the size and depth of the tablet. For other uses the tablet can be attached and detached quickly and simply through a snap lock. The holder will hold the tablet safe and secure. A handy wing nut allows one to adjust the angle, so that each user will easily be able to find their ideal individual position. The tablet can switch between portrait and landscape positions. The tablet is kept in place, there is no danger of the tablet switching position by itself.

TABLET PC WALL MOUNT

| 19799 | |
|--------------------|--------------------|
| Weight | 0.184 kg |
| Special features | freely rotates 90° |
| Material | plastic |
| Max. load capacity | 0.75 kg |
| Width | from 102 to 189 mm |
| Mounting | attaches to walls |
| Swivel | 90° |
| Wall clearance | 45 mm |
| Height | from 163 to 242 mm |
| Depth | from 5 to 11 mm |

Order No.

black 19799-000-55

TABLET PC WALL MOUNT

| 19794 | |
|--------------------|--------------------|
| Weight | 0.204 kg |
| Special features | freely rotates 90° |
| Material | plastic |
| Max. load capacity | 0.75 kg |
| Width | from 128 to 232 mm |
| Mounting | attaches to walls |
| Swivel | 90° |
| Wall clearance | 45 mm |
| Height | from 222 to 334 mm |
| Depth | from 6 to 11 mm |

Order No.

black 19794-000-55



Can be adjusted variably
to accommodate different
tablet sizes

SMARTPHONE HOLDER

| 19745 | |
|------------------|---|
| Weight | 0.19 kg |
| Special features | particularly suitable for smartphones, flat devices and MP3 players; operating elements are not impaired in their function; freely rotates 90°; flexible holding arm for individual alignment |
| Material | plastic |
| Width | from 44 to 84 mm |
| Screw-on to | tube diameter up to 30 mm |

Order No.

black 19745-015-55

IPAD HOLDER

| 19722 | |
|--------------------|--|
| Weight | 0.89 kg |
| Special features | to be attached to tubes up to 30 mm diameter; iPad is easily clipped into the holder; dock-connector and headphone jack are accessible; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors; suitable for iPad 2nd, 3rd or 4th generation |
| Material | plastic |
| Max. load capacity | 0.75 kg |
| Bearing plate | 252.1 x 195.4 mm |
| Screw-on to | tube diameter up to 30 mm |
| Swivel | 90° |

Order No.

black 19722-000-55

IPAD AIR HOLDER

| 19724 | |
|--------------------|--|
| Weight | 0.65 kg |
| Special features | to be attached to tubes up to 30 mm diameter; iPad Air is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors; suitable for iPad Air, iPad 5th or 6th generation |
| Material | plastic, steel |
| Max. load capacity | 0.75 kg |
| Bearing plate | 249 x 178.7 mm |
| Screw-on to | tube diameter up to 30 mm |
| Swivel | 90° |

Order No.

black 19724-000-55

Suitable for flat devices, e.g. smartphones or MP3 players



The iPad switches rapidly between the vertical and horizontal format without slipping.



p10e.k-m.de
Product video

IPAD AIR 2 HOLDER

| 19727 | |
|--------------------|--|
| Weight | 0.65 kg |
| Special features | to be attached to tubes up to 30 mm diameter; iPad is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors; suitable for iPad Air 2 or iPad Pro 9.7" |
| Material | plastic, steel |
| Max. load capacity | 0.75 kg |
| Bearing plate | 249 x 178.7 mm |
| Screw-on to | tube diameter up to 30 mm |
| Swivel | 90° |

Order No.

black 19727-000-55

TABLET PC HOLDER

| 19740 | |
|------------------|---|
| Weight | 0.79 kg |
| Special features | to be attached to tubes up to 30 mm diameter; also suitable for tablets in cases or protective covers; adjustable clamping jaws ensure unhindered access to the interfaces and the operating elements on the device; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors |
| Material | plastic, steel |
| Height | from 120 to 222 mm |
| Width | from 160 to 320 mm |
| Screw-on to | tube diameter up to 30 mm |
| Swivel | 90° |
| Adjustment | tension spring |

Order No.

black 19740-000-55

Swiveling in all directions. Switches rapidly between the vertical and horizontal format without slipping.



p10e.k-m.de
Product video



Suitable for attaching tablet PCs in size from 120 to 222 mm



**TABLET PC HOLDER****19796**

| | |
|------------------|--|
| Weight | 0.58 kg |
| Special features | to be attached to tubes up to 30 mm diameter; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors |
| Material | plastic, steel |
| Width | from 102 to 189 mm |
| Screw-on to | tube diameter up to 30 mm |
| Swivel | 90° |
| Height | from 163 to 242 mm |
| Depth | from 5 to 11 mm |

Order No.

black 19796-000-55

Be it on stage, in rehearsal rooms or at home - thanks to the strong clamp element with the ergonomic clamp screw the holder can be attached to any tube up to 30 mm quickly and easily. The individually adjustable support arms can accommodate the use of tablets ranging in height from 163 to 242 mm and a width from 102 to 189 mm (such as e.g. iPad, iPad 9.7, iPad Pro, Amazon Fire HDX 8.9, Google Nexus 9). The depth of the tablets can vary between 5 and 11 mm. For the first use of the tablet holder the support arm settings are made by adjusting the clamp screws to the size and depth of the tablet. For other uses the tablet can be attached and detached quickly and simply through a snap lock. A handy wing nut allows one to adjust the angle, so that each user will easily be able to find their ideal individual position. The tablet can switch between portrait and landscape positions. The tablet is kept in place, there is no danger of the tablet switching position by itself.

Can be adjusted variably to accommodate different tablet sizes



TABLET PC HOLDER

| 19791 | |
|------------------|--|
| Weight | 0.6 kg |
| Special features | to be attached to tubes up to 30 mm diameter; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors |
| Material | plastic, steel |
| Width | from 128 to 232 mm |
| Screw-on to | tube diameter up to 30 mm |
| Swivel | 90° |
| Height | from 222 to 334 mm |
| Depth | from 6 to 11 mm |

Order No.

black 19791-016-55

IPAD STAND HOLDER

| 19712 | |
|--------------------|---|
| Weight | 0.5 kg |
| Special features | to be screwed on to 3/8" threaded bolts; iPad is easily clipped into the holder; dock-connector and headphone jack are accessible; freely rotates 90°; suitable for iPad 2nd, 3rd or 4th generation |
| Material | plastic |
| Max. load capacity | 0.75 kg |
| Bearing plate | 252.1 x 195.4 mm |
| Suitable for | 3/8" thread |
| Swivel | 90° |

Order No.

black 3/8" 19712-300-55

IPAD AIR STAND HOLDER

| 19714 | |
|--------------------|---|
| Weight | 0.38 kg |
| Special features | to be screwed on to 3/8" threaded bolts; iPad Air is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; suitable for iPad Air, iPad 5th or 6th generation |
| Material | plastic |
| Max. load capacity | 0.75 kg |
| Bearing plate | 249 x 178.7 mm |
| Suitable for | 3/8" thread |
| Swivel | 90° |

Order No.

black 3/8" 19714-300-55



For stands ...

... and boom arms



Can be adjusted variably to accommodate different tablet sizes

Switches rapidly between the vertical and horizontal format without slipping. Adjustable tilt.



p10e.k-m.de
Product video

IPAD AIR 2 STAND HOLDER

| 19717 | |
|--------------------|--|
| Weight | 0.38 kg |
| Special features | to be screwed on to 3/8" threaded bolts; iPad is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; suitable for iPad Air 2 or iPad Pro 9.7" |
| Material | plastic |
| Max. load capacity | 0.75 kg |
| Bearing plate | 249 x 178.7 mm |
| Suitable for | 3/8" thread |
| Swivel | 90° |

Order No.

black 3/8" 19717-300-55

TABLET PC STAND HOLDER

| 19742 | |
|------------------|--|
| Weight | 0.42 kg |
| Special features | to be screwed on to 3/8" threaded bolts; also suitable for tablets in cases or protective covers; adjustable clamping jaws ensure unhindered access to the interfaces and the operating elements on the device; freely rotates 90° |
| Material | plastic |
| Width | from 160 to 320 mm |
| Suitable for | 3/8" thread |
| Swivel | 90° |
| Height | from 120 to 222 mm |

Order No.

black 3/8" 19742-300-55

TABLET PC STAND HOLDER

| 19795 | |
|------------------|---|
| Weight | 0.245 kg |
| Special features | to be screwed on to 3/8" threaded bolts; freely rotates 90° |
| Material | plastic |
| Width | from 102 to 189 mm |
| Suitable for | 3/8" thread |
| Swivel | 90° |
| Height | from 163 to 242 mm |
| Depth | from 5 to 11 mm |

Order No.

black 3/8" 19795-300-55



For stands and boom arms

Suitable for attaching tablet PCs in size from 120 to 222 mm



Can be adjusted variably to accommodate different tablet sizes

Switches rapidly between the vertical and horizontal format without slipping. Adjustable tilt.



p10e.k-m.de
Product video



TABLET PC STAND HOLDER

| 19790 | |
|------------------|---|
| Weight | 0.265 kg |
| Special features | to be screwed on to 3/8" threaded bolts; freely rotates 90° |
| Material | plastic |
| Width | from 128 to 232 mm |
| Suitable for | 3/8" thread |
| Swivel | 90° |
| Height | from 222 to 334 mm |
| Fits | 18807, 18817, 18873, 18944 |
| Depth | from 6 to 11 mm |

Order No.

black 3/8" 19790-316-55



Can be adjusted variably to accommodate different tablet sizes



ADAPTER FOR SCREENS

| 19685 | |
|--------------------|--|
| Weight | 0.62 kg |
| Special features | prismatic »V-block« connector; T-bar locking screw nut; attaches to mic stands |
| Material | steel |
| Max. load capacity | 7 kg |
| Bearing plate | 115 x 115 mm |
| Mounting device | 4 mount holes VESA 75/100 |
| Suitable for | 3/8" thread |
| Swivel | 250° |
| Fits | 18807, 18817, 18873, 18944 |

Order No.

black 19685-300-55



Prismatic »V-block« connector



ADAPTER

NEW

| 19610 | |
|----------------------|---------------------|
| Weight | 0.9 kg |
| Special features | tiltable |
| Material | steel |
| Max. load capacity | 25 kg |
| Suitable for | tube diameter 35 mm |
| Function | to slip on stand |
| Angle of inclination | -30° to 60° |

Order No.

black 19610-000-55

| Accessories | Page |
|--------------------------|------|
| Adapter plate V | |
| ESA MIS-D 75/100 19615 | 303 |
| Adapter plate | |
| VESA MIS-E 200 19616 | 303 |
| Adapter plate | |
| VESA MIS-F 200x200 19617 | 303 |
| Adapter panel 1 24352 | 271 |
| Adapter panel 2 24354 | 271 |
| Adapter panel 3 24356 | 272 |
| Adapter panel 4 24357 | 272 |
| Adapter panel 5 24358 | 272 |
| Adapter panel 6 24359 | 272 |



**ADAPTER PLATE
VESA MIS-D 75/100**

NEW

| 19615 | |
|------------------|---|
| Weight | 0.35 kg |
| Special features | mounting templates: VESA MIS -D 75/100 mm |
| Material | steel |
| Bearing plate | 115 x 115 mm |
| Fits | 19610, 19780, 24471, 24481, 24496 |

Order No.

black 19615-000-55

**ADAPTER PLATE
VESA MIS-E 200**

NEW

| 19616 | |
|------------------|---|
| Weight | 0.62 kg |
| Special features | mounting template: VESA MIS-E 200 mm |
| Material | steel |
| Bearing plate | 215 x 115 mm |
| Fits | 19610, 19780, 24471, 24481, 24496 |

Order No.

black 19616-000-55

**SHOULDER BAG
FOR SHEET MUSIC AND TABLETS**

| 19705 | |
|----------------------------|---|
| Weight | 0.68 kg |
| Special features | for sheet music, tablets, netbooks and ultrabooks up to max. 13.3" |
| Material | imitation leather |
| Dimensions | 365 x 75 x 300 mm |
| Handle or carrying type | shoulder strap |
| Fastener | zip fastener |

Order No.

black 19705-000-00



**ADAPTER PLATE
VESA MIS-F 200X200**

NEW

| 19617 | |
|------------------|---|
| Weight | 0.75 kg |
| Special features | mounting template: VESA MIS -F 200 x 200 mm |
| Material | steel |
| Bearing plate | 220 x 220 mm |
| Fits | 19610, 19780, 24471, 24481, 24496 |

Order No.

black 19617-000-55



Many compartments
providing order and easy
access





SHOP FITTINGS

The brand-compatible presentation of products in a shop is playing an increasingly important role in the buying decision process.

Clear and visually appealing, the large selection of König & Meyer instrument holders in combination with the professional SPACEWALL shop fitting system are a perfect solution for your business.

The flexible SPACEWALL wall panels can be installed in practically any texture or colour you desire in any shop. They will show off your merchandise perfectly, whether you have a small showroom or a huge megastore.





SPACEWALL® SLAT WALL

44000

Order No.

44000-000-00

The SPACEWALL® shop-fitting system can be individually implemented in already existing shops or in complete new stores. You can choose for example from following surface finishes for your slatwall: unfinished or paint finished surface or a painted wall according to your desired RAL/NCS color. You also have the choice between a melamine resin coated surface in the colors white, grey, ivory or cream-white or a plastic-laminated slatwall in either white E110 MP or grey E 6 MP. Further possibilities are metallic or acrylic mirror designs or wood veneer finishes like pine, spruce, maple or alder. Further finish variations on request. We offer you the following slat widths: 53.1 mm, 76.3 mm, 88.0 mm*, 101.8 mm, 152.6 mm, 203.5 mm, 244.2 mm, 305.3 mm. Head pieces and bases can be produced on request. Ask for special design variations and other sizes for your slatwall!

* Size 2430 mm x 1210 mm or 1210 mm x 2430 mm.

ADAPTER FOR PRODUCT HOLDER

| 44060 | |
|------------------|---|
| Weight | 0.06 kg |
| Special features | it is easy to attach all SpaceWall® product support arms/holder to any regular wall (except for 44140, 44185 und 44186) |
| Material | plastic |
| Dimensions | 101 x 84 x 18 mm |

Order No.

black 44060-000-55



PRODUCT SUPPORT ARM

| 441/1 | |
|----------------------|-----------------------------|
| Weight | 0.568 kg |
| Special features | suitable for heavy products |
| Material | steel |
| Support | felt pads |
| Angle of inclination | 23° |
| Support depth | from 261 to 461 mm |

Order No.

black 44110-000-55




PRODUCT HOLDER

| 44130 | |
|--------------|------------------|
| Weight | 0.179 kg |
| Material | steel |
| Suitable for | Euroslot hangers |
| Length | 150 mm |

Order No.

black 44130-000-55



PRODUCT HOLDER

| 44135 | |
|--------------|------------------|
| Weight | 0.22 kg |
| Material | steel |
| Suitable for | Euroslot hangers |
| Length | 280 mm |

Order No.

black 44135-000-55



PRODUCT HOLDER

| 44132 | |
|--------------|------------------|
| Weight | 0.2 kg |
| Material | steel |
| Suitable for | Euroslot hangers |
| Length | 150 mm |

Order No.

black 44132-000-55



PRODUCT HOLDER

| 44137 | |
|--------------|------------------|
| Weight | 0.24 kg |
| Material | steel |
| Suitable for | Euroslot hangers |
| Length | 280 mm |

Order No.

black 44137-000-55



TRAY

44155

| | |
|------------------|---------------------------|
| Weight | 2.28 kg |
| Special features | stop with edge-protection |
| Material | aluminum |
| Dimensions | 585 x 302 mm |

Order No.

black 44155-000-55



PRODUCT HOLDER FOR GUITAR

44140

| | |
|--------------------|---|
| Weight | 0.44 kg |
| Special features | patented flexible hooking-in and clamping system suitable for asymmetric guitar necks |
| Material | steel |
| Direction | forward-turned |
| Instrument support | non-marring plastic material |
| Yoke | self-locking |
| Suitable for | acoustic and electric guitars |
| Dimensions | 95 x 130 x 158 mm |

Order No.

black 44140-000-55



Patented flexible hooking-in and clamping system

PRODUCT HOLDER FOR GUITAR

44160

| | |
|--------------------|-------------------------------|
| Weight | 0.3 kg |
| Material | steel |
| Direction | forward-turned |
| Instrument support | non-marring plastic material |
| Yoke | self-locking |
| Suitable for | acoustic and electric guitars |
| Dimensions | 88 x 93 x 140 mm |

Order No.

black 44160-000-55



PRODUCT HOLDER FOR GUITAR

44170

| | |
|--------------------|-------------------------------|
| Weight | 0.48 kg |
| Material | steel |
| Direction | left or right turned |
| Instrument support | non-marring plastic material |
| Yoke | self-locking |
| Suitable for | acoustic and electric guitars |

Order No.

black 44170-000-55



PRODUCT HOLDER FOR GUITAR

44180

| | |
|--------------------|-------------------------------|
| Weight | 0.29 kg |
| Material | steel |
| Direction | right |
| Instrument support | non-marring plastic material |
| Yoke | fixed |
| Suitable for | acoustic and electric guitars |
| Dimensions | 88 x 107 x 300 mm |

Order No.

black 44180-000-55



PRODUCT HOLDER FOR GUITAR

44181

| | |
|--------------------|-------------------------------|
| Weight | 0.29 kg |
| Material | steel |
| Direction | left |
| Instrument support | non-marring plastic material |
| Yoke | fixed |
| Suitable for | acoustic and electric guitars |
| Dimensions | 88 x 107 x 300 mm |

Order No.

black 44181-000-55



PRODUCT HOLDER FOR ELECTRIC GUITAR

| 44185 | |
|------------------|---|
| Weight | 1.09 kg |
| Special features | flexible support arms for neck and body |
| Material | steel |
| Support | silicone cover |
| Direction | in 8° settings 360° adjustable |
| Suitable for | electric guitars |
| Dimensions | 690 x 220 x 165 mm |

Order No.

black 44185-000-55



PRODUCT HOLDER FOR ACOUSTIC GUITAR

| 44186 | |
|--------------------|---|
| Weight | 1.15 kg |
| Special features | flexible support arms for neck and body |
| Material | steel |
| Support | silicone cover |
| Direction | in 8° settings 360° adjustable |
| Instrument support | non-marring rubber |
| Suitable for | acoustic guitars |
| Dimensions | 690 x 220 x 215 mm |

Order No.

black 44186-000-55



PRODUCT HOLDER FOR UKULELES

| 44220 | |
|--------------------|------------------------------|
| Weight | 0.187 kg |
| Material | steel |
| Direction | forward-turned |
| Instrument support | non-marring plastic material |
| Yoke | fixed |
| Suitable for | ukulele |
| Support width | 38 mm |
| Dimensions | 66 x 65 x 99 mm |

Order No.

black 44220-000-55



PRODUCT HOLDER FOR VIOLIN

| 44210 | |
|--------------------|--|
| Weight | 0.15 kg |
| Special features | high quality flocking cover; with holder for bow |
| Material | plastic yoke, steel plate |
| Instrument support | flocked |
| Length | 125 mm |

Order No.

black 44210-000-55



PRODUCT HOLDER FOR VIOLIN

| 44215 | |
|--------------------|--|
| Weight | 0.19 kg |
| Special features | high quality flocking cover; with holder for bow |
| Material | plastic yoke, steel plate |
| Instrument support | flocked |
| Length | 253 mm |

Order No.

black 44215-000-55



PRODUCT HOLDER FOR SAXOPHONE

| 44240 | |
|--------------------|------------------------------|
| Weight | 0.82 kg |
| Material | steel |
| Instrument support | non-marring plastic material |

Order No.

black 44240-000-55



PRODUCT HOLDER FOR TROMBONE

| 44250 | |
|--------------------|------------------------------|
| Weight | 0.58 kg |
| Special features | adjustable support cone |
| Material | steel |
| Instrument support | non-marring plastic material |

Order No.

black 44250-000-55



PRODUCT HOLDER FOR CYMBAL

| 44380 | |
|----------|---------|
| Weight | 0.36 kg |
| Material | steel |
| Diameter | 10 mm |
| Length | 300 mm |

Order No.

black 44380-000-55



PRODUCT HOLDER FOR HEADPHONE

| 44195 | |
|------------------|---|
| Weight | 0.22 kg |
| Special features | for up to 2 standard headphones and 2 In-Ear headphones |
| Material | steel |
| Support | rubber covered |
| Support width | 100 mm |
| Support depth | 60 mm |

Order No.

black 44195-000-55

Can easily take two sets of headphones



PRODUCT HOLDER FOR HEADPHONE

| 44198 | |
|---------------|---------|
| Weight | 0.14 kg |
| Material | steel |
| Support width | 36 mm |
| Support depth | 72 mm |

Order No.

black 44198-000-55



PRODUCT HOLDER FOR MICROPHONE

| 44500 | |
|--------------------|---|
| Weight | 0.31 kg |
| Special features | for microphones and other equipment with 3/8" threads |
| Material | steel |
| Length | 140 mm |
| Threaded connector | 3/8" |

Order No.

black 44500-000-55



UNIVERSAL HOLDER

| 44192 | |
|----------|--------|
| Weight | 0.3 kg |
| Material | steel |
| Length | 140 mm |

Order No.

black 44192-000-55

| Accessories | Page |
|-----------------------------|----------|
| Trumpet peg 15214 | 100, 311 |
| Clarinet peg 15224 | 100, 311 |
| Flugelhorn peg 15244 | 100, 311 |
| Peg adapter 15281 | 102 |
| Soprano saxophone peg 15294 | 100, 311 |
| English horn peg 17731 | 101, 311 |
| Oboe peg 17738 | 101, 311 |
| Clarinet peg 17741 | 101, 312 |
| Recorder peg 17782 | 101, 312 |
| Recorder peg 17786 | 101, 312 |
| Flute peg 17788 | 101, 312 |



TRUMPET PEG

| 15214 | |
|--------------------|---|
| Weight | 0.2 kg |
| Special features | peg adapter 15281 included; rubber-covered peg top |
| Material | plastic |
| Instrument support | felt pads |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 15214-017-55

Accessories

Page

Peg holder 14301 102



Rubber peg top to prevent damage

CLARINET PEG

| 15224 | |
|--------------------|--|
| Weight | 0.115 kg |
| Special features | peg adapter 15281 included; with felt ring |
| Material | plastic |
| Suitable for | A and B clarinets |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 15224-000-55

Accessories

Page

Peg holder 14301 102



Protective felt ring

FLUGELHORN PEG

| 15244 | |
|--------------------|---|
| Weight | 0.3 kg |
| Special features | peg adapter 15281 included; rubber-covered peg top |
| Material | plastic |
| Instrument support | felt pads |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 15244-017-55

Accessories

Page

Peg holder 14301 102



Rubber peg top to prevent damage

SOPRANO SAXOPHONE PEG

| 15294 | |
|--------------------|-------------------------------|
| Weight | 0.18 kg |
| Special features | incl. peg adapter 15281 |
| Material | plastic |
| Instrument support | felt pads |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 15294-017-55

Accessories

Page

Peg holder 14301 102



ENGLISH HORN PEG

| 17731 | |
|--------------------|-------------------------------|
| Weight | 0.08 kg |
| Material | plastic |
| Instrument support | felt-lined |
| Height | 160 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17731-017-55

Accessories

Page

Peg holder 14301 102



OBOE PEG

| 17738 | |
|--------------------|-------------------------------|
| Weight | 0.075 kg |
| Material | plastic |
| Height | 170 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17738-005-55

Accessories

Page

Peg holder 14301 102



CLARINET PEG

| 17741 | |
|--------------------|-------------------------------|
| Weight | 0.08 kg |
| Material | plastic |
| Instrument support | felt-lined |
| Suitable for | Eb- and C-clarinets |
| Height | 133 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17741-017-55

Accessories

Page

Peg holder 14301

102



RECORDER PEG

| 17782 | |
|--------------------|----------------------------------|
| Weight | 0.055 kg |
| Material | plastic peg with steel core |
| Suitable for | soprano and piccolo recorders |
| Peg diameter | 6.5 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17782-005-55

Accessories

Page

Peg holder 14301

102



RECORDER PEG

| 17786 | |
|--------------------|--------------------------------|
| Weight | 0.06 kg |
| Material | plastic peg with steel core |
| Suitable for | alto and tenor recorders |
| Peg diameter | 9 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17786-005-55

Accessories

Page

Peg holder 14301

102



FLUTE PEG

| 17788 | |
|--------------------|--------------------------------|
| Weight | 0.06 kg |
| Material | plastic |
| Suitable for | Bass, Böhm and Cross flutes |
| Peg diameter | 18 mm |
| Threaded connector | M5 |
| Fits | 12210, 17700, 17710, 44192 |

Order No.

black 17788-005-55

Accessories

Page

Peg holder 14301

102



LEAFLET HOLDER

| 44420 | |
|--------------|-------------------|
| Weight | 0.56 kg |
| Material | clear acrylic |
| Suitable for | A4 sheets |
| Thickness | 4 mm |
| Dimensions | 225 x 60 x 230 mm |

Order No.

44420-000-00



PRICE TAG HOLDER

| 44385 | |
|------------|---------------|
| Weight | 0.04 kg |
| Material | clear acrylic |
| Thickness | 2 mm |
| Dimensions | 100 x 55 mm |

Order No.

44385-000-00



PRODUCT LABEL BUNDLE

77977

| | |
|------------------|--|
| Special features | download of corresponding product specifications on our website; a set consisting of: 10 pieces plastic cover (transparent) and 2 meter elastic (black) |
| Material | plastic |
| Dimensions | 180 x 115 mm |

Order No.

77977-000-00



| | |
|---------------------------------------|--|
| 19" Power box | 174 |
| 19" Rack shelf | 172 |
| 19"-Power box | 173 |
| A-guitar stand | 60 |
| A-guitar stand »Heli 2« | 62 |
| A-guitar stand »Wave 10« | 63 |
| Accordion stand | 103 |
| Acoustic absorber with Velcro strip | 35 |
| Adapter | 147, 151, 247, 248, 302 |
| Adapter bolt | 248 |
| Adapter for »Spider Pro« | 159 |
| Adapter for instrument pegs | 102 |
| Adapter for product holder | 307 |
| Adapter for screens | 302 |
| Adapter panel 1 | 271 |
| Adapter panel 2 | 271 |
| Adapter panel 3 | 272 |
| Adapter panel 4 | 272 |
| Adapter panel 5 | 272 |
| Adapter panel 6 | 272 |
| Adapter plate VESA MIS-D 75/100 | 303 |
| Adapter plate VESA MIS-E 200 | 303 |
| Adapter plate VESA MIS-F 200x200 | 303 |
| Adapter sleeve | 260 |
| Adapter sleeve »Ring Lock« | 261 |
| Additional weight for base plates | 258 |
| Amp stand | 168 |
| Backrest | 118 |
| Backrest for »Gomezz« | 118 |
| Baritone saxophone stand | 84 |
| Baritone stand | 93 |
| Base »FlexLight« | 52 |
| Base plate | 228, 257, 258 |
| Basic support »Omega« Table stand | 145 |
| Bass clarinet stand | 86 |
| Bass holder | 124 |
| Bass stool | 123 |
| Bass trombone stand | 91 |
| Bassoon stand | 84 |
| Bearing plate | 247 |
| Boom arm | 198, 199 |
| Bracket | 100 |
| Cable clamp | 263 |
| Cable holder | 263 |
| Capo for ukuleles | 77 |
| Carrier bag for round base | 265 |
| Carrying case | 54, 81, 85, 93, 117, 119, 126, 152, 153, 160, 220, 222, 265, 287 |
| Carrying case | 94, 263 |
| Carrying case »Pro« | 265 |
| Carrying case »Select« | 221, 264 |
| Carrying case for base plate | 265 |
| Caster set for »Guardian« | 69 |
| Ceiling stand | 218 |
| Cello Stand | 80, 79 |
| Chair cart | 124 |
| Chair connector | 124 |
| Chair for Kettledrums and Conductor's | 123 |
| Chair for Percussion | 123 |
| Clarinet peg | 100, 311, 101, 312 |
| Clarinet stand | 86, 87, 88 |
| Conductor podium | 37 |
| Connection sleeve | 279, 280 |

| | |
|--|--------------------|
| Connector plate | 257 |
| Contrabassoon stand | 85 |
| Controller keyboard tray | 146, 147, 157 |
| Counter weight | 226 |
| Cover for wagon | 30 |
| Crossbar | 277 |
| Curtain for conductor podium | 38 |
| Design microphone table stand | 203 |
| Design monitor stand | 246, 247 |
| Distance rod | 249, 250, 251, 253 |
| Distance rod »Ring Lock« | 254, 255, 256 |
| Distance rod with hand crank | 252 |
| Distance rod with hand crank and »Ring Lock« | 252 |
| Distance rod with pneumatic spring | 253, 254 |
| Double bass stand | 80 |
| Double music stand light | 41 |
| Drink holder | 56 |
| Drum stick holder | 117 |
| Drum Tool | 117 |
| Drummer's throne | 110 |
| Drummer's throne »Gomezz« | 112 |
| Drummer's throne »Nick« | 111 |
| Drummer's throne with pneumatic spring | 111 |
| Drummer's throne »Picco« | 110 |
| Drummer's throne »Piccolino« | 110 |
| Dulcimer stand | 77 |
| E-guitar stand | 60 |
| E-guitar stand »Heli 2« | 63 |
| E-guitar stand »Wave 20« | 63 |
| E+A guitar stand »Duet« | 61 |
| English horn peg | 101, 311 |
| English-Horn stand | 91 |
| Equipment stand | 148 |
| Extender brackets 19" | 171 |
| Extension rod | 159, 249 |
| Extension rod for microphone stands | 227 |
| Feet for conductor podium | 37, 38 |
| File holder | 55 |
| Five e-guitar stand »Guardian 5« | 67 |
| Five guitar stand »Guardian 5« | 68 |
| Flange adapter | 259 |
| Floor stand for spot lights | 280 |
| Flugelhorn peg | 100, 311 |
| Flugelhorn stand | 99 |
| Flute peg | 101, 312 |
| Flute stand | 88, 89 |
| Foldable base | 99 |
| Footrest | 118, 73 |
| Four guitar stand »Guardian 3+1« | 68 |
| Four guitar stand »Roadie« | 65 |
| Gooseneck | 207, 208 |
| Guitar capo | 73, 74 |
| Guitar performer stand | 69 |
| Guitar playing-aid »Pohlmann« | 75 |
| Guitar stand »Carlos« | 66 |
| Guitar stand »Double« | 65 |
| Guitar stand »Memphis 10« | 64 |
| Guitar stand »Memphis 20« | 64 |
| Guitar stand »Memphis Pro« | 64 |
| Guitar stand »Memphis Travel« | 60 |
| Guitar tool | 75 |
| Guitar wall mount | 70, 71, 72 |
| Harmonica holder | 103, 104 |
| Headphone holder | 164, 165, 166 |
| Headphone holder with table clamp | 164 |
| Headphone wall holder | 165, 166 |

| | |
|---|--|
| Headphones table stand | 164 |
| Holding magnet with pencil | 57 |
| Inclinable stand adapter | 261 |
| iPad Air 2 holder | 298 |
| iPad Air 2 stand | 292 |
| iPad Air 2 stand holder | 301 |
| iPad Air holder | 297 |
| iPad Air stand | 291 |
| iPad Air stand holder | 300 |
| iPad holder | 297 |
| iPad stand | 291 |
| iPad stand holder | 300 |
| Keyboard bench | 125 |
| Keyboard stand | 136, 137, 138, 140 |
| Keyboard stand »Baby-Spider Pro« | 156 |
| Keyboard stand »Rick 20« | 139 |
| Keyboard stand »Rick« | 139 |
| Keyboard stand »Spider Pro« | 155 |
| Keyboard stand for kids | 136 |
| Knurled washer | 228 |
| Laptop holder | 147 |
| Laptop rest for the »Spider Pro« | 158 |
| Laptop stand | 286, 287, 288, 289 |
| Leaflet holder | 312 |
| Lectern »Ovation Pro« | 284 |
| Lectern desk for the »Spider Pro« | 158 |
| LED piano lamp | 42, 43 |
| LED replacement bulb | 53 |
| Leveling leg for speaker stand | 262 |
| Levelling adapter | 260 |
| Lighting stand | 273, 274, 275 |
| Lighting/Speaker stand | 276 |
| Magnet | 55 |
| Marching drum stand | 105 |
| Microphone »Fishing Pole« | 209, 210, 211 |
| Microphone arm | 215 |
| Microphone bar | 219 |
| Microphone clip | 225 |
| Microphone desk arm | 214 |
| Microphone holder | 215, 219 |
| Microphone holder for drums | 215 |
| Microphone stand | 178, 179, 182, 185, 186, 187, 188, 189, 191, 194, 196, 197 |
| Microphone stand - Tube combination | 181 |
| Microphone stand »Rien« | 195 |
| Microphone stand »Soft-Touch« | 182, 189, 190, 197 |
| Microphone stand XL | 181 |
| Microphone table base | 205, 206 |
| Mini boom arm | 200 |
| Mixer stand | 167, 169 |
| Monitor stand | 244, 245 |
| Mounting adapter | 259 |
| Mouse rest | 287 |
| Music holder | 55, 77 |
| Music stand | 16, 17, 18, 19, 20, 21 |
| Music stand »Robby Plus« | 19 |
| Music stand light | 41 |
| Music stand light »2 LED FlexLight« | 44 |
| Music stand light »4 LED T-Model FlexLight« | 47 |
| Music stand light »Concert Light« | 49 |
| Music stand light »Dimmer Light« | 51 |
| Music stand light »Double LED FlexLight« | 44 |
| Music stand light »Double2 LED FlexLight« | 45 |
| Music stand light »Double4 LED FlexLight« | 46 |
| Music stand light »Double4 LED FlexLight« Set | 45 |

| | |
|---|---|
| Music stand light »Double4 LED T-Model FlexLight« | 48 |
| Music stand light »LED FlexLight« | 44 |
| Music stand light »Mighty Bright - Nu Flex« | 52 |
| Music stand light »Mighty Bright - Wonder Flex« | 52 |
| Music stand light »Orchestra Light Eos« | 50 |
| Music stand light »T-Model LED FlexLight« | 47 |
| Music stand light »Twin Head« | 49 |
| Musician's chair | 120 |
| Mute holder | 98 |
| Mute holder ring | 98 |
| Oboe peg | 101, 311 |
| Oboe stand | 88 |
| One hand microphone stand | 180, 181 |
| One-hand microphone stand »Elegance« | 183 |
| One-hand microphone stand »Performance« | 184 |
| Orchestra chair | 121, 122 |
| Orchestra conductor stand base | 33 |
| Orchestra conductor stand desk | 33, 34 |
| Orchestra music stand | 23, 25, 31, 22, 23, 24, 25, 26, 27, 28 |
| Orchestra music stand »Overture« | 29 |
| Orchestra music stand with tablet holder | 24 |
| Overhead microphone stand | 192, 193 |
| Panel | 172, 173 |
| Peg adapter | 102 |
| Peg holder | 102 |
| Pencil holder | 57 |
| Percussion table | 105 |
| Piano bench | 127, 128, 132 |
| Piano bench - wooden-frame | 129 |
| Piano bench »Uplift« | 128 |
| Piano bench with quilted seat cushion | 132 |
| Piano bench with sheet music storage | 131 |
| Piano stool | 133 |
| Piano tuning lever | 106 |
| Piano tuning lever set | 106 |
| Pick holder | 228 |
| Pneumatic stool | 113, 115 |
| Popkiller | 212, 213 |
| Power magnet | 56 |
| Power unit »FlexLight« | 53 |
| Price tag holder | 312 |
| Product holder | 307 |
| Product holder for acoustic guitar | 309 |
| Product holder for cymbal | 310 |
| Product holder for electric guitar | 309 |
| Product holder for guitar | 308 |
| Product holder for headphone | 310 |
| Product holder for microphone | 310 |
| Product holder for saxophone | 309 |
| Product holder for trombone | 310 |
| Product holder for ukuleles | 309 |
| Product holder for violin | 309 |
| Product label bundle | 313 |
| Product support arm | 307 |
| Projector tray | 246 |
| Promotional board (excl. Logo) | 284 |
| Protective cover for lectern | 284 |
| Quick-Release Adapter for microphones | 229 |
| Rack | 171, 172 |
| Rack desk stand | 170 |
| Rack wagon | 170, 171 |
| Rackmount storage | 173 |
| Railing for conductor podium | 37 |
| Recorder peg | 101, 312 |
| Recorder stand | 90, 91 |

| | | | |
|--|---|---|---------------|
| Reducer flange | 279 | Support arm set B | 157 |
| Replacement bulb | 53 | Support bracket | 174 |
| Rigging | 278 | Table clamp | 215, 216 |
| Ring spanner for base plates | 258 | Table flange | 214, 225, 226 |
| Saxophone stand | 81 | Table microphone clamp | 215 |
| Saxophone stand »Jazz« | 82 | Table microphone stand | 201, 202, 203 |
| Saxophone stand »Saxxy« | 82, 83 | Table monitor stand | 243, 244 |
| School orchestra music stand | 21 | Table music stand | 40 |
| Score tray | 34 | Table- /Floor microphone stand | 203, 204, 205 |
| Screen/Monitor stand | 290, 291 | Table-style keyboard stand | 148, 150 |
| Screw fitting set | 277 | Table-style keyboard stand »Omega Pro« | 144 |
| Screw-on adapter | 259 | Table-style keyboard stand »Omega-E« | 143 |
| Seat cushion - imitation leather | 131 | Table-style keyboard stand »Omega« | 145 |
| Seat cushion - leather | 131 | Table-style stage piano stand | 151 |
| Seat cushion - velvet | 130 | Tablet PC holder | 298, 299, 300 |
| Sheet music and concept holder | 160 | Tablet PC stand | 292, 293 |
| Sheet music and document holder | 222 | Tablet PC stand holder | 301, 302 |
| Sheet music clip | 56 | Tablet PC table stand | 294, 295 |
| Sheet music clips »Fix'n Clip« | 56 | Tablet PC wall mount | 296 |
| Sheet music holder | 56 | Tabletop microphone stand | 204 |
| Shoulder bag for sheet music and tablets | 303 | Tenor horn stand | 93 |
| Side cover | 170 | Thread adapter | 222, 223, 224 |
| Side crossbar | 277 | Threaded bolt | 216 |
| Single rack rail | 174 | Threaded bolt set for »Spider Pro« | 159 |
| Sliding shelf | 172 | Three guitar stand »Guardian 3« | 68 |
| Smartphone holder | 297 | Transportation case (hard case) for Lectern | 285 |
| Smartphone stand | 293 | Tray | 55, 263, 308 |
| Soprano saxophone peg | 100, 311 | Triangle holder | 105 |
| Soprano saxophone stand | 81, 83 | Trolley for Keyboard Stands | 161 |
| Soprano saxophone stand »Saxxy« | 83 | Trombone stand | 92 |
| Sound insulation element for Orchestra seats | 35 | Trumpet holder | 98 |
| Sound insulation stand | 35 | Trumpet peg | 100, 311 |
| Sousaphone stand | 96 | Trumpet stand | 96, 97 |
| SpaceWall® slat wall | 306 | Tuba performer stand | 95 |
| Speaker ceiling mount | 271 | Tuba performer stand for children | 95 |
| Speaker mount | 260, 268 | Tuba stand | 94 |
| Speaker mounting fork | 263 | Tuning fork | 106 |
| Speaker stand | 232, 233, 235, 236, 237, 238, 239, 240 | TV pin | 278 |
| Speaker stand »Ring Lock« | 241, 242 | Ukulele / Violin stand | 76 |
| Speaker stand package | 232, 233 | Ukulele holder | 76 |
| Speaker stand with pneumatic spring | 240 | Ukulele wall mount | 76 |
| Speaker stand XL | 234 | Uni-Boy »Book« stand | 40 |
| Speaker tilt connector | 260 | Uni-Boy »Classic« stand | 40 |
| Speaker tilt connector »Ring Lock« | 260 | Universal carrying case | 85 |
| Speaker wall mount | 266, 267, 268, 269, 270, 271 | Universal clamp | 216 |
| Speaker wall mount with sheet | 268 | Universal clamping holder | 217 |
| Speaker wall/ ceiling mount | 269, 270 | Universal drink holder | 56 |
| Speaker/Monitor stand | 232 | Universal holder | 141, 152, 310 |
| Spindle Drummer's Throne | 111 | Universal holder for »Spider Pro« | 158 |
| Stackable microphone stand | 180 | Universal joint | 224 |
| Stackable one-hand microphone stand | 180 | Universal rack shelf | 172 |
| Stacker | 141, 146, 151 | Universal speaker wall mount | 269 |
| Stacker A | 148 | Universal table-top stand | 285 |
| Stacker B | 149 | USB cable | 53 |
| Stacking chair | 120 | Ventilation panel | 173 |
| Stage piano support for »Omega« | 145 | Violin holder | 78 |
| Stage stool | 115, 116 | Violin stand | 78, 79 |
| Stair for conductor podium | 38 | Violin wall holder | 78 |
| Stand for electric double bass | 80 | Violin/Ukulele display stand | 79 |
| Stand for kingsize tuba | 94 | Wagon for orchestra music stands »Overture« | 30 |
| Stool | 114 | Wall mount for acoustic guitar | 72 |
| Storage box for wagon | 30 | Wall mount for electric guitar | 72 |
| String Cutter | 75 | Warning strip | 263 |
| Support arm set A | 157 | Wooden music stand | 39 |

Sales only through specialist shops.

When ordering please regard package units. Specifications subject to change without notice. No guarantee undertaken for printing errors.
Reprints (or duplication) prohibited. All supplies and deliveries are subject to our terms and conditions of sale, delivery and payment.



KÖNIG & MEYER GmbH & Co. KG
Postfach 1453 · 97864 Wertheim/Main · Germany
Kiesweg 2 · 97877 Wertheim/Main · Germany
Tel.: +49 (0) 93 42/806-0 · Fax: +49 (0) 93 42/806-150
e-Mail: contact@k-m.de · www.k-m.de